

# TI-Nspire™ CX Reference Guide

## ***Important Information***

Except as otherwise expressly stated in the License that accompanies a program, Texas Instruments makes no warranty, either express or implied, including but not limited to any implied warranties of merchantability and fitness for a particular purpose, regarding any programs or book materials and makes such materials available solely on an "as-is" basis. In no event shall Texas Instruments be liable to anyone for special, collateral, incidental, or consequential damages in connection with or arising out of the purchase or use of these materials, and the sole and exclusive liability of Texas Instruments, regardless of the form of action, shall not exceed the amount set forth in the license for the program. Moreover, Texas Instruments shall not be liable for any claim of any kind whatsoever against the use of these materials by any other party.

© 2023 Texas Instruments Incorporated

Actual products may vary slightly from provided images.

# Contents

<b>Expression Templates</b> .....	<b>1</b>
<b>Alphabetical Listing</b> .....	<b>7</b>
A .....	7
B .....	15
C .....	19
D .....	35
E .....	44
F .....	52
G .....	58
I .....	69
L .....	76
M .....	91
N .....	99
O .....	108
P .....	110
Q .....	117
R .....	119
S .....	134
T .....	153
U .....	165
V .....	166
W .....	167
X .....	169
Z .....	170
<b>Symbols</b> .....	<b>176</b>
<b>TI-Nspire™ CX II - Draw Commands</b> .....	<b>200</b>
Graphics Programming .....	200
Graphics Screen .....	200
Default View and Settings .....	201
Graphics Screen Errors Messages .....	202
Invalid Commands While in Graphics Mode .....	202
C .....	203
D .....	204
F .....	207
G .....	209
P .....	210
S .....	212
U .....	214

<b>Empty (Void) Elements</b> .....	<b>215</b>
<b>Shortcuts for Entering Maths Expressions</b> .....	<b>217</b>
<b>EOS™ (Equation Operating System) Hierarchy</b> .....	<b>219</b>
<b>TI-Nspire CX II - TI-Basic Programming Features</b> .....	<b>221</b>
Auto-indentation in Programming Editor .....	221
Improved Error Messages for TI-Basic .....	221
<b>Constants and Values</b> .....	<b>224</b>
<b>Error Codes and Messages</b> .....	<b>225</b>
<b>Warning Codes and Messages</b> .....	<b>233</b>
<b>General Information</b> .....	<b>235</b>
<b>Index</b> .....	<b>236</b>

## Expression Templates

Expression templates give you an easy way to enter maths expressions in standard mathematical notation. When you insert a template, it appears on the entry line with small blocks at positions where you can enter elements. A cursor shows which element you can enter.

Use the arrow keys or press **tab** to move the cursor to each element's position, and type a value or expression for the element. Press **enter** or **ctrl enter** to evaluate the expression.

### Fraction template

**ctrl** **÷** keys



**Note:** See also / (divide), page 178.

Example:

$$\frac{12}{8 \cdot 2} \qquad \frac{3}{4}$$

### Exponent template

**^** key



**Note:** Type the first value, press **^**, and then type the exponent. To return the cursor to the baseline, press right arrow (►).

**Note:** See also ^ (power), page 179.

Example:

$$2^3 \qquad 8$$

### Square root template

**ctrl** **x<sup>2</sup>** keys



**Note:** See also  $\sqrt{\quad}$  (square root), page 188.

Example:

$$\sqrt{4} \qquad 2$$
$$\sqrt{\{9,a,4\}} \qquad \{3,\sqrt{a},2\}$$
$$\sqrt{4} \qquad 2$$
$$\sqrt{\{9,16,4\}} \qquad \{3,4,2\}$$

## Nth root template

  keys



**Note:** See also `root()`, page 131.

Example:

$\sqrt[3]{8}$	2
$\sqrt[3]{\{8,27,15\}}$	{2,3,2.46621}

## e exponent template

 keys





Natural exponential  $e$  raised to a power


**Note:** See also `e^()`, page 44.

Example:

$e^1$	2.71828182846
-------	---------------

## Log template

  key



Calculates log to a specified base. For a default of base 10, omit the base.

**Note:** See also `log()`, page 87.

Example:

$\log_4(2)$	0.5
-------------	-----

## Piecewise template (2-piece)


Catalogue > 



Lets you create expressions and conditions for a two-piece piecewise function. To add a piece, click in the template and repeat the template.

**Note:** See also `piecewise()`, page 112.

Example:



## Piecewise template (N-piece)


Catalogue > 

Lets you create expressions and conditions for an  $N$ -piece piecewise function. Prompts for  $N$ .

Example:

## Piecewise template (N-piece)


Catalogue > 



See the example for Piecewise template (2-piece).

**Note:** See also `piecewise()`, page 112.

## System of 2 equations template

Catalogue > 



Creates a system of two linear equations. To add a row to an existing system, click in the template and repeat the template.


**Note:** See also `system()`, page 153.

Example:


$$\text{solve} \left( \begin{cases} x+y=0 \\ x-y=5 \end{cases}, x, y \right) \quad x = \frac{5}{2} \text{ and } y = -\frac{5}{2}$$

$$\text{solve} \left( \begin{cases} y=x^2-2 \\ x+2 \cdot y=-1 \end{cases}, x, y \right) \\ x = -\frac{3}{2} \text{ and } y = \frac{1}{4} \text{ or } x=1 \text{ and } y=-1$$

## System of N equations template

Catalogue > 

Lets you create a system of  $N$  linear equations. Prompts for  $N$ .




Example:

See the example for System of equations template (2-equation).

**Note:** See also `system()`, page 153.

## Absolute value template

Catalogue > 



**Note:** See also `abs()`, page 7.

Example:

$$\left\{ \left\{ 2, -3, 4, -4^3 \right\} \right\} \quad \left\{ 2, 3, 4, 64 \right\}$$

## dd°mm'ss.ss" template

Catalogue > 

0°00"

Lets you enter angles in **dd°mm'ss.ss"** format, where **dd** is the number of decimal degrees, **mm** is the number of minutes, and **ss.ss** is the number of seconds.

Example:

$30^{\circ}15'10''$  0.528011

## Matrix template (2 x 2)

Catalogue > 

$\begin{bmatrix} 00 \\ 00 \end{bmatrix}$

Creates a 2 x 2 matrix.

Example:

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \cdot 5$   $\begin{bmatrix} 5 & 10 \\ 15 & 20 \end{bmatrix}$

## Matrix template (1 x 2)

Catalogue > 

$[00]$

Example:

$\text{crossP}([1 \ 2],[3 \ 4])$   $[0 \ 0 \ -2]$

## Matrix template (2 x 1)

Catalogue > 

$\begin{bmatrix} 0 \\ 0 \end{bmatrix}$

Example:

$\begin{bmatrix} 5 \\ 8 \end{bmatrix} \cdot 0.01$   $\begin{bmatrix} 0.05 \\ 0.08 \end{bmatrix}$


## Matrix template (m x n)

Catalogue > 

The template appears after you are prompted to specify the number of rows and columns.

Example:

$\text{diag} \left( \begin{bmatrix} 4 & 2 & 6 \\ 1 & 2 & 3 \\ 5 & 7 & 9 \end{bmatrix} \right)$   $[4 \ 2 \ 9]$





## Matrix template (m x n)

Catalogue > 

**Note:** If you create a matrix with a large number of rows and columns, it may take a few moments to appear.

## Sum template ( $\Sigma$ )

Catalogue > 

$$\sum_{i=0}^{} (i)$$

Example:

$$\sum_{n=3}^7 (n) \quad 25$$

**Note:** See also  $\Sigma()$  (**sumSeq**), page 189.

## Product template ( $\Pi$ )

Catalogue > 

$$\prod_{i=0}^{} (i)$$

Example:

$$\prod_{n=1}^5 \left(\frac{1}{n}\right) \quad \frac{1}{120}$$

**Note:** See also  $\Pi()$  (**prodSeq**), page 189.

## First derivative template

Catalogue > 

$$\frac{d}{d[]}([])$$

Example:

$$\frac{d}{dx}(|x|)|_{x=0} \quad \text{undef}$$

The first derivative template can be used to calculate first derivative at a point numerically, using auto differentiation methods.

**Note:** See also **d()** (**derivative**), page 187.


## Second derivative template

Catalogue > 

$$\frac{d^2}{d[]^2}([])$$

Example:

## Second derivative template

Catalogue > 

The second derivative template can be used to calculate second derivative at a point numerically, using auto differentiation methods.

$$\frac{d^2}{dx^2}(x^3)|_{x=3}$$

18

**Note:** See also **d()** (**derivative**), page 187.

## Definite integral template

Catalogue > 

$$\int_0^1 x dx$$

The definite integral template can be used to calculate the definite integral numerically, using the same method as **nInt()**.

**Note:** See also **nInt()**, page 103.

Example:

$$\int_0^{10} x^2 dx$$


333.333

# Alphabetical Listing

Items whose names are not alphabetic (such as +, ! and >) are listed at the end of this section, starting page 176. Unless otherwise specified, all examples in this section were performed in the default reset mode, and all variables are assumed to be undefined.

## A

### abs()

Catalogue > 

**abs**(*ValueI*) $\Rightarrow$ *value*

$$\left| \left\{ \frac{\pi}{2}, \frac{\pi}{3} \right\} \right| \quad \{1.5708, 1.0472\}$$

**abs**(*ListI*) $\Rightarrow$ *list*

$$|2-3 \cdot i| \quad 3.60555$$


**abs**(*MatrixI*) $\Rightarrow$ *matrix*

Returns the absolute value of the argument.

**Note:** See also **Absolute value template**, page 3.

If the argument is a complex number, returns the number's modulus.

### amortTbl()

Catalogue > 

**amortTbl**(*NPmt*,*N*,*I*,*PV*, [*Pmt*], [*FV*], [*PpY*], [*CpY*], [*PmtAt*], [*roundValue*]) $\Rightarrow$ *matrix*

amortTbl(12,60,10,5000,,12,12)

0	0.	0.	5000.
1	-41.67	-64.57	4935.43
2	-41.13	-65.11	4870.32
3	-40.59	-65.65	4804.67
4	-40.04	-66.2	4738.47
5	-39.49	-66.75	4671.72
6	-38.93	-67.31	4604.41
7	-38.37	-67.87	4536.54
8	-37.8	-68.44	4468.1
9	-37.23	-69.01	4399.09
10	-36.66	-69.58	4329.51
11	-36.08	-70.16	4259.35
12	-35.49	-70.75	4188.6

Amortisation function that returns a matrix as an amortisation table for a set of TVM arguments.

*NPmt* is the number of payments to be included in the table. The table starts with the first payment.

*N*, *I*, *PV*, *Pmt*, *FV*, *PpY*, *CpY* and *PmtAt* are described in the table of TVM arguments, page 163.

- If you omit *Pmt*, it defaults to  $Pmt = \text{tvmPmt}(N, I, PV, FV, PpY, CpY, PmtAt)$ .
- If you omit *FV*, it defaults to  $FV = 0$ .
- The defaults for *PpY*, *CpY* and *PmtAt* are the same as for the TVM functions.

*roundValue* specifies the number of decimal places for rounding. Default=2.

The columns in the result matrix are in this order: Payment number, amount paid to interest, amount paid to principal, and balance.

The balance displayed in row *n* is the balance after payment *n*.

You can use the output matrix as input for the other amortisation functions  $\Sigma\text{Int}()$  and  $\Sigma\text{Prn}()$ , page 190, and **bal()**, page 15.

**and**

*BooleanExpr1 and BooleanExpr2* ⇒ *Boolean expression*

*BooleanList1 and BooleanList2* ⇒ *Boolean list*

*BooleanMatrix1 and BooleanMatrix2* ⇒ *Boolean matrix*

Returns true or false or a simplified form of the original entry.

*Integer1 and Integer2* ⇒ *integer*

Compares two real integers bit-by-bit using an **and** operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if both bits are 1; otherwise, the result is 0. The returned value represents the bit results and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

In Hex base mode:

0h7AC36 and 0h3D5F	0h2C16
--------------------	--------

Important: Zero, not the letter O.

In Bin base mode:

0b100101 and 0b100	0b100
--------------------	-------

In Dec base mode:

37 and 0b100	4
--------------	---

**Note:** A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

**angle()****angle(Value1)⇒value**

Returns the angle of the argument, interpreting the argument as a complex number.

In Degree angle mode:

$\text{angle}(0+2\cdot i)$	90
----------------------------	----

In Gradian angle mode:

$\text{angle}(0+3\cdot i)$	100
----------------------------	-----

In Radian angle mode:

$\text{angle}(1+i)$	0.785398
$\text{angle}(\{1+2\cdot i, 3+0\cdot i, 0-4\cdot i\})$	$\{1.10715, 0., -1.5708\}$

**angle(List1)⇒list****angle(Matrix1)⇒matrix**

Returns a list or matrix of angles of the elements in *List1* or *Matrix1*, interpreting each element as a complex number that represents a two-dimensional rectangular coordinate point.

**ANOVA****ANOVA List1,List2[,List3,...,List20][,Flag]**


Performs a one-way analysis of variance for comparing the means of two to 20 populations. A summary of results is stored in the *stat.results* variable (page 148).

*Flag*=0 for Data, *Flag*=1 for Stats

Output variable	Description
stat.F	Value of the F statistic
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom of the groups
stat.SS	Sum of squares of the groups
stat.MS	Mean squares for the groups

Output variable	Description
stat.dfError	Degrees of freedom of the errors
stat.SSError	Sum of squares of the errors
stat.MSError	Mean square for the errors
stat.sp	Pooled standard deviation
stat.xbarlist	Mean of the input of the lists
stat.CLowerList	95% confidence intervals for the mean of each input list
stat.CUpperList	95% confidence intervals for the mean of each input list

## ANOVA2way

Catalogue > 

**ANOVA2way** *List1,List2[,List3,...,List10][,levRow]*

Computes a two-way analysis of variance for comparing the means of two to 10 populations. A summary of results is stored in the *stat.results* variable (page 148).

*LevRow*=0 for Block

*LevRow*=2,3,...,*Len*-1, for Two Factor, where  
*Len*=length(*List1*)=length(*List2*) = ... = length(*List10*)  
and *Len* / *LevRow* ∈ {2,3,...}

Outputs: Block Design

Output variable	Description
stat.F	F statistic of the column factor
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom of the column factor
stat.SS	Sum of squares of the column factor
stat.MS	Mean squares for column factor
stat.FBlock	F statistic for factor
stat.PValBlock	Least probability at which the null hypothesis can be rejected
stat.dfBlock	Degrees of freedom for factor
stat.SSBlock	Sum of squares for factor
stat.MSBlock	Mean squares for factor
stat.dfError	Degrees of freedom of the errors

<b>Output variable</b>	<b>Description</b>
stat.SSError	Sum of squares of the errors
stat.MSError	Mean squares for the errors
stat.s	Standard deviation of the error

#### COLUMN FACTOR Outputs

<b>Output variable</b>	<b>Description</b>
stat.Fcol	F statistic of the column factor
stat.PValCol	Probability value of the column factor
stat.dfCol	Degrees of freedom of the column factor
stat.SSCol	Sum of squares of the column factor
stat.MSCol	Mean squares for column factor

#### ROW FACTOR Outputs

<b>Output variable</b>	<b>Description</b>
stat.FRow	F statistic of the row factor
stat.PValRow	Probability value of the row factor
stat.dfRow	Degrees of freedom of the row factor
stat.SSRow	Sum of squares of the row factor
stat.MSRow	Mean squares for row factor

#### INTERACTION Outputs

<b>Output variable</b>	<b>Description</b>
stat.FInteract	F statistic of the interaction
stat.PValInteract	Probability value of the interaction
stat.dfInteract	Degrees of freedom of the interaction
stat.SSInteract	Sum of squares of the interaction
stat.MSInteract	Mean squares for interaction

#### ERROR Outputs

Output variable	Description
stat.dfError	Degrees of freedom of the errors
stat.SSError	Sum of squares of the errors
stat.MSError	Mean squares for the errors
s	Standard deviation of the error

## Ans

**ctrl (-) keys**

**Ans**⇒value


56 56

Returns the result of the most recently evaluated expression.

56+4 60

60+4 64

## approx()

**Catalogue >** 

**approx(Value1)**⇒number

Returns the evaluation of the argument as an expression containing decimal values, when possible, regardless of the current **Auto** or **Approximate** mode.

This is equivalent to entering the argument and pressing **ctrl enter**.

$\text{approx}\left(\frac{1}{3}\right)$  0.333333

$\text{approx}\left(\left\{\frac{1}{3}, \frac{1}{9}\right\}\right)$  {0.333333,0.111111}

$\text{approx}\{\{\sin(\pi), \cos(\pi)\}\}$  {0,-1}

$\text{approx}([\sqrt{2} \ \sqrt{3}])$  [1.41421 1.73205]

$\text{approx}\left(\left[\frac{1}{3} \ \frac{1}{9}\right]\right)$  [0.333333 0.111111]

**approx(List1)**⇒list

$\text{approx}\{\{\sin(\pi), \cos(\pi)\}\}$  {0,-1}

**approx(Matrix1)**⇒matrix


$\text{approx}([\sqrt{2} \ \sqrt{3}])$  [1.41421 1.73205]

Returns a list or *matrix* where each element has been evaluated to a decimal value, when possible.



**approxFraction()**Catalogue > *Value* ▶  $\text{approxFraction}([Tol]) \Rightarrow \text{value}$ *List* ▶  $\text{approxFraction}([Tol]) \Rightarrow \text{list}$ *Matrix* ▶  $\text{approxFraction}([Tol]) \Rightarrow \text{matrix}$ Returns the input as a fraction, using a tolerance of *Tol*. If *Tol* is omitted, a tolerance of 5.E-14 is used.**Note:** You can insert this function from the computer keyboard by typing @>**approxFraction** (...).

$\frac{1}{2} + \frac{1}{3} + \tan(\pi)$	0.833333
0.8333333333333333 ▶ $\text{approxFraction}(5.E-14)$	$\frac{5}{6}$
$\{\pi, 1.5\}$ ▶ $\text{approxFraction}(5.E-14)$	$\left\{ \frac{5419351}{1725033}, \frac{3}{2} \right\}$

**approxRational()**Catalogue > *approxRational(Value[, Tol])* ⇒ *value**approxRational(List[, Tol])* ⇒ *list**approxRational(Matrix[, Tol])* ⇒ *matrix*Returns the argument as a fraction using a tolerance of *Tol*. If *Tol* is omitted, a tolerance of 5.E-14 is used.

$\text{approxRational}(0.333, 5 \cdot 10^{-5})$	$\frac{333}{1000}$
$\text{approxRational}(\{0.2, 0.33, 4.125\}, 5.E-14)$	$\left\{ \frac{1}{5}, \frac{33}{100}, \frac{33}{8} \right\}$

**arccos()**See  $\cos^{-1}()$ , page 26.**arccosh()**See  $\cosh^{-1}()$ , page 28.**arccot()**See  $\cot^{-1}()$ , page 28.**arccoth()**See  $\coth^{-1}()$ , page 29.**arccsc()**See  $\csc^{-1}()$ , page 32.

**arccsch()** See  $\text{csch}^{-1}()$ , page 32.

**arcsec()** See  $\text{sec}^{-1}()$ , page 134.

**arcsech()** See  $\text{sech}^{-1}()$ , page 135.

**arcsin()** See  $\text{sin}^{-1}()$ , page 143.

**arcsinh()** See  $\text{sinh}^{-1}()$ , page 144.

**arctan()** See  $\text{tan}^{-1}()$ , page 154.

**arctanh()** See  $\text{tanh}^{-1}()$ , page 155.

**augment()** Catalogue > 

**augment(List1, List2) ⇒ list**

Returns a new list that is *List2* appended to the end of *List1*.

$\text{augment}(\{1,-3,2\},\{5,4\}) \quad \{1,-3,2,5,4\}$

**augment(Matrix1, Matrix2) ⇒ matrix**

Returns a new matrix that is *Matrix2* appended to *Matrix1*. When the “,” character is used, the matrices must have equal row dimensions, and *Matrix2* is appended to *Matrix1* as new columns. Does not alter *Matrix1* or *Matrix2*.

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$
$\begin{bmatrix} 5 \\ 6 \end{bmatrix} \rightarrow m2$	$\begin{bmatrix} 5 \\ 6 \end{bmatrix}$
$\text{augment}(m1,m2)$	$\begin{bmatrix} 1 & 2 & 5 \\ 3 & 4 & 6 \end{bmatrix}$

**avgRC()**

Catalogue &gt;

**avgRC**(*Expr1*, *Var* [=Value] [, *Step*]) $\Rightarrow$ expression $x:=2$  2**avgRC**(*Expr1*, *Var* [=Value] [, *List1*]) $\Rightarrow$ list $\text{avgRC}(x^2-x+2,x)$  3.001**avgRC**(*List1*, *Var* [=Value] [, *Step*]) $\Rightarrow$ list $\text{avgRC}(x^2-x+2,x,1)$  3.1**avgRC**(*Matrix1*, *Var* [=Value] [, *Step*]) $\Rightarrow$ matrix $\text{avgRC}(x^2-x+2,x,3)$  6

Returns the forward-difference quotient (average rate of change).

*Expr1* can be a user-defined function name (see **Func**).When *Value* is specified, it overrides any prior variable assignment or any current “|” substitution for the variable.*Step* is the step value. If *Step* is omitted, it defaults to 0.001.Note that the similar function **centralDiff()** uses the central-difference quotient.**B****bal()**

Catalogue &gt;

**bal**(*NPmt*,*N*,*I*,*PV* [,*Pmt*], [*FV*], [*PpY*], [*CpY*], [*PmtAt*], [*roundValue*]) $\Rightarrow$ value $\text{bal}(5,6,5.75,5000,,12,12)$  833.11**bal**(*NPmt*,*amortTable*) $\Rightarrow$ value $\text{tbl}:=\text{amortTbl}(6,6,5.75,5000,,12,12)$ 

Amortisation function that calculates schedule balance after a specified payment.

0	0.	0.	5000.
1	-23.35	-825.63	4174.37
2	-19.49	-829.49	3344.88
3	-15.62	-833.36	2511.52
4	-11.73	-837.25	1674.27
5	-7.82	-841.16	833.11
6	-3.89	-845.09	-11.98

*N*, *I*, *PV*, *Pmt*, *FV*, *PpY*, *CpY* and *PmtAt* are described in the table of TVM arguments, page 163. $\text{bal}(4,\text{tbl})$  1674.27*NPmt* specifies the payment number after which you want the data calculated.

$N$ ,  $I$ ,  $PV$ ,  $Pmt$ ,  $FV$ ,  $PpY$ ,  $CpY$  and  $PmtAt$  are described in the table of TVM arguments, page 163.

- If you omit  $Pmt$ , it defaults to  $Pmt=tvmpmt(N,I,PV,FV,PpY,CpY,PmtAt)$ .
- If you omit  $FV$ , it defaults to  $FV=0$ .
- The defaults for  $PpY$ ,  $CpY$  and  $PmtAt$  are the same as for the TVM functions.

$roundValue$  specifies the number of decimal places for rounding. Default=2.

**bal**( $NPmt, amortTable$ ) calculates the balance after payment number  $NPmt$ , based on amortisation table  $amortTable$ . The  $amortTable$  argument must be a matrix in the form described under **amortTbl()**, page 7.

**Note:** See also  $\Sigma Int()$  and  $\Sigma Prn()$ , page 191.

## ►Base2

$Integer1$  ►Base2  $\Rightarrow integer$

256►Base2	0b100000000
0h1F►Base2	0b11111

**Note:** You can insert this operator from the computer keyboard by typing @>Base2.

Converts  $Integer1$  to a binary number. Binary or hexadecimal numbers always have a 0b or 0h prefix, respectively. Use a zero, not the letter O, followed by b or h.

0b *binaryNumber*

0h *hexadecimalNumber*

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix,  $Integer1$  is treated as decimal (base 10). The result is displayed in binary, regardless of the Base mode.

Negative numbers are displayed in “two’s complement” form. For example,

-1 is displayed as  
 0hFFFFFFFFFFFFFFF in Hex base mode  
 0b111...111 (64 1’s) in Binary base mode

-2<sup>63</sup> is displayed as  
 0h8000000000000000 in Hex base mode  
 0b100...000 (63 zeroes) in Binary base mode

If you enter a decimal integer that is outside the range of a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. Consider the following examples of values outside the range.

2<sup>63</sup> becomes -2<sup>63</sup> and is displayed as  
 0h8000000000000000 in Hex base mode  
 0b100...000 (63 zeroes) in Binary base mode

2<sup>64</sup> becomes 0 and is displayed as

0h0 in Hex base mode

0b0 in Binary base mode

-2<sup>63</sup> - 1 becomes 2<sup>63</sup> - 1 and is displayed as

0h7FFFFFFFFFFFFFFF in Hex base mode

0b111...111 (64 1’s) in Binary base mode

*Integer*1 ►Base10⇒*integer*

**Note:** You can insert this operator from the computer keyboard by typing @>Base10.

0b10011►Base10	19
0h1F►Base10	31

Converts *Integer1* to a decimal (base 10) number. A binary or hexadecimal entry must always have a 0b or 0h prefix, respectively.

0b *binaryNumber*

0h *hexadecimalNumber*

Zero, not the letter O, followed by b or h.

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix, *Integer1* is treated as decimal. The result is displayed in decimal, regardless of the Base mode.

*Integer1* ►Base16⇒*integer*

256►Base16

0h100

**Note:** You can insert this operator from the computer keyboard by typing @>Base16.

0b111100001111►Base16

0hFOF

Converts *Integer1* to a hexadecimal number. Binary or hexadecimal numbers always have a 0b or 0h prefix, respectively.

0b *binaryNumber*

0h *hexadecimalNumber*

Zero, not the letter O, followed by b or h.

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix, *Integer1* is treated as decimal (base 10). The result is displayed in hexadecimal, regardless of the Base mode.

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ►Base2, page 16.

**binomCdf()**

**binomCdf**( $n,p$ ) $\Rightarrow$ *list*

**binomCdf**( $n,p,lowBound,upBound$ ) $\Rightarrow$ *number* if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

**binomCdf**( $n,p,upBound$ )for  $P(0 \leq X \leq upBound)$  $\Rightarrow$ *number* if *upBound* is a number, *list* if *upBound* is a list

Computes a cumulative probability for the discrete binomial distribution with  $n$  number of trials and probability  $p$  of success on each trial.

For  $P(X \leq upBound)$ , set *lowBound*=0

**binomPdf()**

**binomPdf**( $n,p$ ) $\Rightarrow$ *list*

**binomPdf**( $n,p,XVal$ ) $\Rightarrow$ *number* if *XVal* is a number, *list* if *XVal* is a list

Computes a probability for the discrete binomial distribution with  $n$  number of trials and probability  $p$  of success on each trial.

**C****ceiling()**

**ceiling**(*ValueI*)  $\Rightarrow$  *value*


ceiling(.456)

1.

Returns the nearest integer that is  $\geq$  the argument.

The argument can be a real or a complex number.

## ceiling()

Catalogue > 

**Note:** See also `floor()`.


`ceiling(List l)` ⇒ *list*

`ceiling(Matrix l)` ⇒ *matrix*

Returns a list or matrix of the ceiling of each element.

<code>ceiling({-3.1,1,2.5})</code>	<code>{-3.,1,3.}</code>
<code>ceiling(<math>\begin{bmatrix} 0 &amp; -3.2 \cdot i \\ 1.3 &amp; 4 \end{bmatrix}</math>)</code>	$\begin{bmatrix} 0 & -3 \cdot i \\ 2. & 4 \end{bmatrix}$

## centralDiff()

Catalogue > 

`centralDiff(Expr l, Var [=Value][,Step])`  
⇒ *expression*

<code>centralDiff(cos(x),x) x=<math>\frac{\pi}{2}</math></code>	-1.
---	-----

`centralDiff(Expr l, Var [,Step]) | Var=Value` ⇒ *expression*

`centralDiff(Expr l, Var [=Value][,List])`  
⇒ *list*

`centralDiff(List l, Var [=Value][,Step])`  
⇒ *list*

`centralDiff(Matrix l, Var [=Value][,Step])`  
⇒ *matrix*

Returns the numerical derivative using the central difference quotient formula.


When *Value* is specified, it overrides any prior variable assignment or any current “|” substitution for the variable.

*Step* is the step value. If *Step* is omitted, it defaults to 0.001.

When using *List l* or *Matrix l*, the operation gets mapped across the values in the list or across the matrix elements.

**Note:** See also `avgRC()`.

## char()

Catalogue > 

`char(Integer)` ⇒ *character*

<code>char(38)</code>	"&"
<code>char(65)</code>	"A"

Returns a character string containing the character numbered *Integer* from the handheld character set. The valid range for *Integer* is 0–65535.



$\chi^2$ way *obsMatrix***chi2way** *obsMatrix*

Computes a  $\chi^2$  test for association on the two-way table of counts in the observed matrix *obsMatrix*. A summary of results is stored in the *stat.results* variable. (page 148)

For information on the effect of empty elements in a matrix, see “Empty (Void) Elements,” page 215.

Output variable	Description
stat. $\chi^2$	Chi square stat: $\text{sum}(\text{observed} - \text{expected})^2 / \text{expected}$
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the chi square statistics
stat.ExpMat	Matrix of expected elemental count table, assuming null hypothesis
stat.CompMat	Matrix of elemental chi square statistic contributions

 $\chi^2$ Cdf()

$\chi^2\text{Cdf}(\text{lowBound}, \text{upBound}, \text{df}) \Rightarrow$  number if *lowBound* and *upBound* are numbers, list if *lowBound* and *upBound* are lists

**chi2Cdf**(*lowBound*, *upBound*, *df*)  $\Rightarrow$  number if *lowBound* and *upBound* are numbers, list if *lowBound* and *upBound* are lists

Computes the  $\chi^2$  distribution probability between *lowBound* and *upBound* for the specified degrees of freedom *df*.

For  $P(X \leq \text{upBound})$ , set *lowBound* = 0.

For information on the effect of empty elements in a list, see “Empty (Void) Elements,” page 215.

 $\chi^2$ GOF $\chi^2$ GOF *obsList*, *expList*, *df***chi2GOF** *obsList*, *expList*, *df*

Performs a test to confirm that sample data is from a population that conforms to a specified distribution. *obsList* is a list of counts and must contain integers. A summary of results is stored in the *stat.results* variable. (See page 148.)

For information on the effect of empty elements in a list, see “Empty (Void) Elements,” page 215.

Output variable	Description
stat. $\chi^2$	Chi square stat: $\text{sum}((\text{observed} - \text{expected})^2/\text{expected})$
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the chi square statistics
stat.ComplList	Elemental chi square statistic contributions

 $\chi^2$ Pdf()

$\chi^2\text{Pdf}(XVal,df) \Rightarrow$  number if *XVal* is a number, list if *XVal* is a list

**chi2Pdf**(*XVal,df*)  $\Rightarrow$  number if *XVal* is a number, list if *XVal* is a list

Computes the probability density function (pdf) for the  $\chi^2$  distribution at a specified *XVal* value for the specified degrees of freedom *df*.

For information on the effect of empty elements in a list, see “Empty (Void) Elements,” page 215.

## ClearAZ

## ClearAZ

Clears all single-character variables in the current problem space.

If one or more of the variables are locked, this command displays an error message and deletes only the unlocked variables. See **unLock**, page 166.

$5 \rightarrow b$	5
<i>b</i>	5
ClearAZ	Done
<i>b</i>	"Error: Variable is not defined"

## ClrErr

Clears the error status and sets system variable *errCode* to zero.

The **Else** clause of the **Try...Else...EndTry** block should use **ClrErr** or **PassErr**. If the error is to be processed or ignored, use **ClrErr**. If what to do with the error is not known, use **PassErr** to send it to the next error handler. If there are no more pending **Try...Else...EndTry** error handlers, the error dialog box will be displayed as normal.

**Note:** See also **PassErr**, page 111, and **Try**, page 159.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

For an example of **ClrErr**, See Example 2 under the **Try** command, page 159.

## colAugment()

**colAugment**(*Matrix1*, *Matrix2*) ⇒ *matrix*

Returns a new matrix that is *Matrix2* appended to *Matrix1*. The matrices must have equal column dimensions, and *Matrix2* is appended to *Matrix1* as new rows. Does not alter *Matrix1* or *Matrix2*.

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$
$\begin{bmatrix} 5 & 6 \end{bmatrix} \rightarrow m2$	$\begin{bmatrix} 5 & 6 \end{bmatrix}$
<b>colAugment</b> ( <i>m1</i> , <i>m2</i> )	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}$

## colDim()

**colDim**(*Matrix*) ⇒ *expression*

Returns the number of columns contained in *Matrix*.

**Note:** See also **rowDim**().

<b>colDim</b> ( $\begin{bmatrix} 0 & 1 & 2 \\ 3 & 4 & 5 \end{bmatrix}$ )	3
--	---

## colNorm()

**colNorm**(*Matrix*) ⇒ *expression*

Returns the maximum of the sums of the absolute values of the elements in the columns in *Matrix*.

$\begin{bmatrix} 1 & -2 & 3 \\ 4 & 5 & -6 \end{bmatrix} \rightarrow mat$	$\begin{bmatrix} 1 & -2 & 3 \\ 4 & 5 & -6 \end{bmatrix}$
<b>colNorm</b> ( <i>mat</i> )	9

**colNorm()**Catalogue > 

**Note:** Undefined matrix elements are not allowed. See also **rowNorm()**.

**conj()**Catalogue > 

**conj(Value1)**  $\Rightarrow$  *value*  
**conj(List1)**  $\Rightarrow$  *list*  
**conj(Matrix1)**  $\Rightarrow$  *matrix*

$\text{conj}(1+2 \cdot i)$	$1-2 \cdot i$
$\text{conj}\left(\begin{bmatrix} 2 & 1-3 \cdot i \\ -i & -7 \end{bmatrix}\right)$	$\begin{bmatrix} 2 & 1+3 \cdot i \\ i & -7 \end{bmatrix}$

Returns the complex conjugate of the argument.

**constructMat()**Catalogue > 


**constructMat**  
**(Expr,Var1,Var2,numRows,numCols)**  
 $\Rightarrow$  *matrix*

$\text{constructMat}\left(\frac{1}{i+j}, i, j, 3, 4\right)$	$\begin{bmatrix} \frac{1}{2} & \frac{1}{3} & \frac{1}{4} & \frac{1}{5} \\ \frac{1}{3} & \frac{1}{4} & \frac{1}{5} & \frac{1}{6} \\ \frac{1}{4} & \frac{1}{5} & \frac{1}{6} & \frac{1}{7} \end{bmatrix}$
---	---

Returns a matrix based on the arguments.

*Expr* is an expression in variables *Var1* and *Var2*. Elements in the resulting matrix are formed by evaluating *Expr* for each incremented value of *Var1* and *Var2*.

*Var1* is automatically incremented from 1 through *numRows*. Within each row, *Var2* is incremented from 1 through *numCols*.

**CopyVar**Catalogue > 

**CopyVar** *Var1, Var2*

Define $a(x) = \frac{1}{x}$	<i>Done</i>
-----------------------------	-------------

**CopyVar** *Var1., Var2.*

Define $b(x) = x^2$	<i>Done</i>
---------------------	-------------

**CopyVar** *Var1, Var2* copies the value of variable *Var1* to variable *Var2*, creating *Var2* if necessary. Variable *Var1* must have a value.

CopyVar <i>a,c: c(4)</i>	$\frac{1}{4}$
--------------------------	---------------













CopyVar <i>b,c: c(4)</i>	16
--------------------------	----

If *Var1* is the name of an existing user-defined function, copies the definition of that function to function *Var2*. Function *Var1* must be defined.

*Var1* must meet the variable-naming requirements or must be an indirection expression that simplifies to a variable name meeting the requirements.

**CopyVar** *Var1.*, *Var2.* copies all members of the *Var1.* variable group to the *Var2.* group, creating *Var2.* if necessary.

*Var1.* must be the name of an existing variable group, such as the statistics *stat.nn* results, or variables created using the **LibShortcut()** function. If *Var2.* already exists, this command replaces all members that are common to both groups and adds the members that do not already exist. If one or more members of *Var2.* are locked, all members of *Var2.* are left unchanged.

<i>aa.a</i> :=45	45																
<i>aa.b</i> :=6.78	6.78																
CopyVar <i>aa.</i> , <i>bb.</i>	Done																
getVarInfo()	<table border="1"> <tbody> <tr> <td><i>aa.a</i></td> <td>"NUM"</td> <td></td> <td>0</td> </tr> <tr> <td><i>aa.b</i></td> <td>"NUM"</td> <td></td> <td>0</td> </tr> <tr> <td><i>bb.a</i></td> <td>"NUM"</td> <td></td> <td>0</td> </tr> <tr> <td><i>bb.b</i></td> <td>"NUM"</td> <td></td> <td>0</td> </tr> </tbody> </table>	<i>aa.a</i>	"NUM"		0	<i>aa.b</i>	"NUM"		0	<i>bb.a</i>	"NUM"		0	<i>bb.b</i>	"NUM"		0
<i>aa.a</i>	"NUM"		0														
<i>aa.b</i>	"NUM"		0														
<i>bb.a</i>	"NUM"		0														
<i>bb.b</i>	"NUM"		0														

## corrMat()

**corrMat**(*List1*,*List2*[,...[,*List20*]])

Computes the correlation matrix for the augmented matrix [*List1*, *List2*, ..., *List20*].

## cos()

**cos**(*Value1*) ⇒ *value*

In Degree angle mode:

**cos**(*List1*) ⇒ *list*

$$\cos\left(\left(\frac{\pi}{4}\right)^r\right) \quad 0.707107$$

**cos**(*Value1*) returns the cosine of the argument as a value.

$$\cos(45) \quad 0.707107$$

**cos**(*List1*) returns a list of the cosines of all elements in *List1*.

$$\cos(\{0,60,90\}) \quad \{1,0.5,0\}$$

**Note:** The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use °, G, or r to override the angle mode temporarily.

In Gradian angle mode:

$$\cos(\{0,50,100\}) \quad \{1,0.707107,0\}$$

In Radian angle mode:

$\cos\left(\frac{\pi}{4}\right)$	0.707107
$\cos(45^\circ)$	0.707107

**cos(squareMatrix1)**  $\Rightarrow$  squareMatrix

Returns the matrix cosine of squareMatrix1. This is not the same as calculating the cosine of each element.

When a scalar function  $f(A)$  operates on squareMatrix1 (A), the result is calculated by the algorithm:

Compute the eigenvalues ( $\lambda_i$ ) and eigenvectors ( $V_i$ ) of A.

squareMatrix1 must be diagonalizable. Also, it cannot have symbolic variables that have not been assigned a value.

Form the matrices:

$$B = \begin{bmatrix} \lambda_1 & 0 & \dots & 0 \\ 0 & \lambda_2 & \dots & 0 \\ 0 & 0 & \dots & 0 \\ 0 & 0 & \dots & \lambda_n \end{bmatrix} \text{ and } X = [V_1, V_2, \dots, V_n]$$

Then  $A = X B X^{-1}$  and  $f(A) = X f(B) X^{-1}$ . For example,  $\cos(A) = X \cos(B) X^{-1}$  where:

$\cos(B) =$

$$\begin{bmatrix} \cos(\lambda_1) & 0 & \dots & 0 \\ 0 & \cos(\lambda_2) & \dots & 0 \\ 0 & 0 & \dots & 0 \\ 0 & 0 & \dots & \cos(\lambda_n) \end{bmatrix}$$

All computations are performed using floating-point arithmetic.

In Radian angle mode:

$\cos\left(\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}\right)$	$\begin{bmatrix} 0.212493 & 0.205064 & 0.121389 \\ 0.160871 & 0.259042 & 0.037126 \\ 0.248079 & -0.090153 & 0.218972 \end{bmatrix}$
---	---

**cos-1(Value1)**  $\Rightarrow$  value

**cos-1(List1)**  $\Rightarrow$  list

In Degree angle mode:

$\cos^{-1}(1)$	0.
----------------	----

## cos-1()



**cos-1(Value1)** returns the angle whose cosine is *Value1*.

**cos-1(List1)** returns a list of the inverse cosines of each element of *List1*.

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the keyboard by typing **arccos (...)**.

**cos-1(squareMatrix1) ⇒ squareMatrix**

Returns the matrix inverse cosine of *squareMatrix1*. This is not the same as calculating the inverse cosine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

In Gradian angle mode:

$$\cos^{-1}(0) \quad 100.$$

In Radian angle mode:

$$\cos^{-1}\{0,0,2,0,5\} \\ \{1.5708,1.36944,1.0472\}$$

In Radian angle mode and Rectangular Complex Format:

$$\cos^{-1}\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix} \\ \begin{bmatrix} 1.73485+0.064606\cdot i & -1.49086+2.10514 \\ -0.725533+1.51594\cdot i & 0.623491+0.77836\cdot i \\ -2.08316+2.63205\cdot i & 1.79018-1.27182\cdot i \end{bmatrix}$$

To see the entire result, press **▲** and then use **◀** and **▶** to move the cursor.

## cosh()

Catalogue >

**cosh(Value1) ⇒ value**

**cosh(List1) ⇒ list**

**cosh(Value1)** returns the hyperbolic cosine of the argument.

**cosh(List1)** returns a list of the hyperbolic cosines of each element of *List1*.

**cosh(squareMatrix1) ⇒ squareMatrix**

Returns the matrix hyperbolic cosine of *squareMatrix1*. This is not the same as calculating the hyperbolic cosine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

In Degree angle mode:

$$\cosh\left(\frac{\pi}{4}\right) \quad 1.74671\text{E}19$$

In Radian angle mode:

$$\cosh\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix} \\ \begin{bmatrix} 421.255 & 253.909 & 216.905 \\ 327.635 & 255.301 & 202.958 \\ 226.297 & 216.623 & 167.628 \end{bmatrix}$$

$\cosh^{-1}(Value1) \Rightarrow value$

$\cosh^{-1}(List1) \Rightarrow list$

$\cosh^{-1}(Value1)$  returns the inverse hyperbolic cosine of the argument.

$\cosh^{-1}(List1)$  returns a list of the inverse hyperbolic cosines of each element of *List1*.

**Note:** You can insert this function from the keyboard by typing **arccosh (...)**.

$\cosh^{-1}(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix inverse hyperbolic cosine of *squareMatrix1*. This is not the same as calculating the inverse hyperbolic cosine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

$\cosh^{-1}(1)$	0
$\cosh^{-1}(\{1,2,1,3\})$	$\{0,1.37286,1.76275\}$

In Radian angle mode and In Rectangular Complex Format:

$\cosh^{-1}\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix}$	
$\begin{bmatrix} 2.52503+1.73485\cdot i & -0.009241-1.49086\cdot i \\ 0.486969-0.725533\cdot i & 1.66262+0.623491\cdot i \\ -0.322354-2.08316\cdot i & 1.26707+1.79018\cdot i \end{bmatrix}$	

To see the entire result, press **▲** and then use **◀** and **▶** to move the cursor.

## cot()

 key

$\cot(Value1) \Rightarrow value$

$\cot(List1) \Rightarrow list$

Returns the cotangent of *Value1* or returns a list of the cotangents of all elements in *List1*.

**Note:** The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use **°**, **G**, or **r** to override the angle mode temporarily.

In Degree angle mode:

$\cot(45)$	1.
------------	----

In Gradian angle mode:

$\cot(50)$	1.
------------	----

In Radian angle mode:

$\cot(\{1,2,1,3\})$	$\{0.642093,-0.584848,-7.01525\}$
---------------------	-----------------------------------

cot<sup>-1</sup>() key

In Degree angle mode:



## $\cot^{-1}()$



$\cot^{-1}(\text{Value1}) \Rightarrow \text{value}$

$\cot^{-1}(\text{List1}) \Rightarrow \text{list}$

Returns the angle whose cotangent is *Value1* or returns a list containing the inverse cotangents of each element of *List1*.

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the keyboard by typing `arccot (...)`.

$\cot^{-1}(1)$	45.
----------------	-----

In Gradian angle mode:

$\cot^{-1}(1)$	50.
----------------	-----

In Radian angle mode:

$\cot^{-1}(1)$	0.785398
----------------	----------

## $\coth()$

Catalogue >

$\coth(\text{Value1}) \Rightarrow \text{value}$

$\coth(\text{List1}) \Rightarrow \text{list}$

Returns the hyperbolic cotangent of *Value1* or returns a list of the hyperbolic cotangents of all elements of *List1*.

$\coth(1.2)$	1.19954
--------------	---------

$\coth(\{1,3,2\})$	{1.31304,1.00333}
--------------------	-------------------

## $\coth^{-1}()$

Catalogue >

$\coth^{-1}(\text{Value1}) \Rightarrow \text{value}$

$\coth^{-1}(\text{List1}) \Rightarrow \text{list}$

Returns the inverse hyperbolic cotangent of *Value1* or returns a list containing the inverse hyperbolic cotangents of each element of *List1*.

**Note:** You can insert this function from the keyboard by typing `arccoath (...)`.

$\coth^{-1}(3.5)$	0.293893
-------------------	----------

$\coth^{-1}(\{-2,2,1,6\})$	{-0.549306,0.518046,0.168236}
----------------------------	-------------------------------

## $\text{count}()$

Catalogue >

$\text{count}(\text{Value1orList1} [, \text{Value2orList2} [, \dots]]) \Rightarrow \text{value}$

Returns the accumulated count of all elements in the arguments that evaluate to numeric values.

$\text{count}(2,4,6)$	3
-----------------------	---

$\text{count}(\{2,4,6\})$	3
---------------------------	---

$\text{count}\left(2, \{4,6\}, \begin{bmatrix} 8 & 10 \\ 12 & 14 \end{bmatrix}\right)$	7
--	---

Each argument can be an expression, value, list, or matrix. You can mix data types and use arguments of various dimensions.

For a list, matrix, or range of cells, each element is evaluated to determine if it should be included in the count.

Within the Lists & Spreadsheet application, you can use a range of cells in place of any argument.

Empty (void) elements are ignored. For more information on empty elements, see page 215.

**countif()**

**countif(List, Criteria) ⇒ value**

Returns the accumulated count of all elements in *List* that meet the specified *Criteria*.

*Criteria* can be:

- A value, expression, or string. For example, **3** counts only those elements in *List* that simplify to the value 3.
- A Boolean expression containing the symbol **?** as a place holder for each element. For example, **?<5** counts only those elements in *List* that are less than 5.

Within the Lists & Spreadsheet application, you can use a range of cells in place of *List*.

Empty (void) elements in the list are ignored. For more information on empty elements, see page 215.

**Note:** See also **sumif()**, page 152, and **frequency()**, page 56.

---

countIf({1,3,"abc",undef,3,1},3) 2

---

Counts the number of elements equal to 3.

---

countIf({"abc","def","abc",3},"def") 1

---

Counts the number of elements equal to "def."

---

countIf({1,3,5,7,9},?<5) 2

---

Counts 1 and 3.

---

countIf({1,3,5,7,9},2<?<8) 3

---


Counts 3, 5, and 7.

---

countIf({1,3,5,7,9},?<4 or ?>6) 4

---

Counts 1, 3, 7, and 9.

**cPolyRoots()**Catalogue > **cPolyRoots**(*Poly*,*Var*) ⇒ *list*

$\text{polyRoots}(y^3+1,y)$	$\{-1\}$
-----------------------------	----------

**cPolyRoots**(*ListOfCoeffs*) ⇒ *list*

$\text{cPolyRoots}(y^3+1,y)$	$\{-1, 0.5-0.866025\mathbf{i}, 0.5+0.866025\mathbf{i}\}$
------------------------------	--

The first syntax, **cPolyRoots**(*Poly*,*Var*), returns a list of complex roots of polynomial *Poly* with respect to variable *Var*.


$\text{polyRoots}(x^2+2\cdot x+1,x)$	$\{-1,-1\}$
--------------------------------------	-------------

$\text{cPolyRoots}(\{1,2,1\})$	$\{-1,-1\}$
--------------------------------	-------------

*Poly* must be a polynomial in expanded form in one variable. Do not use unexpanded forms such as  $y^2\cdot y+1$  or  $x\cdot x+2\cdot x+1$

The second syntax, **cPolyRoots**(*ListOfCoeffs*), returns a list of complex roots for the coefficients in *ListOfCoeffs*.

**Note:** See also **polyRoots()**, page 114.

**crossP()**Catalogue > **crossP**(*List1*,*List2*) ⇒ *list*

$\text{crossP}(\{0.1,2.2,-5\},\{1,-0.5,0\})$	$\{-2.5,-5,-2.25\}$
--	---------------------

Returns the cross product of *List1* and *List2* as a list.

*List1* and *List2* must have equal dimension, and the dimension must be either 2 or 3.

**crossP**(*Vector1*,*Vector2*) ⇒ *vector*

$\text{crossP}(\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}, \begin{bmatrix} -3 & 6 & -3 \end{bmatrix})$	$\begin{bmatrix} -3 & 6 & -3 \end{bmatrix}$
$\text{crossP}(\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, \begin{bmatrix} 0 & 0 & -2 \end{bmatrix})$	$\begin{bmatrix} 0 & 0 & -2 \end{bmatrix}$

Returns a row or column vector (depending on the arguments) that is the cross product of *Vector1* and *Vector2*.

Both *Vector1* and *Vector2* must be row vectors, or both must be column vectors. Both vectors must have equal dimension, and the dimension must be either 2 or 3.

**csc()** key**csc**(*Value1*) ⇒ *value*

In Degree angle mode:

**csc**(*List1*) ⇒ *list*

$\text{csc}(45)$	1.41421
------------------	---------

**csc()** **key**

Returns the cosecant of *Value1* or returns a list containing the cosecants of all elements in *List1*.

In Gradian angle mode:

$\text{csc}(50)$	1.41421
------------------	---------

In Radian angle mode:

$\text{csc}\left(\left\{1, \frac{\pi}{2}, \frac{\pi}{3}\right\}\right)$	$\{1.1884, 1., 1.1547\}$
---	--------------------------

**csc-1()** **key****csc-1(Value1)**  $\Rightarrow$  *value***csc-1(List1)**  $\Rightarrow$  *list*

Returns the angle whose cosecant is *Value1* or returns a list containing the inverse cosecants of each element of *List1*.

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the keyboard by typing **arccsc (...)**.

In Degree angle mode:


$\text{csc}^{-1}(1)$	90.
----------------------	-----

In Gradian angle mode:

$\text{csc}^{-1}(1)$	100.
----------------------	------

In Radian angle mode:


$\text{csc}^{-1}\{1, 4, 6\}$	$\{1.5708, 0.25268, 0.167448\}$
------------------------------	---------------------------------

**csch()****Catalogue** > **csch(Value1)**  $\Rightarrow$  *value***csch(List1)**  $\Rightarrow$  *list*

Returns the hyperbolic cosecant of *Value1* or returns a list of the hyperbolic cosecants of all elements of *List1*.

$\text{csch}(3)$	0.099822
------------------	----------

$\text{csch}\left(\{1, 2, 1, 4\}\right)$	$\{0.850918, 0.248641, 0.036644\}$
--	------------------------------------

**csch-1()****Catalogue** > **csch-1(Value)**  $\Rightarrow$  *value***csch-1(List1)**  $\Rightarrow$  *list*

$\text{csch}^{-1}(1)$	0.881374
-----------------------	----------

$\text{csch}^{-1}\{1, 2, 1, 3\}$	$\{0.881374, 0.459815, 0.32745\}$
----------------------------------	-----------------------------------

Returns the inverse hyperbolic cosecant of *Value1* or returns a list containing the inverse hyperbolic cosecants of each element of *List1*.

**Note:** You can insert this function from the keyboard by typing `arccsch (...)`.

## CubicReg

**CubicReg** *X*, *Y*, [*Freq*] [, *Category*, *Include*]

Computes the cubic polynomial regression  $y=a\cdot x^3+b\cdot x^2+c\cdot x+d$  on lists *X* and *Y* with frequency *Freq*. A summary of results is stored in the *stat.results* variable. (See page 148.)

All the lists must have equal dimension except for *Include*.

*X* and *Y* are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric or string category codes for the corresponding *X* and *Y* data.


*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a\cdot x^3+b\cdot x^2+c\cdot x+d$
stat.a, stat.b, stat.c, stat.d	Regression coefficients
stat.R <sup>2</sup>	Coefficient of determination
stat.Resid	Residuals from the regression

Output variable	Description
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> , and <i>Include Categories</i>
stat.YReg	List of data points in the modified <i>Y List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> , and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

## cumulativeSum()

Catalogue > 

**cumulativeSum(List1) ⇒ list**

cumulativeSum({1,2,3,4})      {1,3,6,10}

Returns a list of the cumulative sums of the elements in *List1*, starting at element 1.


**cumulativeSum(Matrix1) ⇒ matrix**

Returns a matrix of the cumulative sums of the elements in *Matrix1*. Each element is the cumulative sum of the column from top to bottom.

1 2	→ m1	1 2
3 4		3 4
5 6		5 6
cumulativeSum(m1)		1 2
		4 6
		9 12

An empty (void) element in *List1* or *Matrix1* produces a void element in the resulting list or matrix. For more information on empty elements, see page 215.

## Cycle

Catalogue > 

### Cycle

Transfers control immediately to the next iteration of the current loop (**For**, **While**, or **Loop**).

**Cycle** is not allowed outside the three looping structures (**For**, **While**, or **Loop**).

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Function listing that sums the integers from 1 to 100 skipping 50.

```
Define g()=Func                               Done
  Local temp,i
  0→temp
  For i,1,100,1
  If i=50
  Cycle
  temp+i→temp
  EndFor
  Return temp
  EndFunc
```

g()      5000

*Vector* ► Cylind

[2 2 3]►Cylind

[2.82843 ∠0.785398 3.]

**Note:** You can insert this operator from the computer keyboard by typing @>Cylind.

Displays the row or column vector in cylindrical form [r,∠ θ, z].

*Vector* must have exactly three elements. It can be either a row or a column.

## D

## dbd()

*dbd(date1,date2)⇒value*

Returns the number of days between *date1* and *date2* using the actual-day-count method.

*date1* and *date2* can be numbers or lists of numbers within the range of the dates on the standard calendar. If both *date1* and *date2* are lists, they must be the same length.

*date1* and *date2* must be between the years 1950 through 2049.

You can enter the dates in either of two formats. The decimal placement differentiates between the date formats.

MM.DDYY (format used commonly in the United States)

DDMM.YY (format use commonly in Europe)


dbd(12.3103,1.0104)	1
dbd(1.0107,6.0107)	151
dbd(3112.03,101.04)	1
dbd(101.07,106.07)	151

## ►DD

*Expr1* ►DD⇒*value*

In Degree angle mode:

*List1* ►DD⇒*list**Matrix1* ►DD⇒*matrix*

**►DD**Catalogue > 

**Note:** You can insert this operator from the computer keyboard by typing  $\text{e}>\text{DD}$ .

Returns the decimal equivalent of the argument expressed in degrees. The argument is a number, list, or matrix that is interpreted by the Angle mode setting in gradians, radians or degrees.

$(1.5^\circ)\text{►DD}$	$1.5^\circ$
$(45^\circ 22' 14.3'')\text{►DD}$	$45.3706^\circ$
$(\{45^\circ 22' 14.3'', 60^\circ 0' 0''\})\text{►DD}$	$\{45.3706^\circ, 60^\circ\}$

In Gradian angle mode:

$1\text{►DD}$	$\frac{9}{10}^\circ$
---------------	----------------------

In Radian angle mode:

$(1.5)\text{►DD}$	$85.9437^\circ$
-------------------	-----------------

**►Decimal**Catalogue > 

*Number1* ►Decimal  $\Rightarrow$  value


*List1* ►Decimal  $\Rightarrow$  value

*Matrix1* ►Decimal  $\Rightarrow$  value

**Note:** You can insert this operator from the computer keyboard by typing  $\text{e}>\text{Decimal}$ .

Displays the argument in decimal form. This operator can be used only at the end of the entry line.

$\frac{1}{3}\text{►Decimal}$	$0.333333$
------------------------------	------------

**Define**Catalogue > 

**Define** *Var* = *Expression*

**Define** *Function*(*Param1*, *Param2*, ...) = *Expression*

Defines the variable *Var* or the user-defined function *Function*.

Define $g(x,y)=2\cdot x-3\cdot y$	<i>Done</i>
$g(1,2)$	-4
$1 \rightarrow a: 2 \rightarrow b: g(a,b)$	-4
Define $h(x)=\text{when}(x<2, 2\cdot x-3, 2\cdot x+3)$	<i>Done</i>
$h(-3)$	-9
$h(4)$	-5



Parameters, such as *Param1*, provide place holders for passing arguments to the function. When calling a user-defined function, you must supply arguments (for example, values or variables) that correspond to the parameters. When called, the function evaluates *Expression* using the supplied arguments.

*Var* and *Function* cannot be the name of a system variable or built-in function or command.

**Note:** This form of **Define** is equivalent to executing the expression: *expression* → *Function(Param1,Param2)*.

**Define** *Function(Param1, Param2, ...)* =  
**Func**  
*Block*  
**EndFunc**

**Define** *Program(Param1, Param2, ...)* =  
**Prgm**  
*Block*  
**EndPrgm**

In this form, the user-defined function or programme can execute a block of multiple statements.

*Block* can be either a single statement or a series of statements on separate lines. *Block* also can include expressions and instructions (such as **If**, **Then**, **Else** and **For**).

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

**Note:** See also **Define LibPriv**, page 37, and **Define LibPub**, page 38.

---

```
Define g(x,y)=Func                                Done
    If x>y Then
    Return x
    Else
    Return y
    EndIf
    EndFunc
g(3,-7)                                           3
```

---



---

```
Define g(x,y)=Prgm
    If x>y Then
    Disp x," greater than ",y
    Else
    Disp x," not greater than ",y
    EndIf
    EndPrgm
                                           Done
g(3,-7)
                                           3 greater than -7
                                           Done
```

---

**Define LibPriv** *Var* = *Expression*

**Define LibPriv** *Function*(*Param1*, *Param2*, ...) =  
*Expression*

**Define LibPriv** *Function*(*Param1*, *Param2*, ...) = **Func**  
*Block*  
**EndFunc**

**Define LibPriv** *Program*(*Param1*, *Param2*, ...) =  
**Prgm**  
*Block*  
**EndPrgm**

Operates the same as **Define**, except defines a private library variable, function, or programme. Private functions and programs do not appear in the Catalogue.

**Note:** See also **Define**, page 36, and **Define LibPub**, page 38.

**Define LibPub** *Var* = *Expression*

**Define LibPub** *Function*(*Param1*, *Param2*, ...) =  
*Expression*

**Define LibPub** *Function*(*Param1*, *Param2*, ...) = **Func**  
*Block*  
**EndFunc**

**Define LibPub** *Program*(*Param1*, *Param2*, ...) =  
**Prgm**  
*Block*  
**EndPrgm**

Operates the same as **Define**, except defines a public library variable, function, or programme. Public functions and programs appear in the Catalogue after the library has been saved and refreshed.

**Note:** See also **Define**, page 36, and **Define LibPriv**, page 37.

**DelVar**

Catalogue &gt;

**DelVar** *Var1* [, *Var2*] [, *Var3*] ... $2 \rightarrow a$  2**DelVar** *Var*. $(a+2)^2$  16

Deletes the specified variable or variable group from memory.

DelVar *a* Done

If one or more of the variables are locked, this command displays an error message and deletes only the unlocked variables. See **unLock**, page 166.

 $(a+2)^2$  "Error: Variable is not defined"

**DelVar** *Var*. deletes all members of the *Var*. variable group (such as the statistics *stat.nn* results or variables created using the **LibShortcut()** function). The dot (.) in this form of the **DelVar** command limits it to deleting a variable group; the simple variable *Var* is not affected.

*aa.a*:=45 45*aa.b*:=5.67 5.67*aa.c*:=78.9 78.9

getVarInfo()	<i>aa.a</i> "NUM" "[0]"
	<i>aa.b</i> "NUM" "[0]"
	<i>aa.c</i> "NUM" "[0]"

DelVar *aa*. Done

getVarInfo() "NONE"

**delVoid()**

Catalogue &gt;

**delVoid**(*List1*)⇒*list*

delVoid({1,void,3}) {1,3}

Returns a list that has the contents of *List1* with all empty (void) elements removed.

For more information on empty elements, see page 215.

**det()**

Catalogue &gt;

**det**{*squareMatrix* [, *Tolerance*]}⇒*expression* $\det\left(\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}\right)$  -2Returns the determinant of *squareMatrix*. $\begin{bmatrix} 1.\text{E}20 & 1 \\ 0 & 1 \end{bmatrix} \rightarrow \text{mat1}$   $\begin{bmatrix} 1.\text{E}20 & 1 \\ 0 & 1 \end{bmatrix}$  $\det(\text{mat1})$  0 $\det(\text{mat1},1)$  1.E20

Optionally, any matrix element is treated as zero if its absolute value is less than *Tolerance*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tolerance* is ignored.

- If you use `ctrl` `enter` or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If *Tolerance* is omitted or not used, the default tolerance is calculated as:

$$5E-14 \cdot \max(\text{dim}(\text{squareMatrix})) \cdot \text{rowNorm}(\text{squareMatrix})$$

## diag()

**diag(List)** ⇒ matrix

$$\text{diag}([2 \ 4 \ 6]) \quad \begin{bmatrix} 2 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 6 \end{bmatrix}$$

**diag(rowMatrix)** ⇒ matrix

**diag(columnMatrix)** ⇒ matrix

Returns a matrix with the values in the argument list or matrix in its main diagonal.

**diag(squareMatrix)** ⇒ rowMatrix

Returns a row matrix containing the elements from the main diagonal of *squareMatrix*.

$$\begin{bmatrix} 4 & 6 & 8 \\ 1 & 2 & 3 \\ 5 & 7 & 9 \end{bmatrix} \quad \text{diag}(\text{Ans}) \quad \begin{bmatrix} 4 & 6 & 8 \\ 1 & 2 & 3 \\ 5 & 7 & 9 \end{bmatrix}$$

*squareMatrix* must be square.

## dim()

**dim(List)** ⇒ integer

$$\text{dim}(\{0,1,2\}) \quad 3$$

Returns the dimension of *List*.

**dim(Matrix)** ⇒ list

$$\text{dim} \left( \begin{bmatrix} 1 & -1 \\ 2 & -2 \\ 3 & 5 \end{bmatrix} \right) \quad \{3,2\}$$

Returns the dimensions of matrix as a two-element list {rows, columns}.

## dim()

Catalogue &gt;

**dim**(*String*)⇒*integer*Returns the number of characters contained in character string *String*.

dim("Hello")	5
dim("Hello "&"there")	11

## Disp

Catalogue &gt;

**Disp** *exprOrString1* [, *exprOrString2*] ...Displays the arguments in the *Calculator* history. The arguments are displayed in succession, with thin spaces as separators.

Useful mainly in programs and functions to ensure the display of intermediate calculations.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define <i>chars</i> ( <i>start,end</i> )=Prgm	
For <i>i,start,end</i>	
Disp <i>i," ",char(i)</i>	
EndFor	
EndPrgm	
	<i>Done</i>
<i>chars</i> (240,243)	
	240 ø
	241 ñ
	242 ò
	243 ó
	<i>Done</i>

## DispAt

Catalogue &gt;

**DispAt** *int,expr1* [,*expr2* ...] ...**DispAt** allows you to specify the line where the specified expression or string will be displayed on the screen.

The line number can be specified as an expression.


Please note that the line number is not for the entire screen but for the area immediately following the command/programme.

This command allows dashboard-like output from programmes where the value of an expression or from a sensor reading is updated on the same line.


**DispAt** and **Disp** can be used within the same programme.

DispAt

### Example



**Note:** The maximum number is set to 8 since that matches a screen-full of lines on the handheld screen - as long as the lines don't have 2D maths expressions. The exact number of lines depends on the content of the displayed information.



**Illustrative examples:**

Define z()= Prgm For n,1,3 DispAt 1,"N: ",n Disp "Hello" EndFor EndPrgm	Output z()  Iteration 1: Line 1: N:1 Line 2: Hello  Iteration 2: Line 1: N:2 Line 2: Hello Line 3: Hello  Iteration 3: Line 1: N:3 Line 2: Hello Line 3: Hello Line 4: Hello
Define z1()= Prgm For n,1,3 DispAt 1,"N: ",n EndFor  For n,1,4 Disp "Hello" EndFor EndPrgm	z1()  Line 1: N:3 Line 2: Hello Line 3: Hello Line 4: Hello Line 5: Hello

## Error conditions:

Error Message	Description
DispAt line number must be between 1 and 8	Expression evaluates the line number outside the range 1-8 (inclusive)
Too few arguments	The function or command is missing one or more arguments.
No arguments	Same as current 'syntax error' dialogue
Too many arguments	Limit argument. Same error as Disp.
Invalid data type	First argument must be a number.
Void: DispAt void	"Hello World" Datatype error is thrown for the void (if the callback is defined)

## ►DMS

Value ►DMS

In Degree angle mode:

List ►DMS

$(45.371)$ ►DMS	$45^{\circ}22'15.6''$
-----------------	-----------------------

Matrix ►DMS

$\{\{45.371,60\}\}$ ►DMS	$\{45^{\circ}22'15.6'',60^{\circ}\}$
--------------------------	--------------------------------------

**Note:** You can insert this operator from the computer keyboard by typing @>DMS.

Interprets the argument as an angle and displays the equivalent DMS (DDDDDD°MM'SS.ss") number. See °, ', " (page 194) for DMS (degree, minutes, seconds) format.

**Note:** ►DMS will convert from radians to degrees when used in radian mode. If the input is followed by a degree symbol °, no conversion will occur. You can use ►DMS only at the end of an entry line.

## dotP()

dotP(List1, List2)⇒expression

$\text{dotP}(\{1,2\},\{5,6\})$	17
--------------------------------	----

Returns the "dot" product of two lists.

dotP(Vector1, Vector2)⇒expression

$\text{dotP}([1\ 2\ 3],[4\ 5\ 6])$	32
------------------------------------	----

Returns the “dot” product of two vectors.

Both must be row vectors, or both must be column vectors.

## E



### $e^{\wedge}()$

 key

$e^{\wedge}(\text{Value1}) \Rightarrow \text{value}$

Returns  $e$  raised to the *Value1* power.

**Note:** See also **e exponent template**, page 2.

**Note:** Pressing  to display  $e^{\wedge}()$  is different from pressing the character  on the keyboard.

You can enter a complex number in  $re^{i\theta}$  polar form. However, use this form in Radian angle mode only; it causes a Domain error in Degree or Gradian angle mode.

$e^{\wedge}(\text{List1}) \Rightarrow \text{list}$

Returns  $e$  raised to the power of each element in *List1*.

$e^{\wedge}(\text{squareMatrix1}) \Rightarrow \text{squareMatrix}$

Returns the matrix exponential of *squareMatrix1*. This is not the same as calculating  $e$  raised to the power of each element. For information about the calculation method, refer to **cos()**.


*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

$e^1$	2.71828
$e^{3^2}$	8103.08

$e^{\{1,1,.05\}}$	$\{2.71828,2.71828,1.64872\}$
-------------------	-------------------------------

$e^{\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}}$	$\begin{bmatrix} 782.209 & 559.617 & 456.509 \\ 680.546 & 488.795 & 396.521 \\ 524.929 & 371.222 & 307.879 \end{bmatrix}$
--	---

### eff()

 Catalogue > 

$\text{eff}(\text{nominalRate}, \text{CpY}) \Rightarrow \text{value}$

$\text{eff}(5.75,12)$	5.90398
-----------------------	---------



Financial function that converts the nominal interest rate *nominalRate* to an annual effective rate, given *CpY* as the number of compounding periods per year.

*nominalRate* must be a real number, and *CpY* must be a real number > 0.

**Note:** See also **nom()**, page 103.

## eigVc()

**eigVc**(*squareMatrix*) ⇒ *matrix*

Returns a matrix containing the eigenvectors for a real or complex *squareMatrix*, where each column in the result corresponds to an eigenvalue. Note that an eigenvector is not unique; it may be scaled by any constant factor. The eigenvectors are normalized, meaning that:

$$\text{if } V = [x_1, x_2, \dots, x_n]$$

$$\text{then } x_1^2 + x_2^2 + \dots + x_n^2 = 1$$

*squareMatrix* is first balanced with similarity transformations until the row and column norms are as close to the same value as possible. The *squareMatrix* is then reduced to upper Hessenberg form and the eigenvectors are computed via a Schur factorization.

In Rectangular Complex Format:

$$\begin{bmatrix} -1 & 2 & 5 \\ 3 & -6 & 9 \\ 2 & -5 & 7 \end{bmatrix} \rightarrow mI \quad \begin{bmatrix} -1 & 2 & 5 \\ 3 & -6 & 9 \\ 2 & -5 & 7 \end{bmatrix}$$

$$\text{eigVc}(mI) \begin{bmatrix} -0.800906 & 0.767947 & ( \\ 0.484029 & 0.573804+0.052258 \cdot i & 0.5738 \\ 0.352512 & 0.262687+0.096286 \cdot i & 0.2626 \end{bmatrix}$$

To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

## eigVl()

**eigVl**(*squareMatrix*) ⇒ *list*

Returns a list of the eigenvalues of a real or complex *squareMatrix*.

In Rectangular complex format mode:

$$\begin{bmatrix} -1 & 2 & 5 \\ 3 & -6 & 9 \\ 2 & -5 & 7 \end{bmatrix} \rightarrow mI \quad \begin{bmatrix} -1 & 2 & 5 \\ 3 & -6 & 9 \\ 2 & -5 & 7 \end{bmatrix}$$

$$\text{eigVl}(mI) \{ -4.40941, 2.20471+0.763006 \cdot i, 2.20471-0. \}$$


To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

*squareMatrix* is first balanced with similarity transformations until the row and column norms are as close to the same value as possible. The *squareMatrix* is then reduced to upper Hessenberg form and the eigenvalues are computed from the upper Hessenberg matrix.

Else

See If, page 69.

Elseif

Catalogue > **If BooleanExpr1 Then***Block1***Elseif BooleanExpr2 Then***Block2*

⋮

**Elseif BooleanExprN Then***BlockN***Endif**

⋮

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define  $g(x)=$ FuncIf  $x \leq 5$  Then

Return 5

Elseif  $x > 5$  and  $x < 0$  ThenReturn  $-x$ Elseif  $x \geq 0$  and  $x \neq 10$  ThenReturn  $x$ Elseif  $x = 10$  Then

Return 3

Endif

EndFunc

*Done*

EndFor


See For, page 54.

EndFunc

See Func, page 58.

Endif

See If, page 69.

**euler ()**Catalogue > 

**euler**(*Expr*, *Var*, *depVar*, {*Var0*, *VarMax*}, *depVar0*, *VarStep* [, *eulerStep*]) ⇒ *matrix*

**euler**(*SystemOfExpr*, *Var*, *ListOfDepVars*, {*Var0*, *VarMax*}, *ListOfDepVars0*, *VarStep* [, *eulerStep*]) ⇒ *matrix*

**euler**(*ListOfExpr*, *Var*, *ListOfDepVars*, {*Var0*, *VarMax*}, *ListOfDepVars0*, *VarStep* [, *eulerStep*]) ⇒ *matrix*

Uses the Euler method to solve the system

$$\frac{d \text{ depVar}}{d \text{ Var}} = \text{Expr}(\text{Var}, \text{depVar})$$

with *depVar*(*Var0*)=*depVar0* on the interval [*Var0*,*VarMax*]. Returns a matrix whose first row defines the *Var* output values and whose second row defines the value of the first solution component at the corresponding *Var* values, and so on.

*Expr* is the right-hand side that defines the ordinary differential equation (ODE).

Differential equation:

$$y' = 0.001 \cdot y \cdot (100 - y) \text{ and } y(0) = 10$$

$$\text{euler}(0.001 \cdot y \cdot (100 - y), t, y, \{0, 100\}, 10, 1)$$

0.	1.	2.	3.	4.
10.	10.9	11.8712	12.9174	14.042

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

System of equations:

$$\begin{cases} y1' = -y1 + 0.1 \cdot y1 \cdot y2 \\ y2' = 3 \cdot y2 - y1 \cdot y2 \end{cases}$$

with *y1*(0)=2 and *y2*(0)=5

$$\text{euler}\left(\begin{cases} -y1+0.1 \cdot y1 \cdot y2 \\ 3 \cdot y2 - y1 \cdot y2 \end{cases}, t, \{y1, y2\}, \{0, 5\}, \{2, 5\}, 1\right)$$

0.	1.	2.	3.	4.	5.
2.	1.	1.	3.	27.	243.
5.	10.	30.	90.	90.	-2070.

*SystemOfExpr* is the system of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in *ListOfDepVars*).

*ListOfExpr* is a list of right-hand sides that define the system of ODEs (corresponds to the order of dependent variables in *ListOfDepVars*).

*Var* is the independent variable.

*ListOfDepVars* is a list of dependent variables.

{*Var0*, *VarMax*} is a two-element list that tells the function to integrate from *Var0* to *VarMax*.

*ListOfDepVars0* is a list of initial values for dependent variables.

*VarStep* is a nonzero number such that  $\text{sign}(VarStep) = \text{sign}(VarMax - Var0)$  and solutions are returned at  $Var0 + i \cdot VarStep$  for all  $i=0,1,2,\dots$  such that  $Var0 + i \cdot VarStep$  is in  $[var0, VarMax]$  (there may not be a solution value at *VarMax*).

*eulerStep* is a positive integer (defaults to 1) that defines the number of euler steps between output values. The actual step size used by the euler method is  $VarStep / eulerStep$ .

## eval ()

## Hub Menu

**eval(*Expr*)**  $\Rightarrow$  *string*

**eval()** is valid only in the TI-Innovator™ Hub Command argument of programming commands **Get**, **GetStr** and **Send**. The software evaluates expression *Expr* and replaces the **eval()** statement with the result as a character string.

The argument *Expr* must simplify to a real number.

Set the blue element of the RGB LED to half intensity.

<i>lum</i> := 127	127
Send "SET COLOR.BLUE eval(lum)"	Done

Reset the blue element to OFF.

Send "SET COLOR.BLUE OFF"	Done
---------------------------	------

eval() argument must simplify to a real number.

```
Send "SET LED eval("4") TO ON"
      "Error: Invalid data type"
```

Programme to fade-in the red element

```
Define fadein()=
Prgm
For i,0,255,10
Send "SET COLOR.RED eval(i)"
Wait 0.1
EndFor
Send "SET COLOR.RED OFF"
EndPrgm
```

Execute the programme.

<i>fadein()</i>	<i>Done</i>
<i>n</i> :=0.25	0.25
<i>m</i> :=8	8
<i>n</i> · <i>m</i>	2.
Send "SET COLOR.BLUE ON TIME eval( <i>n</i> · <i>m</i> )"	<i>Done</i>
<i>iostr</i> .SendAns	"SET COLOR.BLUE ON TIME 2"

Although **eval()** does not display its result, you can view the resulting Hub command string after executing the command by inspecting any of the following special variables.

*iostr.SendAns*  
*iostr.GetAns*  
*iostr.GetStrAns*

**Note:** See also **Get** (page 60), **GetStr** (page 66), and **Send** (page 135).

## Exit

### Exit

Exits the current **For**, **While**, or **Loop** block.

**Exit** is not allowed outside the three looping structures (**For**, **While**, or **Loop**).

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

## Catalogue >

Function listing:

```
Define g()=Func
Local temp,i
0 → temp
For i,1,100,1
temp+i → temp
If temp>20 Then
Exit
EndIf
EndFor
EndFunc
```

<i>g()</i>	21
------------	----

**exp()**e<sup>x</sup> key**exp(Value1)** ⇒ *value*Returns *e* raised to the *Value1* power.**Note:** See also *e* exponent template, page 2.

You can enter a complex number in re<sup>iθ</sup> polar form. However, use this form in Radian angle mode only; it causes a Domain error in Degree or Gradian angle mode.

**exp(List1)** ⇒ *list*Returns *e* raised to the power of each element in *List1*.**exp(squareMatrix1)** ⇒ *squareMatrix*

Returns the matrix exponential of *squareMatrix1*. This is not the same as calculating *e* raised to the power of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

$e^1$	2.71828
$e^{3^2}$	8103.08

$e^{\{1,1.,0.5\}}$	$\{2.71828,2.71828,1.64872\}$
--------------------	-------------------------------

$\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$	$\begin{bmatrix} 782.209 & 559.617 & 456.509 \\ 680.546 & 488.795 & 396.521 \\ 524.929 & 371.222 & 307.879 \end{bmatrix}$
--	---

**expr()**

Catalogue &gt;

**expr(String)** ⇒ *expression*Returns the character string contained in *String* as an expression and immediately executes it.

"Define cube(x)=x^3" → <i>funcstr</i>	
"Define cube(x)=x^3"	
<i>expr(funcstr)</i>	<i>Done</i>
<i>cube(2)</i>	8

**ExpReg**

Catalogue &gt;

**ExpReg** *X*, *Y* [, [*Freq*] [, [*Category*, *Include*]]

Computes the exponential regression  $y = a \cdot (b)^x$  on lists *X* and *Y* with frequency *Freq*. A summary of results is stored in the *stat.results* variable. (See page 148.)

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

$Category$  is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

$Include$  is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a \cdot (b)^x$
stat.a, stat.b	Regression coefficients
stat.r <sup>2</sup>	Coefficient of linear determination for transformed data
stat.r	Correlation coefficient for transformed data ( $x, \ln(y)$ )
stat.Resid	Residuals associated with the exponential model
stat.ResidTrans	Residuals associated with linear fit of transformed data
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List, and $Include$ Categories
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List, and $Include$ Categories
stat.FreqReg	List of frequencies corresponding to $stat.XReg$ and $stat.YReg$



## factor()

Catalogue > 

**factor**(*rationalNumber*) returns the rational number factored into primes. For composite numbers, the computing time grows exponentially with the number of digits in the second-largest factor. For example, factoring a 30-digit integer could take more than a day, and factoring a 100-digit number could take more than a century.


factor(152417172689)	123457·1234577
isPrime(152417172689)	false

To stop a calculation manually,

- **Handheld:** Hold down the  key and press  repeatedly.
- **Windows®:** Hold down the **F12** key and press **Enter** repeatedly.
- **Macintosh®:** Hold down the **F5** key and press **Enter** repeatedly.
- **iPad®:** The app displays a prompt. You can continue waiting or cancel.

If you merely want to determine if a number is prime, use **isPrime()** instead. It is much faster, particularly if *rationalNumber* is not prime and if the second-largest factor has more than five digits.

## F Cdf()

Catalogue > 

## F Cdf

**(lowBound, upBound, dfNumer, dfDenom)** ⇒ number if *lowBound* and *upBound* are numbers, list if *lowBound* and *upBound* are lists

## FCdf

**(lowBound, upBound, dfNumer, dfDenom)** ⇒ number if *lowBound* and *upBound* are numbers, list if *lowBound* and *upBound* are lists

Computes the F distribution probability between *lowBound* and *upBound* for the specified *dfNumer* (degrees of freedom) and *dfDenom*.

For  $P(X \leq \text{upBound})$ , set *lowBound* = 0.



**Fill Value, matrixVar $\Rightarrow$ matrix**

Replaces each element in variable *matrixVar* with *Value*.

*matrixVar* must already exist.

1 2	$\rightarrow$ <i>amatrix</i>	1 2
3 4		3 4

Fill 1.01, <i>amatrix</i>	<i>Done</i>
---------------------------	-------------

<i>amatrix</i>	1.01 1.01
	1.01 1.01

**Fill Value, listVar $\Rightarrow$ list**

Replaces each element in variable *listVar* with *Value*.

*listVar* must already exist.

{1,2,3,4,5}	$\rightarrow$ <i>alist</i>	{1,2,3,4,5}
-------------	----------------------------	-------------

Fill 1.01, <i>alist</i>	<i>Done</i>
-------------------------	-------------

<i>alist</i>	{1.01,1.01,1.01,1.01,1.01}
--------------	----------------------------

**FiveNumSummary****FiveNumSummary X[,*[Freq]*[,*Category,Include*]]**

Provides an abbreviated version of the 1-variable statistics on list *X*. A summary of results is stored in the *stat.results* variable (page 148).

*X* represents a list containing the data.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1.

*Category* is a list of numeric category codes for the corresponding *X* data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

An empty (void) element in any of the lists *X*, *Freq*, or *Category* results in a void for the corresponding element of all those lists. For more information on empty elements, see page 215.

Output variable	Description
stat.MinX	Minimum of x values.
stat.Q <sub>1</sub> X	1st Quartile of x.
stat.MedianX	Median of x.
stat.Q <sub>3</sub> X	3rd Quartile of x.
stat.MaxX	Maximum of x values.

**floor()**Catalogue > **floor**(*Value1*) $\Rightarrow$ *integer*floor(-2.14) -3.

Returns the greatest integer that is  $\leq$  the argument. This function is identical to **int()**.

The argument can be a real or a complex number.

**floor**(*List1*) $\Rightarrow$ *list*

floor( $\left\{ \frac{3}{2}, 0, -5.3 \right\}$ )	$\{1, 0, -6\}$
--	----------------

**floor**(*Matrix1*) $\Rightarrow$ *matrix*

floor( $\begin{bmatrix} 1.2 & 3.4 \\ 2.5 & 4.8 \end{bmatrix}$ )	$\begin{bmatrix} 1. & 3. \\ 2. & 4. \end{bmatrix}$
---	--

Returns a list or matrix of the floor of each element.

**Note:** See also **ceiling()** and **int()**.

**For**Catalogue > **For** *Var*, *Low*, *High* [, *Step*]*Block***EndFor**

Executes the statements in *Block* iteratively for each value of *Var*, from *Low* to *High*, in increments of *Step*.

*Var* must not be a system variable.

*Step* can be positive or negative. The default value is 1.

*Block* can be either a single statement or a series of statements separated with the “:” character.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define $g()$ =Func	<i>Done</i>
Local <i>tempsum</i> , <i>step</i> , <i>i</i>	
0 $\rightarrow$ <i>tempsum</i>	
1 $\rightarrow$ <i>step</i>	
For <i>i</i> ,1,100, <i>step</i>	
<i>tempsum</i> + <i>i</i> $\rightarrow$ <i>tempsum</i>	
EndFor	
EndFunc	
$g()$	5050

**format()**Catalogue > **format(Value[, formatString])**⇒stringReturns *Value* as a character string based on the format template.*formatString* is a string and must be in the form: "F[n]", "S[n]", "E[n]", "G[n][c]", where [ ] indicate optional portions.

F[n]: Fixed format. n is the number of digits to display after the decimal point.

S[n]: Scientific format. n is the number of digits to display after the decimal point.

E[n]: Engineering format. n is the number of digits after the first significant digit. The exponent is adjusted to a multiple of three, and the decimal point is moved to the right by zero, one, or two digits.

G[n][c]: Same as fixed format but also separates digits to the left of the radix into groups of three. c specifies the group separator character and defaults to a comma. If c is a period, the radix will be shown as a comma.

[Rc]: Any of the above specifiers may be suffixed with the Rc radix flag, where c is a single character that specifies what to substitute for the radix point.

format(1.234567,"f3")	"1.235"
format(1.234567,"s2")	"1.23E0"
format(1.234567,"e3")	"1.235E0"
format(1.234567,"g3")	"1.235"
format(1234.567,"g3")	"1,234.567"
format(1.234567,"g3,r:")	"1:235"

**fPart()**Catalogue > **fPart(Expression)**⇒expression**fPart(List)**⇒list**fPart(Matrix)**⇒matrix

Returns the fractional part of the argument.

For a list or matrix, returns the fractional parts of the elements.

The argument can be a real or a complex number.

fPart(-1.234)	-0.234
fPart({1,-2.3,7.003})	{0,-0.3,0.003}

$F\text{Pdf}(XVal,dfNumer,dfDenom)\Rightarrow$ number if  $XVal$  is a number,  $list$  if  $XVal$  is a list

Computes the F distribution probability at  $XVal$  for the specified  $dfNumer$  (degrees of freedom) and  $dfDenom$ .

## freqTable►list()

## freqTable►list

$(List1,freqIntegerList)\Rightarrow list$

Returns a list containing the elements from  $List1$  expanded according to the frequencies in  $freqIntegerList$ . This function can be used for building a frequency table for the Data & Statistics application.

$List1$  can be any valid list.

$freqIntegerList$  must have the same dimension as  $List1$  and must contain non-negative integer elements only. Each element specifies the number of times the corresponding  $List1$  element will be repeated in the result list. A value of zero excludes the corresponding  $List1$  element.

**Note:** You can insert this function from the computer keyboard by typing **freqTable@>list(...)**.

Empty (void) elements are ignored. For more information on empty elements, see page 215.

freqTable►list({1,2,3,4},{1,4,3,1})	{1,2,2,2,3,3,3,4}
freqTable►list({1,2,3,4},{1,4,0,1})	{1,2,2,2,4}

## frequency()

$frequency(List1, binsList)\Rightarrow list$

Returns a list containing counts of the elements in  $List1$ . The counts are based on ranges (bins) that you define in  $binsList$ .

datalist:={1,2,e,3,π,4,5,6,"hello",7}	
{1,2,2.71828,3,3.14159,4,5,6,"hello",7}	
frequency(datalist,{2.5,4.5})	{2,4,3}

Explanation of result:

2 elements from  $Datalist$  are  $\leq 2.5$

If *binsList* is {b(1), b(2), ..., b(n)}, the specified ranges are { $? \leq b(1)$ ,  $b(1) < ? \leq b(2)$ , ...,  $b(n-1) < ? \leq b(n)$ ,  $b(n) > ?$ }. The resulting list is one element longer than *binsList*.

Each element of the result corresponds to the number of elements from *List1* that are in the range of that bin. Expressed in terms of the **countif()** function, the result is {countif(list,  $? \leq b(1)$ ), countif(list,  $b(1) < ? \leq b(2)$ ), ..., countif(list,  $b(n-1) < ? \leq b(n)$ ), countif(list,  $b(n) > ?$ )}.

Elements of *List1* that cannot be “placed in a bin” are ignored. Empty (void) elements are also ignored. For more information on empty elements, see page 215.

Within the Lists & Spreadsheet application, you can use a range of cells in place of both arguments.

**Note:** See also **countif()**, page 30.

4 elements from *Datalist* are  $>2.5$  and  $\leq 4.5$

3 elements from *Datalist* are  $>4.5$

The element “hello” is a string and cannot be placed in any of the defined bins.

## FTest\_2Samp

**FTest\_2Samp** *List1, List2[, Freq1[, Freq2[, Hypoth]]]*

**FTest\_2Samp** *List1, List2[, Freq1[, Freq2[, Hypoth]]]*

(Data list input)

**FTest\_2Samp** *sx1, n1, sx2, n2[, Hypoth]*

**FTest\_2Samp** *sx1, n1, sx2, n2[, Hypoth]*

(Summary stats input)

Performs a two-sample F test. A summary of results is stored in the *stat.results* variable (page 148).

For  $H_a: \sigma_1 > \sigma_2$ , set *Hypoth* >0

For  $H_a: \sigma_1 \neq \sigma_2$  (default), set *Hypoth* =0

For  $H_a: \sigma_1 < \sigma_2$ , set *Hypoth* <0

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.F	Calculated F statistic for the data sequence
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.dfNumer	numerator degrees of freedom = $n1-1$
stat.dfDenom	denominator degrees of freedom = $n2-1$
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in <i>List 1</i> and <i>List 2</i>
stat.x1_bar stat.x2_bar	Sample means of the data sequences in <i>List 1</i> and <i>List 2</i>
stat.n1, stat.n2	Size of the samples

## Func

Catalogue >

### Func

*Block*

### EndFunc

Template for creating a user-defined function.


*Block* can be a single statement, a series of statements separated with the ":" character, or a series of statements on separate lines. The function can use the **Return** instruction to return a specific result.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define a piecewise function:

```
Define g(x)=Func
  If x<0 Then
    Return 3*cos(x)
  Else
    Return 3-x
  EndIf
EndFunc
```

Result of graphing  $g(x)$



## G

### gcd()


Catalogue >

$\text{gcd}(\text{Number1}, \text{Number2}) \Rightarrow \text{expression}$

$\text{gcd}(18,33)$

3

## gcd()

Catalogue > 

Returns the highest common factor of the two arguments. The **gcd** of two fractions is the **gcd** of their numerators divided by the **lcm** of their denominators.

In Auto or Approximate mode, the **gcd** of fractional floating-point numbers is 1.0.

**gcd(List1, List2)**⇒*list*

$$\text{gcd}(\{12,14,16\},\{9,7,5\}) \quad \{3,7,1\}$$


Returns the highest common factors of the corresponding elements in *List1* and *List2*.

**gcd(Matrix1, Matrix2)**⇒*matrix*

$$\text{gcd}\left(\begin{pmatrix} 2 & 4 \\ 6 & 8 \end{pmatrix}, \begin{pmatrix} 4 & 8 \\ 12 & 16 \end{pmatrix}\right) \quad \begin{pmatrix} 2 & 4 \\ 6 & 8 \end{pmatrix}$$

Returns the highest common factors of the corresponding elements in *Matrix1* and *Matrix2*.

## geomCdf()

Catalogue > 

**geomCdf(*p*,*lowBound*,*upBound*)**⇒*number* if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

**geomCdf(*p*,*upBound*)**for  $P(1 \leq X \leq \textit{upBound})$ ⇒*number* if *upBound* is a number, *list* if *upBound* is a list

Computes a cumulative geometric probability from *lowBound* to *upBound* with the specified probability of success *p*.

For  $P(X \leq \textit{upBound})$ , set *lowBound* = 1.

## geomPdf()

Catalogue > 

**geomPdf(*p*,*XVal*)**⇒*number* if *XVal* is a number, *list* if *XVal* is a list

Computes a probability at *XVal*, the number of the trial on which the first success occurs, for the discrete geometric distribution with the specified probability of success *p*.

**Get***[promptString,]var[, statusVar]*

**Get***[promptString,]func(arg1, ...argn) [, statusVar]*

Programming command: Retrieves a value from a connected TI-Innovator™ Hub and assigns the value to variable *var*.

The value must be requested:

- In advance, through a **Send "READ ..."** command.  
— or —
- By embedding a **"READ ..."** request as the optional *promptString* argument. This method lets you use a single command to request the value and retrieve it.

Implicit simplification takes place. For example, a received string of "123" is interpreted as a numeric value. To preserve the string, use **GetStr** instead of **Get**.

If you include the optional argument *statusVar*, it is assigned a value based on the success of the operation. A value of zero means that no data was received.

In the second syntax, the *func()* argument allows a programme to store the received string as a function definition. This syntax operates as if the programme executed the command:

Define *func(arg1, ...argn) = received string*

The programme can then use the defined function *func()*.

**Note:** You can use the **Get** command within a user-defined programme but not within a function.

Example: Request the current value of the hub's built-in light-level sensor. Use **Get** to retrieve the value and assign it to variable *lightval*.

Send "READ BRIGHTNESS"	Done
Get <i>lightval</i>	Done
<i>lightval</i>	0.347922

Embed the READ request within the **Get** command.

Get "READ BRIGHTNESS" <i>lightval</i>	Done
<i>lightval</i>	0.378441



**Note:** See also **GetStr**, page 66 and **Send**, page 135.

**getDenom()**

Catalogue &gt;

**getDenom(Fraction I) ⇒ value**

Transforms the argument into an expression having a reduced common denominator, and then returns its denominator.

$x:=5; y:=6$	6
$\text{getDenom}\left(\frac{x+2}{y-3}\right)$	3
$\text{getDenom}\left(\frac{2}{7}\right)$	7
$\text{getDenom}\left(\frac{1}{x} + \frac{y^2+y}{y^2}\right)$	30

**getKey()**


Catalogue &gt;

**getKey([0|1]) ⇒ returnString**

**Description:** **getKey()** - allows a TI-Basic programme to get keyboard input - handheld, desktop and emulator on desktop.

**Example:**

- `keypressed := getKey()` will return a key or an empty string if no key has been pressed. This call will return immediately.
- `keypressed := getKey(1)` will wait till a key is pressed. This call will pause execution of the programme till a key is pressed.

**getKey()****Example:****Handling of key presses:**

Handheld Device/Emulator Key	Desktop	Return Value
Esc	Esc	"esc"
Touchpad - Top click	n/a	"up"
On	n/a	"home"
Scratchapps	n/a	"scratchpad"

<b>Handheld Device/Emulator Key</b>	<b>Desktop</b>	<b>Return Value</b>
Touchpad - Left click	n/a	"left"
Touchpad - Centre click	n/a	"centre"
Touchpad - Right click	n/a	"right"
Doc	n/a	"doc"
Tab	Tab	"tab"
Touchpad - Bottom click	Down Arrow	"down"
Menu	n/a	"menu"
Ctrl	Ctrl	no return
Shift	Shift	no return
Var	n/a	"var"
Del	n/a	"del"
=	=	"="
trig	n/a	"trig"
0 to 9	0-9	"0" ... "9"
Templates	n/a	"template"
Catalogue	n/a	"cat"
^	^	"^"
X^2	n/a	"square"
/ (division key)	/	"/"
* (multiply key)	*	"*"
e^x	n/a	"exp"
10^x	n/a	"10power"
+	+	"+"
-	-	"-"
(	(	"("
)	)	")"
.	.	"."

Handheld Device/Emulator Key	Desktop	Return Value
(-)	n/a	"-" (negate sign)
Enter	Enter	"enter"
ee	n/a	"E" (scientific notation E)
a - z	a-z	alpha = letter pressed (lower case) ("a" - "z")
shift a-z	shift a-z	alpha = letter pressed "A" - "Z"
		Note: ctrl-shift works to lock caps
?!	n/a	"?!"
pi	n/a	"pi"
Flag	n/a	no return
,	,	","
Return	n/a	"return"
Space	Space	" " (space)
Inaccessible	Special Character Keys like @,!,^, etc.	The character is returned
n/a	Function Keys	No returned character
n/a	Special desktop control keys	No returned character
Inaccessible	Other desktop keys that are not available on the calculator while getKey() is waiting for a keystroke. ({, },;, ;, ...)	Same character you get in Notes (not in a maths box)

**Note:** It is important to note that the presence of **getKey()** in a programme changes how certain events are handled by the system. Some of these are described below.


**Terminate programme and Handle event** - Exactly as if the user were to break out of programme by pressing the **ON** key

**"Support"** below means - System works as expected - programme continues to run.

Event	Device	Desktop - TI-Nspire™ Student Software
Quick Poll	Terminate programme, handle event	Same as the handheld (TI-Nspire™ Student Software, TI-Nspire™ Navigator™ NC Teacher Software-only)
Remote file mgmt  (Incl. sending 'Exit Press 2 Test' file from another handheld or desktop-handheld)	Terminate programme, handle event	Same as the handheld. (TI-Nspire™ Student Software, TI-Nspire™ Navigator™ NC Teacher Software-only)
End Class	Terminate programme, handle event	Support (TI-Nspire™ Student Software, TI-Nspire™ Navigator™ NC Teacher Software-only)

Event	Device	Desktop - TI-Nspire™ All Versions
TI-Innovator™ Hub connect/disconnect	Support - Can successfully issue commands to the TI-Innovator™ Hub. After you exit the programme the TI-Innovator™ Hub is still working with the handheld.	Same as the handheld

## getLangInfo()

Catalogue > 

**getLangInfo()** ⇒ *string*

`getLangInfo()`

"en"

Returns a string that corresponds to the short name of the currently active language. You can, for example, use it in a programme or function to determine the current language.

**getLangInfo()**Catalogue > 

English = "en"  
 Danish = "da"  
 German = "de"  
 Finnish = "fi"  
 French = "fr"  
 Italian = "it"  
 Dutch = "nl"  
 Belgian Dutch = "nl\_BE"  
 Norwegian = "no"  
 Portuguese = "pt"  
 Spanish = "es"  
 Swedish = "sv"

**getLockInfo()**Catalogue > **getLockInfo**(*Var*)⇒*value*

Returns the current locked/unlocked state of variable *Var*.

*value* =0: *Var* is unlocked or does not exist.

*value* =1: *Var* is locked and cannot be modified or deleted.

See **Lock**, page 86, and **unlock**, page 166.

<i>a</i> :=65	65
Lock <i>a</i>	Done
getLockInfo( <i>a</i> )	1
<i>a</i> :=75	"Error: Variable is locked."
DelVar <i>a</i>	"Error: Variable is locked."
Unlock <i>a</i>	Done
<i>a</i> :=75	75
DelVar <i>a</i>	Done

**getMode()**Catalog > **getMode**(*ModeNameInteger*)⇒*value***getMode**(0)⇒*list*

**getMode**(*ModeNameInteger*) returns a value representing the current setting of the *ModeNameInteger* mode.

**getMode**(0) returns a list containing number pairs. Each pair consists of a mode integer and a setting integer.

For a listing of the modes and their settings, refer to the table below.

getMode(0)	{ 1,7,2,1,3,1,4,1,5,1,6,1,7,1 }
getMode(1)	7
getMode(7)	1

If you save the settings with **getMode(0)** → *var*, you can use **setMode(var)** in a function or programme to temporarily restore the settings within the execution of the function or programme only. See **setMode()**, page 138.

Mode Name	Mode Integer	Setting Integers
Display Digits	1	1=Float, 2=Float1, 3=Float2, 4=Float3, 5=Float4, 6=Float5, 7=Float6, 8=Float7, 9=Float8, 10=Float9, 11=Float10, 12=Float11, 13=Float12, 14=Fix0, 15=Fix1, 16=Fix2, 17=Fix3, 18=Fix4, 19=Fix5, 20=Fix6, 21=Fix7, 22=Fix8, 23=Fix9, 24=Fix10, 25=Fix11, 26=Fix12
Angle	2	1=Radian, 2=Degree, 3=Gradian
Exponential Format	3	1=Normal, 2=Scientific, 3=Engineering
Real or Complex	4	1=Real, 2=Rectangular, 3=Polar
Auto or Approx.	5	1=Auto, 2=Approximate
Vector Format	6	1=Rectangular, 2=Cylindrical, 3=Spherical
Base	7	1=Decimal, 2=Hex, 3=Binary

**getNum()**

**getNum(Fraction1)⇒value**

Transforms the argument into an expression having a reduced common denominator, and then returns its numerator.

$x:=5; y:=6$	6
$getNum\left(\frac{x+2}{y-3}\right)$	7
$getNum\left(\frac{2}{7}\right)$	2
$getNum\left(\frac{1}{x} + \frac{1}{y}\right)$	11

**GetStr**

**GetStr[promptString,] var[, statusVar]**


For examples, see **Get**.

**GetStr[promptString,] func(arg1, ...argn) [, statusVar]**

Programming command: Operates identically to the **Get** command, except that the retrieved value is always interpreted as a string. By contrast, the **Get** command interprets the response as an expression unless it is enclosed in quotation marks ("").

**Note:** See also **Get**, page 60 and **Send**, page 135.

## getType()

Catalogue > 


**getType(*var*)** ⇒ *string*

Returns a string that indicates the data type of variable *var*.

If *var* has not been defined, returns the string "NONE".

{1,2,3} → <i>temp</i>	{1,2,3}
getType( <i>temp</i> )	"LIST"
3 · <i>i</i> → <i>temp</i>	3 · <i>i</i>
getType( <i>temp</i> )	"EXPR"
DelVar <i>temp</i>	<i>Done</i>
getType( <i>temp</i> )	"NONE"

## getVarInfo()

Catalogue > 

**getVarInfo()** ⇒ *matrix* or *string*

**getVarInfo(*LibNameString*)** ⇒ *matrix* or *string*

**getVarInfo()** returns a matrix of information (variable name, type, library accessibility and locked/unlocked state) for all variables and library objects defined in the current problem.


If no variables are defined, **getVarInfo()** returns the string "NONE".

**getVarInfo(*LibNameString*)** returns a matrix of information for all library objects defined in library *LibNameString*. *LibNameString* must be a string (text enclosed in quotation marks) or a string variable.

If the library *LibNameString* does not exist, an error occurs.

getVarInfo()	"NONE"												
Define x=5	<i>Done</i>												
Lock x	<i>Done</i>												
Define LibPriv y={1,2,3}	<i>Done</i>												
Define LibPub z(x)=3·x <sup>2</sup> -x	<i>Done</i>												
getVarInfo()	<table border="1"> <tbody> <tr> <td>x</td> <td>"NUM"</td> <td>"{1,2,3}"</td> <td>1</td> </tr> <tr> <td>y</td> <td>"LIST"</td> <td>"LibPriv"</td> <td>0</td> </tr> <tr> <td>z</td> <td>"FUNC"</td> <td>"LibPub"</td> <td>0</td> </tr> </tbody> </table>	x	"NUM"	"{1,2,3}"	1	y	"LIST"	"LibPriv"	0	z	"FUNC"	"LibPub"	0
x	"NUM"	"{1,2,3}"	1										
y	"LIST"	"LibPriv"	0										
z	"FUNC"	"LibPub"	0										
getVarInfo( <i>tmp3</i> )	"Error: Argument must be a string"												
getVarInfo("tmp3")	<table border="1"> <tbody> <tr> <td>[volcy12</td> <td>"NONE"</td> <td>"LibPub"</td> <td>0]</td> </tr> </tbody> </table>	[volcy12	"NONE"	"LibPub"	0]								
[volcy12	"NONE"	"LibPub"	0]										

## getVarInfo()

Catalogue > 


Note the example to the left, in which the result of **getVarInfo()** is assigned to variable *vs*. Attempting to display row 2 or row 3 of *vs* returns an “Invalid list or matrix” error because at least one of elements in those rows (variable *b*, for example) reevaluates to a matrix.

This error could also occur when using *Ans* to reevaluate a **getVarInfo()** result.

The system gives the above error because the current version of the software does not support a generalised matrix structure where an element of a matrix can be either a matrix or a list.

$a:=1$	1												
$b:=[1\ 2]$	$[1\ 2]$												
$c:=[1\ 3\ 7]$	$[1\ 3\ 7]$												
$vs:=\text{getVarInfo}()$	<table border="1"> <tr> <td><i>a</i></td> <td>"NUM"</td> <td>"[ ]"</td> <td>0</td> </tr> <tr> <td><i>b</i></td> <td>"MAT"</td> <td>"[ ]"</td> <td>0</td> </tr> <tr> <td><i>c</i></td> <td>"MAT"</td> <td>"[ ]"</td> <td>0</td> </tr> </table>	<i>a</i>	"NUM"	"[ ]"	0	<i>b</i>	"MAT"	"[ ]"	0	<i>c</i>	"MAT"	"[ ]"	0
<i>a</i>	"NUM"	"[ ]"	0										
<i>b</i>	"MAT"	"[ ]"	0										
<i>c</i>	"MAT"	"[ ]"	0										
$vs[1]$	$[1\ \text{"NUM"}\ \text{"[ ]"}\ 0]$												
$vs[1,1]$	1												
$vs[2]$	"Error: Invalid list or matrix"												
$vs[2,1]$	$[1\ 2]$												

## Goto

Catalogue > 

### Goto *labelName*


Transfers control to the label *labelName*.

*labelName* must be defined in the same function using a **Lbl** instruction.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define $g()$ =Func	Done
Local <i>temp,i</i>	
$0 \rightarrow temp$	
$1 \rightarrow i$	
Lbl <i>top</i>	
$temp+i \rightarrow temp$	
If $i < 10$ Then	
$i+1 \rightarrow i$	
Goto <i>top</i>	
EndIf	
Return <i>temp</i>	
EndFunc	
$g()$	55

## ►Grad

Catalogue > 

### *Expr1* ► Grad ⇒ *expression*

Converts *Expr1* to gradian angle measure.

**Note:** You can insert this operator from the computer keyboard by typing @>Grad.

In Degree angle mode:

$(1.5) \blacktriangleright \text{Grad}$	$(1.66667)^{\circ}$
---	---------------------

In Radian angle mode:

$(1.5) \blacktriangleright \text{Grad}$	$(95.493)^{\circ}$
---	--------------------



**identity()**Catalogue > **identity(Integer)** ⇒ *matrix*Returns the identity matrix with a dimension of *Integer*.*Integer* must be a positive integer.

identity(4)	1	0	0	0
	0	1	0	0
	0	0	1	0
	0	0	0	1

**If**Catalogue > **If BooleanExpr**  
*Statement***If BooleanExpr Then**  
*Block***EndIf**If *BooleanExpr* evaluates to true, executes the single statement *Statement* or the block of statements *Block* before continuing execution.If *BooleanExpr* evaluates to false, continues execution without executing the statement or block of statements.*Block* can be either a single statement or a sequence of statements separated with the “:” character.**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.**If BooleanExpr Then**  
*Block1***Else**  
*Block2***EndIf**If *BooleanExpr* evaluates to true, executes *Block1* and then skips *Block2*.If *BooleanExpr* evaluates to false, skips *Block1* but executes *Block2*.

Define $g(x)=\text{Func}$	<i>Done</i>
If $x<0$ Then	
Return $x^2$	
EndIf	
EndFunc	
$g(-2)$	4

Define $g(x)=\text{Func}$	<i>Done</i>
If $x<0$ Then	
Return $-x$	
Else	
Return $x$	
EndIf	
EndFunc	
$g(12)$	12
$g(-12)$	12

*Block1* and *Block2* can be a single statement.

**If** *BooleanExpr1* **Then**

*Block1*

**Elseif** *BooleanExpr2* **Then**

*Block2*

:

**Elseif** *BooleanExprN* **Then**

*BlockN*

**Endif**

Allows for branching. If *BooleanExpr1* evaluates to true, executes *Block1*. If *BooleanExpr1* evaluates to false, evaluates *BooleanExpr2*, and so on.

---

Define  $g(x)$ =Func

If  $x < 5$  Then

Return 5

ElseIf  $x > 5$  and  $x < 0$  Then

Return  $-x$

ElseIf  $x \geq 0$  and  $x \neq 10$  Then

Return  $x$

ElseIf  $x = 10$  Then

Return 3

EndIf

EndFunc

*Done*

---

$g(-4)$	4
$g(10)$	3

---

## ifFn()

**ifFn**(*BooleanExpr*, *Value\_If\_true* [, *Value\_If\_false* [, *Value\_If\_unknown*]])  
 $\Rightarrow$  *expression, list, or matrix*

Evaluates the boolean expression *BooleanExpr* (or each element from *BooleanExpr* ) and produces a result based on the following rules:

- *BooleanExpr* can test a single value, a list, or a matrix.
- If an element of *BooleanExpr* evaluates to true, returns the corresponding element from *Value\_If\_true*.
- If an element of *BooleanExpr* evaluates to false, returns the corresponding element from *Value\_If\_false*. If you omit *Value\_If\_false*, returns undef.
- If an element of *BooleanExpr* is neither true nor false, returns the corresponding element *Value\_If\_unknown*. If you omit *Value\_If\_unknown*, returns undef.
- If the second, third, or fourth argument of the **ifFn()** function is a

---

$\text{ifFn}(\{1,2,3\} < 2.5, \{5,6,7\}, \{8,9,10\})$   
 $\{5,6,10\}$

---

Test value of **1** is less than 2.5, so its corresponding

*Value\_If\_True* element of **5** is copied to the result list.

Test value of **2** is less than 2.5, so its corresponding

*Value\_If\_True* element of **6** is copied to the result list.

Test value of **3** is not less than 2.5, so its corresponding *Value\_If\_False* element of **10** is copied to the result list.

---

$\text{ifFn}(\{1,2,3\} < 2.5, 4, \{8,9,10\})$   
 $\{4,4,10\}$

---

*Value\_If\_true* is a single value and corresponds to any selected position.

**ifFn()**Catalogue > 

single expression, the Boolean test is applied to every position in *BooleanExpr*.

**Note:** If the simplified *BooleanExpr* statement involves a list or matrix, all other list or matrix arguments must have the same dimension(s), and the result will have the same dimension(s).

$$\text{ifFn}(\{1,2,3\} < 2.5, \{5,6,7\}) \quad \{5,6,\text{undef}\}$$

*Value\_If\_false* is not specified. Undef is used.

$$\text{ifFn}(\{2, "a" \} < 2.5, \{6,7\}, \{9,10\}, "err") \quad \{6, "err" \}$$

One element selected from *Value\_If\_true*.  
One element selected from *Value\_If\_unknown*.

**imag()**Catalogue > 

$\text{imag}(\text{Value}I) \Rightarrow \text{value}$

Returns the imaginary part of the argument.

$$\text{imag}(1+2 \cdot i) \quad 2$$

$\text{imag}(\text{List}I) \Rightarrow \text{list}$

Returns a list of the imaginary parts of the elements.

$$\text{imag}(\{-3, 4-i, i\}) \quad \{0, -1, 1\}$$

$\text{imag}(\text{Matrix}I) \Rightarrow \text{matrix}$

Returns a matrix of the imaginary parts of the elements.

$$\text{imag}\left(\begin{bmatrix} 1 & 2 \\ i \cdot 3 & i \cdot 4 \end{bmatrix}\right) \quad \begin{bmatrix} 0 & 0 \\ 3 & 4 \end{bmatrix}$$
**Indirection**

See #(), page 192.

**inString()**Catalogue > 

$\text{inString}(\text{srcString}, \text{subString}, [\text{Start}]) \Rightarrow \text{integer}$


Returns the character position in string *srcString* at which the first occurrence of string *subString* begins.

*Start*, if included, specifies the character position within *srcString* where the search begins. Default = 1 (the first character of *srcString*).

$$\text{inString}(\text{"Hello there"}, \text{"the"}) \quad 7$$


$$\text{inString}(\text{"ABCEFG"}, \text{"D"}) \quad 0$$

## inString()

Catalogue > 

If *srcString* does not contain *subString* or *Start* is > the length of *srcString*, returns zero.

## int()

Catalogue > 

**int(Value)** ⇒ integer  
**int(List1)** ⇒ list  
**int(Matrix1)** ⇒ matrix


$\text{int}(-2.5)$	-3.
$\text{int}([-1.234 \ 0 \ 0.37])$	$[-2. \ 0 \ 0.]$

Returns the greatest integer that is less than or equal to the argument. This function is identical to **floor()**.

The argument can be a real or a complex number.

For a list or matrix, returns the greatest integer of each of the elements.

## intDiv()

Catalogue > 


**intDiv(Number1, Number2)** ⇒ integer  
**intDiv(List1, List2)** ⇒ list  
**intDiv(Matrix1, Matrix2)** ⇒ matrix

$\text{intDiv}(-7,2)$	-3
$\text{intDiv}(4,5)$	0
$\text{intDiv}(\{12,-14,-16\},\{5,4,-3\})$	$\{2,-3,5\}$

Returns the signed integer part of (*Number1* ÷ *Number2*).

For lists and matrices, returns the signed integer part of (argument 1 ÷ argument 2) for each element pair.

## interpolate ()

Catalogue > 

**interpolate(xValue, xList, yList, yPrimeList)** ⇒ list


Differential equation:  
 $y' = -3 \cdot y + 6 \cdot t + 5$  and  $y(0) = 5$

This function does the following:

$rK := rk23(-3 \cdot y + 6 \cdot t + 5, t, y, \{0, 10\}, 5, 1)$				
0.	1.	2.	3.	4.
5.	3.19499	5.00394	6.99957	9.00593

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

## interpolate ()

Catalogue > 

Given  $xList$ ,  $yList=f(xList)$ , and  $yPrimeList=f'(xList)$  for some unknown function  $f$ , a cubic interpolant is used to approximate the function  $f$  at  $xValue$ . It is assumed that  $xList$  is a list of monotonically increasing or decreasing numbers, but this function may return a value even when it is not. This function walks through  $xList$  looking for an interval  $[xList[i], xList[i+1]]$  that contains  $xValue$ . If it finds such an interval, it returns an interpolated value for  $f(xValue)$ ; otherwise, it returns **undef**.

$xList$ ,  $yList$ , and  $yPrimeList$  must be of equal dimension  $\geq 2$  and contain expressions that simplify to numbers.

$xValue$  can be a number or a list of numbers.

Use the `interpolate()` function to calculate the function values for the `xvalueList`:

```
xvalueList:=seq(i,i,0,10,0.5)
{0,0.5,1.,1.5,2.,2.5,3.,3.5,4.,4.5,5.,5.5,6.,6.5,7.,7.5,8.,8.5,9.,9.5,10.}
xList:=mat▶list(rk[1])
{0.,1.,2.,3.,4.,5.,6.,7.,8.,9.,10.}
yList:=mat▶list(rk[2])
{5.,3.19499,5.00394,6.99957,9.00593,10.9979,12.99957,15.00394,17.00593,19.0079,21.0099}
yPrimeList:=-3*y+6*t+5|y=yList and t=xList
{-10.,1.41503,1.98819,2.00129,1.98221,2.00671,2.00871,2.00971,2.00991,2.00991,2.00991}
interpolate(xvalueList,xList,yList,yPrimeList)
{5.,2.67062,3.19499,4.02782,5.00394,6.00011,7.00011,8.00011,9.00011,10.00011}
```

## invχ<sup>2</sup>()

Catalogue > 

`invχ2(Area,df)`

`invChi2(Area,df)`

Computes the Inverse cumulative  $\chi^2$  (chi-square) probability function specified by degree of freedom,  $df$  for a given  $Area$  under the curve.

## invF()

Catalogue > 

`invF(Area,dfNumer,dfDenom)`

`invF(Area,dfNumer,dfDenom)`

computes the Inverse cumulative F distribution function specified by  $dfNumer$  and  $dfDenom$  for a given  $Area$  under the curve.

## invBinom()

Catalogue > 

### invBinom

(CumulativeProb, NumTrials, Prob, OutputForm) ⇒ scalar or matrix

Given the number of trials (*NumTrials*) and the probability of success of each trial (*Prob*), this function returns the minimum number of successes, *k*, such that the cumulative probability of *k* successes is greater than or equal to the given cumulative probability (*CumulativeProb*).

*OutputForm*=0, displays result as a scalar (default).

*OutputForm*=1, displays result as a matrix.

Example: Mary and Kevin are playing a dice game. Mary has to guess the maximum number of times 6 shows up in 30 rolls. If the number 6 shows up that many times or less, Mary wins. Furthermore, the smaller the number that she guesses, the greater her winnings. What is the smallest number Mary can guess if she wants the probability of winning to be greater than 77%?

$\text{invBinom}\left(0.77, 30, \frac{1}{6}\right)$	6
$\text{invBinom}\left(0.77, 30, \frac{1}{6}, 1\right)$	$\begin{bmatrix} 5 & 0.616447 \\ 6 & 0.776537 \end{bmatrix}$

## invBinomN()

Catalogue > 

invBinomN(CumulativeProb, Prob, NumSuccess, OutputForm) ⇒ scalar or matrix

Given the probability of success of each trial (*Prob*), and the number of successes (*NumSuccess*), this function returns the minimum number of trials, *N*, such that the cumulative probability of *x* successes is less than or equal to the given cumulative probability (*CumulativeProb*).


*OutputForm*=0, displays result as a scalar (default).

*OutputForm*=1, displays result as a matrix.

Example: Monique is practising goal shots for netball. She knows from experience that her chance of making any one shot is 70%. She plans to practise until she scores 50 goals. How many shots must she attempt to ensure that the probability of making at least 50 goals is more than 0.99?

$\text{invBinomN}(0.01, 0.7, 49)$	86
$\text{invBinomN}(0.01, 0.7, 49, 1)$	$\begin{bmatrix} 85 & 0.010451 \\ 86 & 0.00709 \end{bmatrix}$

## invNorm()


Catalogue > 

invNorm(Area[, μ[, σ]])

Computes the inverse cumulative normal distribution function for a given *Area* under the normal distribution curve specified by  $\mu$  and  $\sigma$ .

**invt()**Catalogue > **invt(*Area,df*)**

Computes the inverse cumulative student-t probability function specified by degree of freedom, *df* for a given *Area* under the curve.

**iPart()**Catalogue > **iPart(*Number*)** ⇒ *integer***iPart(*List1*)** ⇒ *list***iPart(*Matrix1*)** ⇒ *matrix*

iPart(-1.234)	-1.
---------------	-----

iPart( $\left\{\frac{3}{2}, -2.3, 7.003\right\}$ )	{1, -2., 7.}
--	--------------

Returns the integer part of the argument.

For lists and matrices, returns the integer part of each element.

The argument can be a real or a complex number.

**irr()**Catalogue > **irr(*CF0,CFList* [,*CFFreq*])** ⇒ *value*

Financial function that calculates internal rate of return of an investment.

*CF0* is the initial cash flow at time 0; it must be a real number.

*CFList* is a list of cash flow amounts after the initial cash flow *CF0*.


*CFFreq* is an optional list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of *CFList*. The default is 1; if you enter values, they must be positive integers < 10,000.

**Note:** See also **mirr()**, page 95.

list1:={6000,-8000,2000,-3000}	{6000,-8000,2000,-3000}
--------------------------------	-------------------------

list2:={2,2,2,1}	{2,2,2,1}
------------------	-----------

irr(5000,list1,list2)	-4.64484
-----------------------	----------

**isPrime()**Catalogue > **isPrime(*Number*)** ⇒ *Boolean constant expression*

isPrime(5)	true
------------	------

isPrime(6)	false
------------	-------

## isPrime()

Catalogue > 

Returns true or false to indicate if *number* is a whole number  $\geq 2$  that is evenly divisible only by itself and 1.

If *Number* exceeds about 306 digits and has no factors  $\leq 1021$ , **isPrime(*Number*)** displays an error message.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Function to find the next prime after a specified number:

Define $nextprim(n)=Func$	Done
Loop	
$n+1 \rightarrow n$	
If isPrime( $n$ )	
Return $n$	
EndLoop	
EndFunc	
$nextprim(7)$	11

## isVoid()

Catalogue > 

**isVoid(*Var*)**  $\Rightarrow$  Boolean constant expression

**isVoid(*Expr*)**  $\Rightarrow$  Boolean constant expression

**isVoid(*List*)**  $\Rightarrow$  list of Boolean constant expressions

Returns true or false to indicate if the argument is a void data type.

For more information on void elements, see page 215.

$a:=\_$	$\_$
isVoid( $a$ )	true
isVoid( $\{1,\_ ,3\}$ )	{ false,true,false }

## L

### Lbl

Catalogue > 

**Lbl** *labelName*

Defines a label with the name *labelName* within a function.

You can use a **Goto** *labelName* instruction to transfer control to the instruction immediately following the label.

*labelName* must meet the same naming requirements as a variable name.

Define $g()$ =Func	Done
Local $temp,i$	
$0 \rightarrow temp$	
$1 \rightarrow i$	
Lbl $top$	
$temp+i \rightarrow temp$	
If $i < 10$ Then	
$i+1 \rightarrow i$	
Goto $top$	
EndIf	
Return $temp$	
EndFunc	
$g()$	55



**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

**lcm()**

**lcm**(*Number1*, *Number2*) $\Rightarrow$ *expression*

$\text{lcm}(6,9)$  18

**lcm**(*List1*, *List2*) $\Rightarrow$ *list*

$\text{lcm}\left(\left\{\frac{1}{3}, -14, 16\right\}, \left\{\frac{2}{15}, 7, 5\right\}\right)$   $\left\{\frac{2}{3}, 14, 80\right\}$

**lcm**(*Matrix1*, *Matrix2*) $\Rightarrow$ *matrix*

Returns the least common multiple of the two arguments. The **lcm** of two fractions is the **lcm** of their numerators divided by the **gcd** of their denominators. The **lcm** of fractional floating-point numbers is their product.

For two lists or matrices, returns the least common multiples of the corresponding elements.

**left()**

**left**(*sourceString*[, *Num*]) $\Rightarrow$ *string*

$\text{left}(\text{"Hello"}, 2)$  "He"

Returns the leftmost *Num* characters contained in character string *sourceString*.

If you omit *Num*, returns all of *sourceString*.

**left**(*List1*[, *Num*]) $\Rightarrow$ *list*

$\text{left}(\{1, 3, -2, 4\}, 3)$   $\{1, 3, -2\}$

Returns the leftmost *Num* elements contained in *List1*.

If you omit *Num*, returns all of *List1*.

**left**(*Comparison*) $\Rightarrow$ *expression*

Returns the left-hand side of an equation or inequality.

**libShortcut**(*LibNameString*,  
*ShortcutNameString* [,  
*LibPrivFlag*])⇒*list of variables*

Creates a variable group in the current problem that contains references to all the objects in the specified library document *libNameString*. Also adds the group members to the Variables menu. You can then refer to each object using its *ShortcutNameString*.

Set *LibPrivFlag*=0 to exclude private library objects (default)

Set *LibPrivFlag*=1 to include private library objects

To copy a variable group, see **CopyVar**, page 24.

To delete a variable group, see **DelVar**, page 39.

This example assumes a properly stored and refreshed library document named **linalg2** that contains objects defined as *clearmat*, *gauss1* and *gauss2*.

---

```
getVarInfo("linalg2")
  {
    clearmat "FUNC" "LibPub "
    gauss1  "PRGM" "LibPriv "
    gauss2  "FUNC" "LibPub "
  }
libShortcut("linalg2", "la")
  {la.clearmat, la.gauss2}
libShortcut("linalg2", "la", 1)
  {la.clearmat, la.gauss1, la.gauss2}
```

---

## LinRegBx

**LinRegBx** *X*, *Y*, [*Freq*], [*Category*, *Include*]

Computes the linear regression  $y = a + b \cdot x$  on lists *X* and *Y* with frequency *Freq*. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

*X* and *Y* are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric or string category codes for the corresponding *X* and *Y* data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $a+b \cdot x$
stat.a, stat.b	Regression coefficients
stat.r <sup>2</sup>	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified <i>Y List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

**LinRegMx**  $X, Y, [Freq], [Category, Include]$

Computes the linear regression  $y = m \cdot x + b$  on lists  $X$  and  $Y$  with frequency  $Freq$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .


$Category$  is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

$Include$  is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $y = m \cdot x + b$
stat.m, stat.b	Regression coefficients
stat.r <sup>2</sup>	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified <i>Y List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

## LinRegIntervals

Catalogue > 

**LinRegIntervals**  $X, Y, F, 0, CLev$ ]]

For Slope. Computes a level C confidence interval for the slope.

**LinRegIntervals**  $X, Y, F, 1, Xval, CLev$ ]]

For Response. Computes a predicted y-value, a level C prediction interval for a single observation and a level C confidence interval for the mean response.

A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension.

*X* and *Y* are lists of independent and dependent variables.

*F* is an optional list of frequency values. Each element in *F* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1. All elements must be integers  $\geq 0$ .

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $a + b \cdot x$

Output variable	Description
stat.a, stat.b	Regression coefficients
stat.df	Degrees of freedom
stat.r <sup>2</sup>	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression


For Slope type only

Output variable	Description
[stat.CLower, stat.CUpper]	Confidence interval for the slope
stat.ME	Confidence interval margin of error
stat.SESlope	Standard error of slope
stat.s	Standard error about the line

For Response type only

Output variable	Description
[stat.CLower, stat.CUpper]	Confidence interval for the mean response
stat.ME	Confidence interval margin of error
stat.SE	Standard error of mean response
[stat.LowerPred, stat.UpperPred]	Prediction interval for a single observation
stat.MEPred	Prediction interval margin of error
stat.SEPred	Standard error for prediction
stat. $\hat{y}$	$a + b \cdot XVal$

## LinRegtTest

Catalogue > 

**LinRegtTest**  $X, Y[, Freq[, Hypoth]]$

Computes a linear regression on the  $X$  and  $Y$  lists and a  $t$  test on the value of slope  $\beta$  and the correlation coefficient  $\rho$  for the equation  $y = \alpha + \beta x$ . It tests the null hypothesis  $H_0: \beta = 0$  (equivalently,  $\rho = 0$ ) against one of three alternative hypotheses.

All the lists must have equal dimension.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

$Hypoth$  is an optional value specifying one of three alternative hypotheses against which the null hypothesis ( $H_0: \beta = \rho = 0$ ) will be tested.

For  $H_a: \beta \neq 0$  and  $\rho \neq 0$  (default), set  $Hypoth=0$

For  $H_a: \beta < 0$  and  $\rho < 0$ , set  $Hypoth < 0$

For  $H_a: \beta > 0$  and  $\rho > 0$ , set  $Hypoth > 0$

A summary of results is stored in the *stat.results* variable (page 148).

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a + b \cdot x$
stat.t	$t$ -Statistic for significance test
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom
stat.a, stat.b	Regression coefficients
stat.s	Standard error about the line
stat.SESlope	Standard error of slope
stat.r <sup>2</sup>	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression

**linSolve()**Catalogue > **linSolve**(*SystemOfLinearEqns*, *Var1*, *Var2*, ...) ⇒ *list*

$$\text{linSolve}\left(\left\{\begin{array}{l} 2 \cdot x + 4 \cdot y = 3 \\ 5 \cdot x - 3 \cdot y = 7 \end{array}, \{x, y\}\right\}, \left\{\begin{array}{l} 37 \\ 26 \end{array}, \begin{array}{l} 1 \\ 26 \end{array}\right\}\right)$$

**linSolve**(*LinearEqn1* and *LinearEqn2* and ..., *Var1*, *Var2*, ...) ⇒ *list*

$$\text{linSolve}\left(\left\{\begin{array}{l} 2 \cdot x = 3 \\ 5 \cdot x - 3 \cdot y = 7 \end{array}, \{x, y\}\right\}, \left\{\begin{array}{l} 3 \\ 2 \end{array}, \begin{array}{l} 1 \\ 6 \end{array}\right\}\right)$$

**linSolve**({*LinearEqn1*, *LinearEqn2*, ...}, *Var1*, *Var2*, ...) ⇒ *list*

$$\text{linSolve}\left(\left\{\begin{array}{l} \text{apple} + 4 \cdot \text{pear} = 23 \\ 5 \cdot \text{apple} - \text{pear} = 17 \end{array}, \{\text{apple}, \text{pear}\}\right\}, \left\{\begin{array}{l} 13 \\ 3 \end{array}, \begin{array}{l} 14 \\ 3 \end{array}\right\}\right)$$

**linSolve**(*SystemOfLinearEqns*, {*Var1*, *Var2*, ...}) ⇒ *list*

$$\text{linSolve}\left(\left\{\begin{array}{l} \text{apple} \cdot 4 + \frac{\text{pear}}{3} = 14 \\ -\text{apple} + \text{pear} = 6 \end{array}, \{\text{apple}, \text{pear}\}\right\}, \left\{\begin{array}{l} 36 \\ 13 \end{array}, \begin{array}{l} 114 \\ 13 \end{array}\right\}\right)$$

**linSolve**(*LinearEqn1* and *LinearEqn2* and ..., {*Var1*, *Var2*, ...}) ⇒ *list***linSolve**({*LinearEqn1*, *LinearEqn2*, ...}, {*Var1*, *Var2*, ...}) ⇒ *list*

Returns a list of solutions for the variables *Var1*, *Var2*, ...

The first argument must evaluate to a system of linear equations or a single linear equation. Otherwise, an argument error occurs.

For example, evaluating **linSolve(x=1 and x=2,x)** produces an “Argument Error” result.


**ΔList()**Catalogue > **ΔList**(*List1*) ⇒ *list*

$$\Delta\text{List}(\{20, 30, 45, 70\}) \quad \{10, 15, 25\}$$

**Note:** You can insert this function from the keyboard by typing **deltaList** (...).

Returns a list containing the differences between consecutive elements in *List1*. Each element of *List1* is subtracted from the next element of *List1*. The resulting list is always one element shorter than the original *List1*.

## list▶mat()

Catalogue > 

**list▶mat**(*List* [, *elementsPerRow*])⇒*matrix*

Returns a matrix filled row-by-row with the elements from *List*.



*elementsPerRow*, if included, specifies the number of elements per row. Default is the number of elements in *List* (one row).

If *List* does not fill the resulting matrix, zeroes are added.

**Note:** You can insert this function from the computer keyboard by typing **list@>mat (...)**.

<code>list▶mat({1,2,3})</code>	$\begin{bmatrix} 1 & 2 & 3 \end{bmatrix}$
<code>list▶mat({1,2,3,4,5},2)</code>	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 0 \end{bmatrix}$

## ln()

  **keys**

**ln**(*Value1*)⇒*value*

`ln(2.)` 0.693147

**ln**(*List1*)⇒*list*

Returns the natural logarithm of the argument.

If complex format mode is Real:

For a list, returns the natural logarithms of the elements.

`ln({-3,1.2,5})`  
"Error: Non-real calculation"

**ln**(*squareMatrix1*)⇒*squareMatrix*

Returns the matrix natural logarithm of *squareMatrix1*. This is not the same as calculating the natural logarithm of each element. For information about the calculation method, refer to **cos()** on.

If complex format mode is Rectangular:

`ln({-3,1.2,5})`  
 $\{1.09861+3.14159\cdot i, 0.182322, 1.60944\}$

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

In Radian angle mode and Rectangular complex format:

`ln`  $\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix}$   
 $\begin{bmatrix} 1.83145+1.73485\cdot i & 0.009193-1.49086 \\ 0.448761-0.725533\cdot i & 1.06491+0.623491\cdot i \\ -0.266891-2.08316\cdot i & 1.12436+1.79018\cdot i \end{bmatrix}$

To see the entire result, press **▲** and then use **◀** and **▶** to move the cursor.



**LnReg**  $X, Y, [Freq] [, Category, Include]$

Computes the logarithmic regression  $y = a + b \cdot \ln(x)$  on lists  $X$  and  $Y$  with frequency  $Freq$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements", page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a + b \cdot \ln(x)$
stat.a, stat.b	Regression coefficients
stat.r <sup>2</sup>	Coefficient of linear determination for transformed data
stat.r	Correlation coefficient for transformed data ( $\ln(x), y$ )
stat.Resid	Residuals associated with the logarithmic model
stat.ResidTrans	Residuals associated with linear fit of transformed data
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

**Local** *Var1* [, *Var2*] [, *Var3*] ...

Declares the specified *vars* as local variables. Those variables exist only during evaluation of a function and are deleted when the function finishes execution.

**Note:** Local variables save memory because they only exist temporarily. Also, they do not disturb any existing global variable values. Local variables must be used for **For** loops and for temporarily saving values in a multi-line function since modifications on global variables are not allowed in a function.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define <i>rollcount</i> ()=Func	
Local <i>i</i>	
1 → <i>i</i>	
Loop	
If randInt(1,6)=randInt(1,6)	
Goto <i>end</i>	
<i>i</i> +1 → <i>i</i>	
EndLoop	
Lbl <i>end</i>	
Return <i>i</i>	
EndFunc	
	<i>Done</i>
<i>rollcount</i> ()	16
<i>rollcount</i> ()	3

**Lock****Lock** *Var1* [, *Var2*] [, *Var3*] ...**Lock** *Var*.

Locks the specified variables or variable group. Locked variables cannot be modified or deleted.

You cannot lock or unlock the system variable *Ans*, and you cannot lock the system variable groups *stat.* or *tvm.*

**Note:** The **Lock** command clears the Undo/Redo history when applied to unlocked variables.

See **unLock**, page 166, and **getLockInfo()**, page 65.

<i>a</i> :=65	65
Lock <i>a</i>	<i>Done</i>
getLockInfo( <i>a</i> )	1
<i>a</i> :=75	"Error: Variable is locked."
DelVar <i>a</i>	"Error: Variable is locked."
Unlock <i>a</i>	<i>Done</i>
<i>a</i> :=75	75
DelVar <i>a</i>	<i>Done</i>

## log()

ctrl | 10<sup>x</sup> | keys

$\log(\text{Value1}[, \text{Value2}]) \Rightarrow \text{value}$

$$\log_{10} (2.) \quad 0.30103$$

$\log(\text{List1}[, \text{Value2}]) \Rightarrow \text{list}$

$$\log_4 (2.) \quad 0.5$$

Returns the base-*Value2* logarithm of the first argument.

$$\log_3 (10) - \log_3 (5) \quad 0.63093$$

**Note:** See also **Log template**, page 2.

For a list, returns the base-*Value2* logarithm of the elements.

If complex format mode is Real:

If the second argument is omitted, 10 is used as the base.

$$\log_{10} (\{-3, 1.2, 5\})$$

"Error: Non-real calculation"

$\log(\text{squareMatrix1}[, \text{Value}]) \Rightarrow \text{squareMatrix}$

Returns the matrix base-*Value* logarithm of *squareMatrix1*. This is not the same as calculating the base-*Value* logarithm of each element. For information about the calculation method, refer to **cos()**.

If complex format mode is Rectangular:

$$\log_{10} (\{-3, 1.2, 5\})$$

$$\{0.477121 + 1.36438 \cdot i, 0.079181, 0.69897\}$$

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

In Radian angle mode and Rectangular complex format:


$$\log_{10} \left( \begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix} \right)$$

$$\begin{bmatrix} 0.795387 + 0.753438 \cdot i & 0.003993 - 0.6474 \cdot i \\ 0.194895 - 0.315095 \cdot i & 0.462485 + 0.2707 \cdot i \\ -0.115909 - 0.904706 \cdot i & 0.488304 + 0.7774 \cdot i \end{bmatrix}$$

If the base argument is omitted, 10 is used as base.

To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

## Logistic

Catalogue > 

**Logistic** *X*, *Y*, [*Freq*] [, *Category*, *Include*]

Computes the logistic regression  $y = c / (1 + a \cdot e^{-bx})$  on lists *X* and *Y* with frequency *Freq*. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

$Category$  is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

$Include$  is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression equation: $c/(1+a \cdot e^{-bx})$
stat.a, stat.b, stat.c	Regression coefficients
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.FreqReg	List of frequencies corresponding to $stat.XReg$ and $stat.YReg$

## LogisticD

**LogisticD**  $X, Y$  [, [ $Iterations$ ] , [ $Freq$ ] [,  $Category$ ,  $Include$ ] ]

Computes the logistic regression  $y = (c/(1+a \cdot e^{-bx})+d)$  on lists  $X$  and  $Y$  with frequency  $Freq$ , using a specified number of  $Iterations$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for  $Include$ .

$X$  and  $Y$  are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric or string category codes for the corresponding *X* and *Y* data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression equation: $c/(1+a \cdot e^{-bx})+d$
stat.a, stat.b, stat.c, stat.d	Regression coefficients
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified <i>Y List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

**Loop**

*Block*

**EndLoop**

Repeatedly executes the statements in *Block*. Note that the loop will be executed endlessly, unless a **Goto** or **Exit** instruction is executed within *Block*.

*Block* is a sequence of statements separated with the “:” character.

```

Define rollcount()=Func
    Local i
    1 → i
    Loop
    If randInt(1,6)=randInt(1,6)
    Goto end
    i+1 → i
    EndLoop
    Lbl end
    Return i
    EndFunc
    Done
rollcount() 16
rollcount() 3
    
```

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.



## LU

**LU** *Matrix*, *lMatrix*, *uMatrix*, *pMatrix* [, *Tol*]

Calculates the Doolittle LU (lower-upper) decomposition of a real or complex matrix. The lower triangular matrix is stored in *lMatrix*, the upper triangular matrix in *uMatrix* and the permutation matrix (which describes the row swaps done during the calculation) in *pMatrix*.

$$lMatrix \cdot uMatrix = pMatrix \cdot matrix$$

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you use   or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If *Tol* is omitted or not used, the default tolerance is calculated as:  
 $5E-14 \cdot \max(\dim(Matrix)) \cdot \text{rowNorm}(Matrix)$

The **LU** factorization algorithm uses partial pivoting with row interchanges.

$\begin{bmatrix} 6 & 12 & 18 \\ 5 & 14 & 31 \\ 3 & 8 & 18 \end{bmatrix}$	$\rightarrow m1$	$\begin{bmatrix} 6 & 12 & 18 \\ 5 & 14 & 31 \\ 3 & 8 & 18 \end{bmatrix}$
--	------------------	--

LU *m1*, *lower*, *upper*, *perm* Done

<i>lower</i>	$\begin{bmatrix} 1 & 0 & 0 \\ \frac{5}{6} & 1 & 0 \\ \frac{1}{2} & \frac{1}{2} & 1 \end{bmatrix}$
<i>upper</i>	$\begin{bmatrix} 6 & 12 & 18 \\ 0 & 4 & 16 \\ 0 & 0 & 1 \end{bmatrix}$
<i>perm</i>	$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

# M

## mat▶list()

Catalogue > 


**mat▶list**(*Matrix*)⇒*list*

Returns a list filled with the elements in *Matrix*. The elements are copied from *Matrix* row by row.

**Note:** You can insert this function from the computer keyboard by typing **mat@>list(...)**.

mat▶list([1 2 3])	{ 1,2,3 }
$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$
mat▶list(m1)	{ 1,2,3,4,5,6 }

## max()

Catalogue > 

**max**(*Value1*, *Value2*)⇒*expression*

**max**(*List1*, *List2*)⇒*list*

**max**(*Matrix1*, *Matrix2*)⇒*matrix*

Returns the maximum of the two arguments. If the arguments are two lists or matrices, returns a list or matrix containing the maximum value of each pair of corresponding elements.

**max**(*List*)⇒*expression*

Returns the maximum element in *list*.

**max**(*Matrix1*)⇒*matrix*

Returns a row vector containing the maximum element of each column in *Matrix1*.

Empty (void) elements are ignored. For more information on empty elements, see page 215.


**Note:** See also **min()**.

max(2.3,1.4)	2.3
max({1,2},{-4,3})	{ 1,3 }

max({0,1,-7,1.3,0.5})	1.3
-----------------------	-----

max( $\begin{bmatrix} 1 & -3 & 7 \\ -4 & 0 & 0.3 \end{bmatrix}$ )	[ 1 0 7 ]
---	-----------

## mean()


Catalogue > 

**mean**(*List*[, *freqList*])⇒*expression*

Returns the mean of the elements in *List*.

mean({0.2,0,1,-0.3,0.4})	0.26
mean({1,2,3},{3,2,1})	$\frac{5}{3}$

## mean()

Catalogue > 

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**mean**(*MatrixI* [, *freqMatrix*])  $\Rightarrow$  *matrix*

Returns a row vector of the means of all the columns in *MatrixI*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *MatrixI*.

Empty (void) elements are ignored. For more information on empty elements, see page 215.

In Rectangular vector format:

$$\text{mean} \left( \begin{array}{cc} 0.2 & 0 \\ -1 & 3 \\ 0.4 & -0.5 \end{array} \right) \quad \left[ -0.133333 \quad 0.833333 \right]$$

$$\text{mean} \left( \begin{array}{cc} \frac{1}{5} & 0 \\ -1 & 3 \\ \frac{2}{5} & -\frac{1}{2} \end{array} \right) \quad \left[ \frac{-2}{15} \quad \frac{5}{6} \right]$$

$$\text{mean} \left( \begin{array}{cc|cc} 1 & 2 & 5 & 3 \\ 3 & 4 & 4 & 1 \\ 5 & 6 & 6 & 2 \end{array} \right) \quad \left[ \frac{47}{15} \quad \frac{11}{3} \right]$$

## median()

Catalogue > 

**median**(*List* [, *freqList*])  $\Rightarrow$  *expression*

Returns the median of the elements in *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**median**(*MatrixI* [, *freqMatrix*])  $\Rightarrow$  *matrix*

Returns a row vector containing the medians of the columns in *MatrixI*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *MatrixI*.

$$\text{median}(\{0.2, 0, 1, -0.3, 0.4\}) \quad 0.2$$

$$\text{median} \left( \begin{array}{cc} 0.2 & 0 \\ 1 & -0.3 \\ 0.4 & -0.5 \end{array} \right) \quad [0.4 \quad -0.3]$$

### Notes:

- All entries in the list or matrix must simplify to numbers.
- Empty (void) elements in the list or matrix are ignored. For more information on empty elements, see page 215.



**MedMed**  $X, Y [, Freq] [, Category, Include]$ 

Computes the median-median line  $y = (m \cdot x + b)$  on lists  $X$  and  $Y$  with frequency  $Freq$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

$Category$  is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

$Include$  is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements", page 215.

Output variable	Description
stat.RegEqn	Median-median line equation: $m \cdot x + b$
stat.m, stat.b	Model coefficients
stat.Resid	Residuals from the median-median line
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.FreqReg	List of frequencies corresponding to $stat.XReg$ and $stat.YReg$

**mid()**

**mid**(sourceString, Start[, Count])  $\Rightarrow$  string

mid("Hello there", 2)	"ello there"
mid("Hello there", 7, 3)	"the"
mid("Hello there", 1, 5)	"Hello"
mid("Hello there", 1, 0)	"{}"

**mid()**

Returns *Count* characters from character string *sourceString*, beginning with character number *Start*.

If *Count* is omitted or is greater than the dimension of *sourceString*, returns all characters from *sourceString*, beginning with character number *Start*.

*Count* must be  $\geq 0$ . If *Count* = 0, returns an empty string.

**mid(sourceList, Start [, Count])** ⇒ list

Returns *Count* elements from *sourceList*, beginning with element number *Start*.

If *Count* is omitted or is greater than the dimension of *sourceList*, returns all elements from *sourceList*, beginning with element number *Start*.

*Count* must be  $\geq 0$ . If *Count* = 0, returns an empty list.

**mid(sourceStringList, Start[, Count])** ⇒ list

Returns *Count* strings from the list of strings *sourceStringList*, beginning with element number *Start*.

mid({9,8,7,6},3)	{7,6}
mid({9,8,7,6},2,2)	{8,7}
mid({9,8,7,6},1,2)	{9,8}
mid({9,8,7,6},1,0)	{ }

mid({"A","B","C","D"},2,2)	{"B","C"}
----------------------------	-----------

**min()**

**min(Value1, Value2)** ⇒ expression

**min(List1, List2)** ⇒ list

**min(Matrix1, Matrix2)** ⇒ matrix

Returns the minimum of the two arguments. If the arguments are two lists or matrices, returns a list or matrix containing the minimum value of each pair of corresponding elements.

**min(List)** ⇒ expression

Returns the minimum element of *List*.

min(2.3,1.4)	1.4
min({1,2},{-4,3})	{-4,2}

min({0,1,-7,1.3,0.5})	-7
-----------------------	----

**min()**Catalogue > **min**(*Matrix1*) $\Rightarrow$ *matrix*

Returns a row vector containing the minimum element of each column in *Matrix1*.

$$\min\left(\begin{array}{ccc} 1 & -3 & 7 \\ -4 & 0 & 0.3 \end{array}\right) \quad \begin{array}{ccc} [-4 & -3 & 0.3] \end{array}$$

**Note:** See also **max()**.

**mirr()**Catalogue > **mirr**

**(***financeRate*,*reinvestRate*,*CF0*,*CFList*  
**[**,*CFFreq***])**

Financial function that returns the modified internal rate of return of an investment.

$$\begin{array}{l} list1 := \{6000, -8000, 2000, -3000\} \\ \quad \quad \quad \{6000, -8000, 2000, -3000\} \\ list2 := \{2, 2, 2, 1\} \quad \quad \quad \{2, 2, 2, 1\} \\ \hline mirr\{4.65, 12, 5000, list1, list2\} \quad 13.41608607 \end{array}$$

*financeRate* is the interest rate that you pay on the cash flow amounts.

*reinvestRate* is the interest rate at which the cash flows are reinvested.

*CF0* is the initial cash flow at time 0; it must be a real number.

*CFList* is a list of cash flow amounts after the initial cash flow *CF0*.

*CFFreq* is an optional list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of *CFList*. The default is 1; if you enter values, they must be positive integers < 10,000.

**Note:** See also **irr()**, page 75.

**mod()**Catalogue > **mod**(*Value1*, *Value2*) $\Rightarrow$ *expression***mod**(*List1*, *List2*) $\Rightarrow$ *list***mod**(*Matrix1*, *Matrix2*) $\Rightarrow$ *matrix*

$$\begin{array}{ll} \hline \text{mod}(7,0) & 7 \\ \hline \text{mod}(7,3) & 1 \\ \hline \text{mod}(-7,3) & 2 \\ \hline \text{mod}(7,-3) & -2 \\ \hline \text{mod}(-7,-3) & -1 \\ \hline \text{mod}(\{12, -14, 16\}, \{9, 7, -5\}) & \{3, 0, -4\} \\ \hline \end{array}$$

## mod()

Catalogue > 

Returns the first argument modulo the second argument as defined by the identities:

$$\text{mod}(x,0) = x$$

$$\text{mod}(x,y) = x - y \text{ floor}(x/y)$$

When the second argument is non-zero, the result is periodic in that argument. The result is either zero or has the same sign as the second argument.

If the arguments are two lists or two matrices, returns a list or matrix containing the modulo of each pair of corresponding elements.

**Note:** See also **remain()**, page 126

## mRow()

Catalogue > 

**mRow**(*Value*, *Matrix1*, *Index*) $\Rightarrow$ *matrix*

Returns a copy of *Matrix1* with each element in row *Index* of *Matrix1* multiplied by *Value*.

$$\text{mRow}\left(\frac{-1}{3}, \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, 2\right) \quad \begin{bmatrix} 1 & 2 \\ -1 & -4 \\ 3 & 3 \end{bmatrix}$$

## mRowAdd()

Catalogue > 


**mRowAdd**(*Value*, *Matrix1*, *Index1*, *Index2*) $\Rightarrow$ *matrix*

Returns a copy of *Matrix1* with each element in row *Index2* of *Matrix1* replaced with:

$$\textit{Value} \cdot \textit{row Index1} + \textit{row Index2}$$

$$\text{mRowAdd}\left(-3, \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, 1, 2\right) \quad \begin{bmatrix} 1 & 2 \\ 0 & -2 \end{bmatrix}$$

## MultReg

Catalogue > 

**MultReg** *Y*, *X1*[, *X2*[, *X3*, ..., [, *X10*]]]

Calculates multiple linear regression of list *Y* on lists *X1*, *X2*, ..., *X10*. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $b_0+b_1 \cdot x_1+b_2 \cdot x_2+ \dots$
stat.b0, stat.b1, ...	Regression coefficients
stat.R <sup>2</sup>	Coefficient of multiple determination
stat. $\hat{y}$ List	$\hat{y}$ List = $b_0+b_1 \cdot x_1+ \dots$
stat.Resid	Residuals from the regression

## MultRegIntervals

**MultRegIntervals**  $Y, X1[,X2[,X3, ..., [X10]]], XValList$   
 $[,CLevel]$

Computes a predicted y-value, a level C prediction interval for a single observation, and a level C confidence interval for the mean response.

A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $b_0+b_1 \cdot x_1+b_2 \cdot x_2+ \dots$
stat. $\hat{y}$	A point estimate: $\hat{y} = b_0 + b_1 \cdot x_1 + \dots$ for <i>XValList</i>
stat.dfError	Error degrees of freedom
stat.CLower, stat.CUpper	Confidence interval for a mean response
stat.ME	Confidence interval margin of error
stat.SE	Standard error of mean response
stat.LowerPred, stat.UpperrPred	Prediction interval for a single observation
stat.MEPred	Prediction interval margin of error
stat.SEPred	Standard error for prediction

Output variable	Description
stat.bList	List of regression coefficients, {b0,b1,b2,...}
stat.Resid	Residuals from the regression

## MultRegTests

Catalogue > 

### MultRegTests $Y, X1[,X2[,X3,...[,X10]]]$

Multiple linear regression test computes a multiple linear regression on the given data and provides the global  $F$  test statistic and  $t$  test statistics for the coefficients.

A summary of results is stored in the *stat.results* variable (page 148).

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

#### Outputs

Output variable	Description
stat.RegEqn	Regression Equation: $b_0+b_1 \cdot x_1+b_2 \cdot x_2+ \dots$
stat.F	Global $F$ test statistic
stat.PVal	P-value associated with global $F$ statistic
stat.R <sup>2</sup>	Coefficient of multiple determination
stat.AdjR <sup>2</sup>	Adjusted coefficient of multiple determination
stat.s	Standard deviation of the error
stat.DW	Durbin-Watson statistic; used to determine whether first-order auto correlation is present in the model
stat.dfReg	Regression degrees of freedom
stat.SSReg	Regression sum of squares
stat.MSReg	Regression mean square
stat.dfError	Error degrees of freedom
stat.SSError	Error sum of squares
stat.MSError	Error mean square
stat.bList	{b0,b1,...} List of coefficients

Output variable	Description
stat.tList	List of t statistics, one for each coefficient in the bList
stat.PList	List P-values for each t statistic
stat.SEList	List of standard errors for coefficients in bList
stat.yList	$\hat{y}List = b_0 + b_1 \cdot x_1 + \dots$
stat.Resid	Residuals from the regression
stat.sResid	Standardized residuals; obtained by dividing a residual by its standard deviation
stat.CookDist	Cook's distance; measure of the influence of an observation based on the residual and leverage
stat.Leverage	Measure of how far the values of the independent variable are from their mean values

## N

### nand

  keys

*BooleanExpr1* **nand** *BooleanExpr2*  
returns *Boolean expression*

*BooleanList1* **nand** *BooleanList2* returns  
*Boolean list*

*BooleanMatrix1* **nand** *BooleanMatrix2*  
returns *Boolean matrix*

Returns the negation of a logical **and** operation on the two arguments. Returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

*Integer1* **nand** *Integer2*  $\Rightarrow$  *integer*

3 and 4	0
3 nand 4	-1
{1,2,3} and {3,2,1}	{1,2,1}
{1,2,3} nand {3,2,1}	{-2,-3,-2}

Compares two real integers bit-by-bit using a **nand** operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 0 if both bits are 1; otherwise, the result is 1. The returned value represents the bit results, and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

**nCr()**Catalogue > 

$$\mathbf{nCr(Value1, Value2)} \Rightarrow \text{expression}$$

For integer  $Value1$  and  $Value2$  with  $Value1 \geq Value2 \geq 0$ , **nCr()** is the number of combinations of  $Value1$  things taken  $Value2$  at a time. (This is also known as a binomial coefficient.)

$nCr(z,3) z=5$	10
$nCr(z,3) z=6$	20

$$\mathbf{nCr(Value, 0)} \Rightarrow 1$$

$$\mathbf{nCr(Value, negInteger)} \Rightarrow 0$$

$$\mathbf{nCr(Value, posInteger)} \Rightarrow Value \cdot (Value-1) \dots (Value-posInteger+1) / posInteger!$$

$$\mathbf{nCr(Value, nonInteger)} \Rightarrow \text{expression!} / ((Value-nonInteger)! \cdot nonInteger!)$$

$$\mathbf{nCr(List1, List2)} \Rightarrow \text{list}$$

Returns a list of combinations based on the corresponding element pairs in the two lists. The arguments must be the same size list.

$nCr(\{5,4,3\}, \{2,4,2\})$	$\{10,1,3\}$
-----------------------------	--------------

$$\mathbf{nCr(Matrix1, Matrix2)} \Rightarrow \text{matrix}$$

$nCr\left(\begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix}, \begin{bmatrix} 2 & 2 \\ 2 & 2 \end{bmatrix}\right)$	$\begin{bmatrix} 15 & 10 \\ 6 & 3 \end{bmatrix}$
--	--



Returns a matrix of combinations based on the corresponding element pairs in the two matrices. The arguments must be the same size matrix.

**nDerivative()**

**nDerivative**(*Expr1*,*Var=Value*  
[,*Order*]) $\Rightarrow$ *value*

**nDerivative**(*Expr1*,*Var*[,*Order*]) |  
*Var=Value* $\Rightarrow$ *value*

Returns the numerical derivative calculated using auto differentiation methods.

When *Value* is specified, it overrides any prior variable assignment or any current “|” substitution for the variable.

If the variable *Var* does not contain a numeric value, you must provide *Value*.

*Order* of the derivative must be 1 or 2.

**Note:** The **nDerivative()** algorithm has a limitation: it works recursively through the unsimplified expression, computing the numeric value of the first derivative (and second, if applicable) and the evaluation of each subexpression, which may lead to an unexpected result.

Consider the example on the right. The first derivative of  $x \cdot (x^2+x)^{1/3}$  at  $x=0$  is equal to 0. However, because the first derivative of the subexpression  $(x^2+x)^{1/3}$  is undefined at  $x=0$ , and this value is used to calculate the derivative of the total expression, **nDerivative()** reports the result as undefined and displays a warning message.

If you encounter this limitation, verify the solution graphically. You can also try using **centralDiff()**.

$\text{nDerivative}( x ,x=1)$	1
$\text{nDerivative}( x ,x) _{x=0}$	undef
$\text{nDerivative}(\sqrt{x-1},x) _{x=1}$	undef

$\text{nDerivative}\left(x \cdot (x^2+x)^{\frac{1}{3}},x,1\right) _{x=0}$	undef
$\text{centralDiff}\left(x \cdot (x^2+x)^{\frac{1}{3}},x\right) _{x=0}$	0.000033

**newList()**Catalogue > **newList**(*numElements*) $\Rightarrow$ *list*

newList(4)

{0,0,0,0}

Returns a list with a dimension of *numElements*. Each element is zero.

**newMat()**Catalogue > **newMat**(*numRows*,  
*numColumns*) $\Rightarrow$ *matrix*

newMat(2,3)

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

Returns a matrix of zeroes with the dimension *numRows* by *numColumns*.

**nfMax()**Catalogue > **nfMax**(*Expr*, *Var*) $\Rightarrow$ *value*

$\text{nfMax}(x^2 - 2 \cdot x - 1, x)$	-1.
--	-----

**nfMax**(*Expr*, *Var*, *lowBound*) $\Rightarrow$ *value*

$\text{nfMax}(0.5 \cdot x^3 - x - 2, x, -5, 5)$	5.
---	----

**nfMax**(*Expr*, *Var*, *lowBound*,  
*upBound*) $\Rightarrow$ *value***nfMax**(*Expr*, *Var*) | *lowBound*  $\leq$  *Var*  
 $\leq$  *upBound*  $\Rightarrow$  *value*

Returns a candidate numerical value of variable *Var* where the local maximum of *Expr* occurs.

If you supply *lowBound* and *upBound*, the function looks in the closed interval [*lowBound*,*upBound*] for the local maximum.

**nfMin()**Catalogue > **nfMin**(*Expr*, *Var*) $\Rightarrow$ *value*

$\text{nfMin}(x^2 + 2 \cdot x + 5, x)$	-1.
--	-----

**nfMin**(*Expr*, *Var*, *lowBound*) $\Rightarrow$ *value*


$\text{nfMin}(0.5 \cdot x^3 - x - 2, x, -5, 5)$	-5.
---	-----

**nfMin**(*Expr*, *Var*, *lowBound*,  
*upBound*) $\Rightarrow$ *value***nfMin**(*Expr*, *Var*) | *lowBound*  $\leq$  *Var*  
 $\leq$  *upBound*  $\Rightarrow$  *value*

**nfMin()**Catalogue > 

Returns a candidate numerical value of variable *Var* where the local minimum of *Expr* occurs.

If you supply *lowBound* and *upBound*, the function looks in the closed interval [*lowBound*,*upBound*] for the local minimum.

**nInt()**Catalogue > 

**nInt**(*Expr1*, *Var*, *Lower*, *Upper*) $\Rightarrow$ *expression*

$$\text{nInt}(e^{-x^2}, x, -1, 1) \quad 1.49365$$

If the integrand *Expr1* contains no variable other than *Var*, and if *Lower* and *Upper* are constants, positive  $\infty$ , or negative  $\infty$ , then **nInt()** returns an approximation of  $\int(\text{Expr1}, \text{Var}, \text{Lower}, \text{Upper})$ . This approximation is a weighted average of some sample values of the integrand in the interval  $\text{Lower} < \text{Var} < \text{Upper}$ .

The goal is six significant digits. The adaptive algorithm terminates when it seems likely that the goal has been achieved, or when it seems unlikely that additional samples will yield a worthwhile improvement.

$$\text{nInt}(\cos(x), x, \pi, \pi + 1.E-12) \quad -1.04144E-12$$

A warning is displayed (“Questionable accuracy”) when it seems that the goal has not been achieved.

Nest **nInt()** to do multiple numeric integration. Integration limits can depend on integration variables outside them.

$$\text{nInt}\left(\text{nInt}\left(\frac{e^{-x \cdot y}}{\sqrt{x^2 - y^2}}, y, -x, x\right), x, 0, 1\right) \quad 3.30423$$

**nom()**Catalogue > 

**nom**(*effectiveRate*, *CpY*) $\Rightarrow$ *value*

$$\text{nom}(5.90398, 12) \quad 5.75$$

Financial function that converts the annual effective interest rate *effectiveRate* to a nominal rate, given *CpY* as the number of compounding periods per year.

*effectiveRate* must be a real number,  
and *CpY* must be a real number > 0.

**Note:** See also **eff()**, page 44.

**nor**

*BooleanExpr1* **nor** *BooleanExpr2* returns  
*Boolean expression*

*BooleanList1* **nor** *BooleanList2* returns  
*Boolean list*

*BooleanMatrix1* **nor** *BooleanMatrix2*  
returns *Boolean matrix*

Returns the negation of a logical **or**  
operation on the two arguments.  
Returns true, false, or a simplified form  
of the equation.

For lists and matrices, returns  
comparisons element by element.

*Integer1* **nor** *Integer2*  $\Rightarrow$  *integer*

Compares two real integers bit-by-bit  
using a **nor** operation. Internally, both  
integers are converted to signed, 64-bit  
binary numbers. When corresponding  
bits are compared, the result is 1 if both  
bits are 1; otherwise, the result is 0. The  
returned value represents the bit results  
and is displayed according to the Base  
mode.

You can enter the integers in any  
number base. For a binary or  
hexadecimal entry, you must use the 0b  
or 0h prefix, respectively. Without a  
prefix, integers are treated as decimal  
(base 10).

3 or 4	7
3 nor 4	-8
{1,2,3} or {3,2,1}	{3,2,3}
{1,2,3} nor {3,2,1}	{-4,-3,-4}

**norm()**Catalogue > **norm**(*Matrix*) $\Rightarrow$ *expression*

$\text{norm}\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$	5.47723
---	---------

**norm**(*Vector*) $\Rightarrow$ *expression*

$\text{norm}\begin{pmatrix} 1 & 2 \end{pmatrix}$	2.23607
--	---------

Returns the Frobenius norm.

$\text{norm}\begin{pmatrix} 1 \\ 2 \end{pmatrix}$	2.23607
---	---------

**normCdf()**Catalogue > **normCdf**(*lowBound*,*upBound*[, $\mu$ ],[ $\sigma$ ]) $\Rightarrow$ *number* if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are listsComputes the normal distribution probability between *lowBound* and *upBound* for the specified  $\mu$  (default=0) and  $\sigma$  (default=1).For  $P(X \leq \textit{upBound})$ , set *lowBound* = -9E999.**normPdf()**Catalogue > **normPdf**(*XVal*[, $\mu$ ],[ $\sigma$ ]) $\Rightarrow$ *number* if *XVal* is a number, *list* if *XVal* is a listComputes the probability density function for the normal distribution at a specified *XVal* value for the specified  $\mu$  and  $\sigma$ .**not**Catalogue > **not** *BooleanExpr* $\Rightarrow$ *Boolean expression*

$\text{not } (2 \geq 3)$	true
--------------------------	------

Returns true, false, or a simplified form of the argument.

$\text{not } 0\text{hB0} \blacktriangleright \text{Base16}$	0hFFFFFFFFFFFFFFFF4F
---	----------------------

$\text{not not } 2$	2
---------------------	---

**not** *IntegerI* $\Rightarrow$ *integer*

In Hex base mode:

Returns the one's complement of a real integer. Internally, *IntegerI* is converted to a signed, 64-bit binary number. The value of each bit is flipped (0 becomes 1 and vice versa) for the one's complement. Results are displayed according to the Base mode.**Important:** Zero, not the letter O.

$\text{not } 0\text{h7AC36}$	0hFFFFFFFFFFFF853C9
------------------------------	---------------------

In Bin base mode:

You can enter the integer in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, the integer is treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see **Base2**, page 16.

0b100101 ▶Base10	37
not 0b100101	
0b11111111111111111111111111111111 ▶	
not 0b100101 ▶Base10	-38

To see the entire result, press **▲** and then use **◀** and **▶** to move the cursor.

**Note:** A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

## nPr()

$nPr(Value1, Value2) \Rightarrow expression$

For integer  $Value1$  and  $Value2$  with  $Value1 \geq Value2 \geq 0$ , **nPr()** is the number of permutations of  $Value1$  things taken  $Value2$  at a time.

$nPr(Value, 0) \Rightarrow 1$

$nPr(Value, negInteger) \Rightarrow 1 / ((Value+1) \cdot (Value+2) \dots (Value-negInteger))$

$nPr(Value, posInteger) \Rightarrow Value \cdot (Value-1) \dots (Value-posInteger+1)$

$nPr(Value, nonInteger) \Rightarrow Value! / (Value-nonInteger)!$

$nPr(List1, List2) \Rightarrow list$

Returns a list of permutations based on the corresponding element pairs in the two lists. The arguments must be the same size list.

$nPr(Matrix1, Matrix2) \Rightarrow matrix$

Returns a matrix of permutations based on the corresponding element pairs in the two matrices. The arguments must be the same size matrix.

$nPr(z,3);z=5$	60
$nPr(z,3);z=6$	120
$nPr(\{5,4,3\}, \{2,4,2\})$	$\{20,24,6\}$
$nPr\left(\begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix}, \begin{bmatrix} 2 & 2 \\ 2 & 2 \end{bmatrix}\right)$	$\begin{bmatrix} 30 & 20 \\ 12 & 6 \end{bmatrix}$

$nPr(\{5,4,3\}, \{2,4,2\})$	$\{20,24,6\}$
-----------------------------	---------------

$nPr\left(\begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix}, \begin{bmatrix} 2 & 2 \\ 2 & 2 \end{bmatrix}\right)$	$\begin{bmatrix} 30 & 20 \\ 12 & 6 \end{bmatrix}$
--	---

**npv()**Catalogue > **npv**(*InterestRate*,*CFO*,*CFList*  
[,*CFFreq*])

Financial function that calculates net present value; the sum of the present values for the cash inflows and outflows. A positive result for npv indicates a profitable investment.

*InterestRate* is the rate by which to discount the cash flows (the cost of money) over one period.

*CFO* is the initial cash flow at time 0; it must be a real number.

*CFList* is a list of cash flow amounts after the initial cash flow *CFO*.

*CFFreq* is a list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of *CFList*. The default is 1; if you enter values, they must be positive integers < 10,000.

$list1 := \{6000, -8000, 2000, -3000\}$	$\{6000, -8000, 2000, -3000\}$
$list2 := \{2, 2, 2, 1\}$	$\{2, 2, 2, 1\}$
$npv(10, 5000, list1, list2)$	4769.91

**nSolve()**Catalogue > **nSolve**(*Equation*,*Var*  
[=*Guess*]) $\Rightarrow$ number or error\_string**nSolve**(*Equation*,*Var*  
[=*Guess*],*lowBound*) $\Rightarrow$ number or error\_string**nSolve**(*Equation*,*Var*  
[=*Guess*],*lowBound*,*upBound*)  
 $\Rightarrow$ number or error\_string**nSolve**(*Equation*,*Var*[=*Guess*]) |  
*lowBound*  $\leq$  *Var*  $\leq$  *upBound*  $\Rightarrow$ number or error\_string

Iteratively searches for one approximate real numeric solution to *Equation* for its one variable. Specify the variable as:

$nSolve(x^2 + 5 \cdot x - 25 = 9, x)$	3.84429
$nSolve(x^2 = 4, x = -1)$	-2.
$nSolve(x^2 = 4, x = 1)$	2.

**Note:** If there are multiple solutions, you can use a guess to help find a particular solution.

*variable*

– or –

*variable = real number*

For example,  $x$  is valid and so is  $x=3$ .

**nSolve()** attempts to determine either one point where the residual is zero or two relatively close points where the residual has opposite signs and the magnitude of the residual is not excessive. If it cannot achieve this using a modest number of sample points, it returns the string “no solution found.”

$\text{nSolve}(x^2+5\cdot x-25=9,x) x<0$	-8.84429
$\text{nSolve}\left(\frac{(1+r)^{24}-1}{r}=26,r\right) r>0 \text{ and } r<0.25$	0.006886
$\text{nSolve}(x^2=-1,x)$	"No solution found"

## O

**OneVar** [1,] $X$ ],[ $Freq$ ],[ $Category$ ],[ $Include$ ]]

**OneVar** [ $n$ ,] $X1$ , $X2$ [ $X3$ [...[, $X20$ ]]]

Calculates 1-variable statistics on up to 20 lists. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric category codes for the corresponding  $X$  values.


*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

An empty (void) element in any of the lists  $X$ , *Freq* or *Category* results in a void for the corresponding element of all those lists. An empty element in any of the lists  $X1$  through  $X20$  results in a void for the corresponding element of all those lists. For more information on empty elements, see page 215.



Output variable	Description
stat. $\bar{x}$	Mean of x values
stat. $\Sigma x$	Sum of x values
stat. $\Sigma x^2$	Sum of $x^2$ values
stat.sx	Sample standard deviation of x
stat. x	Population standard deviation of x
stat.n	Number of data points
stat.MinX	Minimum of x values
stat.Q <sub>1</sub> X	1st Quartile of x
stat.MedianX	Median of x
stat.Q <sub>3</sub> X	3rd Quartile of x
stat.MaxX	Maximum of x values
stat.SSX	Sum of squares of deviations from the mean of x

**or**

Catalogue > 

*BooleanExpr1* **or** *BooleanExpr2* returns  
*Boolean expression*

*BooleanList1* **or** *BooleanList2* returns  
*Boolean list*

*BooleanMatrix1* **or** *BooleanMatrix2*  
returns *Boolean matrix*

Returns true or false or a simplified form  
of the original entry.

Returns true if either or both expressions  
simplify to true. Returns false only if  
both expressions evaluate to false.

**Note:** See *xor*.

**Note for entering the example:** For  
instructions on entering multi-line  
programme and function definitions,  
refer to the Calculator section of your  
product guidebook.

*Integer1* **or** *Integer2*  $\Rightarrow$  *integer*

```
Define g(x)=Func
  If x≤0 or x≥5
    Goto end
  Return x·3
  Lbl end
EndFunc
```

$g(3)$	9
$g(0)$	A function did not return a value

In Hex base mode:

0h7AC36 or 0h3D5F	0h7BD7F
-------------------	---------

Compares two real integers bit-by-bit using an or operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if either bit is 1; the result is 0 only if both bits are 0. The returned value represents the bit results and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see **►Base2**, page 16.

**Note:** See **xor**.

**Important:** Zero, not the letter O.

In Bin base mode:

0b100101 or 0b100	0b100101
-------------------	----------

**Note:** A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

## ord()

**ord**(*String*) $\Rightarrow$ *integer*

**ord**(*List1*) $\Rightarrow$ *list*

Returns the numeric code of the first character in character string *String*, or a list of the first characters of each list element.

ord("hello")	104
char(104)	"h"
ord(char(24))	24
ord({"alpha", "beta"})	{97,98}

## P

### P►Rx()

**P►Rx**(*rExpr*,  $\theta$ *Expr*) $\Rightarrow$ *expression*

**P►Rx**(*rList*,  $\theta$ *List*) $\Rightarrow$ *list*

**P►Rx**(*rMatrix*,  $\theta$ *Matrix*) $\Rightarrow$ *matrix*

Returns the equivalent x-coordinate of the (*r*,  $\theta$ ) pair.

In Radian angle mode:

<b>P►Rx</b> (4,60°)	2.
<b>P►Rx</b> ({-3,10,1.3}, { $\frac{\pi}{3}, \frac{\pi}{4}, 0$ })	{-1.5,7.07107,1.3}

**Note:** The  $\theta$  argument is interpreted as either a degree, gradian or radian angle, according to the current angle mode. If the argument is an expression, you can use  $^\circ$ ,  $^G$  or  $^r$  to override the angle mode setting temporarily.

**Note:** You can insert this function from the computer keyboard by typing **P@>Rx** (...).

**P►Ry**(*rValue*,  $\theta$ *Value*) $\Rightarrow$ *value*

In Radian angle mode:

**P►Ry**(*rList*,  $\theta$ *List*) $\Rightarrow$ *list*

**P►Ry**(4,60 $^\circ$ ) 3.4641

**P►Ry**(*rMatrix*,  $\theta$ *Matrix*) $\Rightarrow$ *matrix*

**P►Ry** $\left\{ \left\{ -3, 10, 1.3 \right\}, \left\{ \frac{\pi}{3}, \frac{\pi}{4}, 0 \right\} \right\}$   
 $\{ -2.59808, -7.07107, 0 \}$

Returns the equivalent y-coordinate of the (r,  $\theta$ ) pair.

**Note:** The  $\theta$  argument is interpreted as either a degree, radian or gradian angle, according to the current angle mode.<sup>or</sup>

**Note:** You can insert this function from the computer keyboard by typing **P@>Ry** (...).

**PassErr**

For an example of **PassErr**, See Example 2 under the **Try** command, page 159.

Passes an error to the next level.

If system variable *errCode* is zero, **PassErr** does not do anything.

The **Else** clause of the **Try...Else...EndTry** block should use **ClrErr** or **PassErr**. If the error is to be processed or ignored, use **ClrErr**. If what to do with the error is not known, use **PassErr** to send it to the next error handler. If there are no more pending **Try...Else...EndTry** error handlers, the error dialogue box will be displayed as normal.

**Note:** See also **ClrErr**, page 23, and **Try**, page 159.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

**piecewise()**

**piecewise**[*Expr1* [, *Cond1* [, *Expr2* [, *Cond2* [, ... ]]]]]

Returns definitions for a piecewise function in the form of a list. You can also create piecewise definitions by using a template.

**Note:** See also **Piecewise template**, page 2.

Define $p(x) = \begin{cases} x, & x > 0 \\ \text{undef}, & x \leq 0 \end{cases}$	Done
$p(1)$	1
$p(-1)$	undef

**poissCdf()**

**poissCdf**( $\lambda$ , *lowBound*, *upBound*)  $\Rightarrow$  number if *lowBound* and *upBound* are numbers, list if *lowBound* and *upBound* are lists

**poissCdf**( $\lambda$ , *upBound*) for  $P(0 \leq X \leq \textit{upBound}) \Rightarrow$  number if *upBound* is a number, list if *upBound* is a list

Computes a cumulative probability for the discrete Poisson distribution with specified mean  $\lambda$ .

For  $P(X \leq \textit{upBound})$ , set *lowBound*=0

**poissPdf()**

**poissPdf**( $\lambda$ , *XVal*)  $\Rightarrow$  number if *XVal* is a number, list if *XVal* is a list

Computes a probability for the discrete Poisson distribution with the specified mean  $\lambda$ .

**►Polar**

*Vector* ►Polar

[1 3.]►Polar	[3.16228 ∟71.5651]
--------------	--------------------

**Note:** You can insert this operator from the computer keyboard by typing @>Polar.

Displays *vector* in polar form  $[r \angle \theta]$ . The vector must be of dimension 2 and can be a row or a column.

**Note:** ►Polar is a display-format instruction, not a conversion function. You can use it only at the end of an entry line, and it does not update *ans*.

**Note:** See also ►Rect, page 123.

*complexValue* ►Polar

Displays *complexVector* in polar form.

- Degree angle mode returns  $(r \angle \theta)$ .
- Radian angle mode returns  $re^{i\theta}$ .

*complexValue* can have any complex form. However, an  $re^{i\theta}$  entry causes an error in Degree angle mode.

**Note:** You must use the parentheses for an  $(r \angle \theta)$  polar entry.

In Radian angle mode:

$(3+4i)$ ►Polar	$e^{0.927295 \cdot i \cdot 5}$
$\left(4 \angle \frac{\pi}{3}\right)$ ►Polar	$e^{1.0472 \cdot i \cdot 4}$

In Gradian angle mode:

$(4 \cdot i)$ ►Polar	$(4 \angle 100.)$
----------------------	-------------------

In Degree angle mode:

$(3+4i)$ ►Polar	$(5 \angle 53.1301)$
-----------------	----------------------

## polyEval()


**polyEval**(*List1*, *Expr1*) $\Rightarrow$ *expression*

**polyEval**(*List1*, *List2*) $\Rightarrow$ *expression*

Interprets the first argument as the coefficient of a descending-degree polynomial and returns the polynomial evaluated for the value of the second argument.

$\text{polyEval}(\{1,2,3,4\},2)$	26
$\text{polyEval}(\{1,2,3,4\},\{2,-7\})$	$\{26,-262\}$

## polyRoots()

Catalogue > 

**polyRoots(Poly,Var)** ⇒ list

$$\text{polyRoots}(y^3+1,y) \quad \{-1\}$$

**polyRoots(ListOfCoeffs)** ⇒ list

$$\text{cPolyRoots}(y^3+1,y) \\ \{-1, 0.5-0.866025\mathbf{i}, 0.5+0.866025\mathbf{i}\}$$

The first syntax, **polyRoots(Poly,Var)**, returns a list of real roots of polynomial *Poly* with respect to variable *Var*. If no real roots exist, returns an empty list: { }.

$$\text{polyRoots}(x^2+2\cdot x+1,x) \quad \{-1,-1\}$$


*Poly* must be a polynomial in expanded form in one variable. Do not use unexpanded forms such as  $y^2\cdot y+1$  or  $x\cdot x+2\cdot x+1$

$$\text{polyRoots}(\{1,2,1\}) \quad \{-1,-1\}$$

The second syntax, **polyRoots(ListOfCoeffs)**, returns a list of real roots for the coefficients in *ListOfCoeffs*.

**Note:** See also **cPolyRoots()**, page 31.

## PowerReg

Catalogue > 

**PowerReg X,Y [, Freq] [, Category, Include]**

Computes the power regression  $y = (a \cdot (x)^b)$  on lists *X* and *Y* with frequency *Freq*. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

*X* and *Y* are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding *X* and *Y* data point. The default value is 1. All elements must be integers  $\geq 0$ .


*Category* is a list of numeric or string category codes for the corresponding *X* and *Y* data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a \cdot (x)^b$
stat.a, stat.b	Regression coefficients
stat.r <sup>2</sup>	Coefficient of linear determination for transformed data
stat.r	Correlation coefficient for transformed data ( $\ln(x)$ , $\ln(y)$ )
stat.Resid	Residuals associated with the power model
stat.ResidTrans	Residuals associated with linear fit of transformed data
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified <i>Y List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

## Prgm

Catalogue > 

### Prgm

#### Block

#### EndPrgm

Template for creating a user-defined programme. Must be used with the **Define**, **Define LibPub** or **Define LibPriv** command.

*Block* can be a single statement, a series of statements separated with the “.” character or a series of statements on separate lines.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Calculate GCD and display intermediate results.

---

```

Define proggcd(a,b)=Prgm
  Local d
  While b≠0
    d:=mod(a,b)
    a:=b
    b:=d
  Disp a," ",b
  EndWhile
  Disp "GCD=",a
  EndPrgm

```

Done

---

```

proggcd(4560,450)

```

450 60

60 30

30 0

GCD=30

---

Done

## prodSeq()

See **II()**, page 189.

**product()**Catalogue > **product**(*List*[, *Start*[, *End*]]) $\Rightarrow$ *expression*

Returns the product of the elements contained in *List*. *Start* and *End* are optional. They specify a range of elements.


<code>product({1,2,3,4})</code>	24
<code>product({4,5,8,9},2,3)</code>	40

**product**(*MatrixI*[, *Start*[, *End*]]) $\Rightarrow$ *matrix*

Returns a row vector containing the products of the elements in the columns of *MatrixI*. *Start* and *end* are optional. They specify a range of rows.

<code>product</code> $\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$	$[28 \ 80 \ 162]$
<code>product</code> $\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}, 1, 2$	$[4 \ 10 \ 18]$

Empty (void) elements are ignored. For more information on empty elements, see page 215.

**propFrac()**Catalogue > **propFrac**(*ValueI*[, *Var*]) $\Rightarrow$ *value*

**propFrac**(*rational\_number*) returns *rational\_number* as the sum of an integer and a fraction having the same sign and a greater denominator magnitude than numerator magnitude.

<code>propFrac</code> $\left(\frac{4}{3}\right)$	$1 + \frac{1}{3}$
<code>propFrac</code> $\left(\frac{-4}{3}\right)$	$-1 - \frac{1}{3}$

**propFrac**(*rational\_expression*, *Var*) returns the sum of proper ratios and a polynomial with respect to *Var*. The degree of *Var* in the denominator exceeds the degree of *Var* in the numerator in each proper ratio. Similar powers of *Var* are collected. The terms and their factors are sorted with *Var* as the main variable.

If *Var* is omitted, a proper fraction expansion is done with respect to the most main variable. The coefficients of the polynomial part are then made proper with respect to their most main variable first and so on.



**propFrac()**

Catalogue &gt;

You can use the **propFrac()** function to represent mixed fractions and demonstrate addition and subtraction of mixed fractions.

$\text{propFrac}\left(\frac{11}{7}\right)$	$1+\frac{4}{7}$
$\text{propFrac}\left(3+\frac{1}{11}+5+\frac{3}{4}\right)$	$8+\frac{37}{44}$
$\text{propFrac}\left(3+\frac{1}{11}-\left(5+\frac{3}{4}\right)\right)$	$-2-\frac{29}{44}$

**Q****QR**

Catalogue &gt;

**QR** *Matrix, qMatrix, rMatrix*, [Tol]

Calculates the Householder QR factorization of a real or complex matrix. The resulting Q and R matrices are stored to the specified *Matrix*. The Q matrix is unitary. The R matrix is upper triangular.

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you use or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If *Tol* is omitted or not used, the default tolerance is calculated as:  
 $5E-14 \cdot \max(\dim(\text{Matrix})) \cdot \text{rowNorm}(\text{Matrix})$

The QR factorization is computed numerically using Householder transformations. The symbolic solution is computed using Gram-Schmidt. The columns in *qMatName* are the orthonormal basis vectors that span the space defined by *matrix*.

The floating-point number (9.) in *m1* causes results to be calculated in floating-point form.

$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9. \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9. \end{bmatrix}$
QR <i>m1,qm,rm</i>	Done
<i>qm</i>	$\begin{bmatrix} 0.123091 & 0.904534 & 0.408248 \\ 0.492366 & 0.301511 & -0.816497 \\ 0.86164 & -0.301511 & 0.408248 \end{bmatrix}$
<i>rm</i>	$\begin{bmatrix} 8.12404 & 9.60114 & 11.0782 \\ 0. & 0.904534 & 1.80907 \\ 0. & 0. & 0. \end{bmatrix}$

**QuadReg**  $X, Y [, Freq] [, Category, Include]$ 

Computes the quadratic polynomial regression  $y = a \cdot x^2 + b \cdot x + c$  and lists  $X$  and  $Y$  with frequency  $Freq$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

$Freq$  is an optional list of frequency values. Each element in  $Freq$  specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

$Category$  is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

$Include$  is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements", page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a \cdot x^2 + b \cdot x + c$
stat.a, stat.b, stat.c	Regression coefficients
stat.R <sup>2</sup>	Coefficient of determination
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of $Freq$ , $Category$ List and $Include$ Categories
stat.FreqReg	List of frequencies corresponding to $stat.XReg$ and $stat.YReg$

**QuartReg**  $X, Y [, Freq] [, Category, Include]$

Computes the quartic polynomial regression  $y = a \cdot x^4 + b \cdot x^3 + c \cdot x^2 + d \cdot x + e$  on lists  $X$  and  $Y$  with frequency  $Freq$ . A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.


*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.RegEqn	Regression equation: $a \cdot x^4 + b \cdot x^3 + c \cdot x^2 + d \cdot x + e$
stat.a, stat.b, stat.c, stat.d, stat.e	Regression coefficients
stat.R <sup>2</sup>	Coefficient of determination
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> and <i>Include Categories</i>
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

## R

In Degree angle mode:

**R ▶ Pθ()**Catalogue > **R ▶ Pθ** (*xValue*, *yValue*) ⇒ *value***R ▶ Pθ** (*xList*, *yList*) ⇒ *list***R ▶ Pθ** (*xMatrix*, *yMatrix*) ⇒ *matrix*

Returns the equivalent  $\theta$ -coordinate of the  $(x,y)$  pair arguments.

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the computer keyboard by typing

**R@>Ptheta** (...).

---

**R▶Pθ(2,2)** 

---

45.

In Gradian angle mode:

---

**R▶Pθ(2,2)** 

---

50.

In Radian angle mode:

---

**R▶Pθ(3,2)** 

---

0.588003

---

**R▶Pθ** $\left(\left[\begin{array}{ccc} 3 & -4 & 2 \end{array}\right], \left[\begin{array}{ccc} 0 & \frac{\pi}{4} & 1.5 \end{array}\right]\right)$ 

---

 $\left[0. \ 2.94771 \ 0.643501\right]$ 

---

**R ▶ Pr()**Catalogue > **R ▶ Pr** (*xValue*, *yValue*) ⇒ *value***R ▶ Pr** (*xList*, *yList*) ⇒ *list***R ▶ Pr** (*xMatrix*, *yMatrix*) ⇒ *matrix*

Returns the equivalent  $r$ -coordinate of the  $(x,y)$  pair arguments.

**Note:** You can insert this function from the computer keyboard by typing **R@>Pr** (...).

In Radian angle mode:

---

**R▶Pr(3,2)** 

---

3.60555

---

**R▶Pr** $\left(\left[\begin{array}{ccc} 3 & -4 & 2 \end{array}\right], \left[\begin{array}{ccc} 0 & \frac{\pi}{4} & 1.5 \end{array}\right]\right)$ 

---

 $\left[3 \ 4.07638 \ \frac{5}{2}\right]$ 

---

**▶ Rad**Catalogue > *Value* ▶ **Rad** ⇒ *value*

Converts the argument to radian angle measure.

**Note:** You can insert this operator from the computer keyboard by typing

**@>Rad**.

In Degree angle mode:

---

**(1.5)▶Rad** 

---

(0.02618)<sup>r</sup>

In Gradian angle mode:

---

**(1.5)▶Rad** 

---

(0.023562)<sup>r</sup>

---

**rand()**Catalogue > **rand()** ⇒ *expression***rand**(#*Trials*) ⇒ *list*

Set the random-number seed.

**rand()**Catalogue > 

**rand()** returns a random value between 0 and 1.

RandSeed 1147	Done
rand(2)	{0.158206,0.717917}

**rand(#Trials)** returns a list containing #Trials random values between 0 and 1.


**randBin()**Catalogue > 

**randBin(*n*, *p*)** ⇒ *expression*  
**randBin(*n*, *p*, #Trials)** ⇒ *list*

randBin(80,0.5)	46.
randBin(80,0.5,3)	{43.,39.,41.}

**randBin(*n*, *p*)** returns a random real number from a specified Binomial distribution.

**randBin(*n*, *p*, #Trials)** returns a list containing #Trials random real numbers from a specified Binomial distribution.

**randInt()**Catalogue > 

**randInt**  
 (*lowBound*,*upBound*)  
 ⇒ *expression*  
**randInt**  
 (*lowBound*,*upBound*,  
 #Trials) ⇒ *list*

randInt(3,10)	3.
randInt(3,10,4)	{9.,3.,4.,7.}

**randInt**  
 (*lowBound*,*upBound*)  
 returns a random integer within the range specified by *lowBound* and *upBound* integer bounds.

**randInt**  
 (*lowBound*,*upBound*,  
 #Trials) returns a list containing #Trials random integers within the specified range.

**randMat()**Catalogue > **randMat**(*numRows*, *numColumns*) ⇒ *matrix*


Returns a matrix of integers between -9 and 9 of the specified dimension.

Both arguments must simplify to integers.

RandSeed 1147	Done
randMat(3,3)	$\begin{bmatrix} 8 & -3 & 6 \\ -2 & 3 & -6 \\ 0 & 4 & -6 \end{bmatrix}$

**Note:** The values in this matrix will change each time you press **enter**.**randNorm()**Catalogue > **randNorm**( $\mu$ ,  $\sigma$ ) ⇒ *expression*  
**randNorm**( $\mu$ ,  $\sigma$ , #Trials) ⇒ *list***randNorm**( $\mu$ ,  $\sigma$ ) returns a decimal number from the specified normal distribution. It could be any real number but will be heavily concentrated in the interval  $[\mu-3\cdot\sigma, \mu+3\cdot\sigma]$ .**randNorm**( $\mu$ ,  $\sigma$ , #Trials) returns a list containing #Trials decimal numbers from the specified normal distribution.

RandSeed 1147	Done
randNorm(0,1)	0.492541
randNorm(3,4.5)	-3.54356

**randPoly()**Catalogue > **randPoly**(*Var*, *Order*) ⇒ *expression*Returns a polynomial in *Var* of the specified *Order*. The coefficients are random integers in the range -9 through 9. The leading coefficient will not be zero.*Order* must be 0-99.

RandSeed 1147	Done
randPoly(x,5)	$-2\cdot x^5+3\cdot x^4-6\cdot x^3+4\cdot x-6$

**randSamp()**Catalogue > **randSamp**(*List*, #Trials[,noRepl]) ⇒ *list*Returns a list containing a random sample of #Trials trials from *List* with an option for sample replacement (*noRepl*=0), or no sample replacement (*noRepl*=1). The default is with sample replacement.

Define list3={1,2,3,4,5}	Done
Define list4=randSamp(list3,6)	Done
list4	{1.,3.,3.,1.,3.,1.}

**RandSeed** *Number*

If *Number* = 0, sets the seeds to the factory defaults for the random-number generator. If *Number* ≠ 0, it is used to generate two seeds, which are stored in system variables seed1 and seed2.

RandSeed 1147	Done
rand()	0.158206

**real()**

**real**(*Value1*) ⇒ *value*

Returns the real part of the argument.

real(2+3·i)	2
-------------	---

**real**(*List1*) ⇒ *list*

Returns the real parts of all elements.

real({1+3·i,3,i})	{1,3,0}
-------------------	---------

**real**(*Matrix1*) ⇒ *matrix*

Returns the real parts of all elements.

real( $\begin{bmatrix} 1+3\cdot i & 3 \\ 2 & i \end{bmatrix}$ )	$\begin{bmatrix} 1 & 3 \\ 2 & 0 \end{bmatrix}$
---	--

► **Rect**

*Vector* ► **Rect**

**Note:** You can insert this operator from the computer keyboard by typing @>**Rect**.

Displays *Vector* in rectangular form [x, y, z]. The vector must be of dimension 2 or 3 and can be a row or a column.

$\left( 3 \angle \frac{\pi}{4} \quad \angle \frac{\pi}{6} \right) \blacktriangleright \text{Rect}$	[1.06066 1.06066 2.59808]
--	---------------------------

**Note:** ► **Rect** is a display-format instruction, not a conversion function. You can use it only at the end of an entry line, and it does not update *ans*.

**Note:** See also ► **Polar**, page 112.

*complexValue* ► **Rect**

Displays *complexValue* in rectangular form a+bi. The *complexValue* can have any complex form. However, an  $re^{i\theta}$  entry causes an error in Degree angle mode.

In Radian angle mode:

$\left( 4 \cdot e^{\frac{\pi}{3}} \right) \blacktriangleright \text{Rect}$	11.3986
$\left( 4 \angle \frac{\pi}{3} \right) \blacktriangleright \text{Rect}$	2.+3.4641·i

**Note:** You must use parentheses for an (r∠ θ) polar entry.

In Gradian angle mode:

$$\left( (1 \angle 100) \right) \blacktriangleright \text{Rect} \quad i$$

In Degree angle mode:

$$\left( (4 \angle 60) \right) \blacktriangleright \text{Rect} \quad 2.+3.4641 \cdot i$$



**Note:** To type  $\angle$ , select it from the symbol list in the Catalogue.

## ref()

$\text{ref}(\text{Matrix}I, \text{Tol}) \Rightarrow \text{matrix}$

Returns the row echelon form of *MatrixI*.

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you use   or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If *Tol* is omitted or not used, the default tolerance is calculated as:  $5E-14 \cdot \max(\dim(\text{Matrix}I)) \cdot \text{rowNorm}(\text{Matrix}I)$

Avoid undefined elements in *MatrixI*. They can lead to unexpected results.

For example, if *a* is undefined in the following expression, a warning message appears and the result is shown as:

$$\text{ref} \left( \begin{bmatrix} a & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \right) \quad \begin{bmatrix} 1 & \frac{1}{a} & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\text{ref} \left( \begin{bmatrix} -2 & -2 & 0 & -6 \\ 1 & -1 & 9 & -9 \\ -5 & 2 & 4 & -4 \end{bmatrix} \right) \quad \begin{bmatrix} 1 & \frac{-2}{5} & \frac{-4}{5} & \frac{4}{5} \\ 0 & 1 & \frac{4}{7} & \frac{11}{7} \\ 0 & 0 & 1 & \frac{-62}{71} \end{bmatrix}$$



The warning appears because the generalized element  $1/a$  would not be valid for  $a=0$ .

You can avoid this by storing a value to  $a$  beforehand or by using the constraint ("|") operator to substitute a value, as shown in the following example.


$$\text{ref} \left( \begin{bmatrix} a & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \middle| a=0 \right) = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & 0 \end{bmatrix}$$

**Note:** See also `rref()`, page 133.

## RefreshProbeVars

### RefreshProbeVars

Allows you to access sensor data from all connected sensor probes in your TI-Basic program.

StatusVar Value	Status
<i>statusVar</i> =0	Normal (continue with the program) The Vernier DataQuest™ application is in data collection mode.
<i>statusVar</i> =1	<b>Note:</b> The Vernier DataQuest™ application must be in meter mode for this command to work. 
<i>statusVar</i> =2	The Vernier DataQuest™ application is not launched.
<i>statusVar</i> =3	The Vernier DataQuest™ application is launched, but you have not connected any probes.

### Example

```
Define temp()=
Prgm
© Check if system is ready
RefreshProbeVars status
If status=0 Then
Disp "ready"
For n,1,50
RefreshProbeVars status
temperature:=meter.temperature
Disp "Temperature: ",temperature
If temperature>30 Then
Disp "Too hot"
EndIf
© Wait for 1 second between samples
Wait 1
EndFor
Else
```

```
Disp "Not ready. Try again
later"
```

```
EndIf
```

```
EndPrgm
```

Note: This can also be used with TI-Innovator™ Hub.

**remain()**

**remain**(*Value1*, *Value2*) ⇒ *value*  
**remain**(*List1*, *List2*) ⇒ *list*  
**remain**(*Matrix1*, *Matrix2*) ⇒ *matrix*

Returns the remainder of the first argument with respect to the second argument as defined by the identities:

$\text{remain}(x,0) = x$   
 $\text{remain}(x,y) = x - y \cdot \text{iPart}(x/y)$

As a consequence, note that **remain**( $-x,y$ ) = **remain**( $x,y$ ). The result is either zero or it has the same sign as the first argument.

**Note:** See also **mod()**, page 95.

$\text{remain}(7,0)$	7
$\text{remain}(7,3)$	1
$\text{remain}(-7,3)$	-1
$\text{remain}(7,-3)$	1
$\text{remain}(-7,-3)$	-1
$\text{remain}(\{12,-14,16\},\{9,7,-5\})$	$\{3,0,1\}$

$\text{remain}\left(\begin{pmatrix} 9 & -7 \\ 6 & 4 \end{pmatrix}, \begin{pmatrix} 4 & 3 \\ 4 & -3 \end{pmatrix}\right)$	$\begin{pmatrix} 1 & -1 \\ 2 & 1 \end{pmatrix}$
--	---

**Request**

**Request** *promptString*, *var* [, *DispFlag* [, *statusVar*]]

**Request** *promptString*, *func*(*arg1*, ...*argn*) [, *DispFlag* [, *statusVar*]]

Programming command: Pauses the program and displays a dialog box containing the message *promptString* and an input box for the user's response.

When the user types a response and clicks **OK**, the contents of the input box are assigned to variable *var*.

Define a program:

```
Define request_demo()=Prgm
  Request "Radius: ",r
  Disp "Area = ",pi*r^2
EndPrgm
```

Run the program and type a response:

```
request_demo()
```

If the user clicks **Cancel**, the program proceeds without accepting any input. The program uses the previous value of *var* if *var* was already defined.

The optional *DispFlag* argument can be any expression.

- If *DispFlag* is omitted or evaluates to **1**, the prompt message and user's response are displayed in the Calculator history.
- If *DispFlag* evaluates to **0**, the prompt and response are not displayed in the history.

The optional *statusVar* argument gives the program a way to determine how the user dismissed the dialog box. Note that *statusVar* requires the *DispFlag* argument.

- If the user clicked **OK** or pressed **Enter** or **Ctrl+Enter**, variable *statusVar* is set to a value of **1**.
- Otherwise, variable *statusVar* is set to a value of **0**.

The *func()* argument allows a program to store the user's response as a function definition. This syntax operates as if the user executed the command:

Define *func(arg1, ...argn) = user's response*

The program can then use the defined function *func()*. The *promptString* should guide the user to enter an appropriate *user's response* that completes the function definition.

**Note:** You can use the Request command within a user-defined program but not within a function.

To stop a program that contains a **Request** command inside an infinite loop:



Result after selecting **OK**:


Radius: 6/2  
Area= 28.2743

Define a program:

```
Define polynomial()=Prgm
  Request "Enter a polynomial in
x:",p(x)
  Disp "Real roots are:",polyRoots(p
(x),x)
EndPrgm
```



Run the program and type a response:

polynomial()



Result after entering  $x^3+3x+1$  and selecting **OK**:

Real roots are:  $\{-0.322185\}$

- **Handheld:** Hold down the  key and press  repeatedly.
- **Windows®:** Hold down the **F12** key and press **Enter** repeatedly.
- **Macintosh®:** Hold down the **F5** key and press **Enter** repeatedly.
- **iPad®:** The app displays a prompt. You can continue waiting or cancel.

**Note:** See also **RequestStr**, page 128.



## RequestStr

**RequestStr** *promptString*, *var*[, *DispFlag*]

Programming command: Operates identically to the first syntax of the **Request** command, except that the user's response is always interpreted as a string. By contrast, the **Request** command interprets the response as an expression unless the user encloses it in quotation marks ("").

**Note:** You can use the **RequestStr** command within a user-defined program but not within a function.

To stop a program that contains a **RequestStr** command inside an infinite loop:

- **Handheld:** Hold down the  key and press  repeatedly.
- **Windows®:** Hold down the **F12** key and press **Enter** repeatedly.
- **Macintosh®:** Hold down the **F5** key and press **Enter** repeatedly.
- **iPad®:** The app displays a prompt. You can continue waiting or cancel.

**Note:** See also **Request**, page 126.

Define a program:

```
Define requestStr_demo()=Prgm
  RequestStr "Your name:",name,0
  Disp "Response has ",dim(name),"
  characters."
EndPrgm
```

Run the program and type a response:

```
requestStr_demo()
```



Result after selecting **OK** (Note that the *DispFlag* argument of **0** omits the prompt and response from the history):

```
requestStr_demo()
```

```
Response has 5 characters.
```



**rk23**(*ListOfExpr*, *Var*, *ListOfDepVars*, {*Var0*, *VarMax*}, *ListOfDepVars0*, *VarStep*, *dif\_tol*) ⇒ *matrix*

Uses the Runge-Kutta method to solve the system

$$\frac{d \text{depVar}}{d \text{Var}} = \text{Expr}(\text{Var}, \text{depVar})$$

with  $\text{depVar}(\text{Var}0) = \text{depVar}0$  on the interval  $[\text{Var}0, \text{VarMax}]$ . Returns a matrix whose first row defines the *Var* output values as defined by *VarStep*. The second row defines the value of the first solution component at the corresponding *Var* values, and so on.

*Expr* is the right hand side that defines the ordinary differential equation (ODE).

*SystemOfExpr* is a system of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in *ListOfDepVars*).

*ListOfExpr* is a list of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in *ListOfDepVars*).

*Var* is the independent variable.

*ListOfDepVars* is a list of dependent variables.

{*Var0*, *VarMax*} is a two-element list that tells the function to integrate from *Var0* to *VarMax*.

*ListOfDepVars0* is a list of initial values for dependent variables.

If *VarStep* evaluates to a nonzero number:  $\text{sign}(\text{VarStep}) = \text{sign}(\text{VarMax} - \text{Var}0)$  and solutions are returned at  $\text{Var}0 + i * \text{VarStep}$  for all  $i=0,1,2,\dots$  such that  $\text{Var}0 + i * \text{VarStep}$  is in  $[\text{var}0, \text{VarMax}]$  (may not get a solution value at *VarMax*).

Same equation with *dif\_tol* set to 1.E-6

$$\text{rk23}\{0.001 \cdot y \cdot (100 - y), t, y, \{0, 100\}, 10, 1, 1.E-6\}$$

0.	1.	2.	3.	4.
10.	10.9367	11.9495	13.0423	14.2189

System of equations:


$$\begin{cases} y1' = -y1 + 0.1 \cdot y1 \cdot y2 \\ y2' = 3 \cdot y2 - y1 \cdot y2 \end{cases}$$

with  $y1(0) = 2$  and  $y2(0) = 5$

$$\text{rk23}\left\{\begin{cases} y1 + 0.1 \cdot y1 \cdot y2 \\ 3 \cdot y2 - y1 \cdot y2 \end{cases}, t, \{y1, y2\}, \{0, 5\}, \{2, 5\}, 1\right\}$$

0.	1.	2.	3.	4.
2.	1.94103	4.78694	3.25253	1.82848
5.	16.8311	12.3133	3.51112	6.27245



**rotate()**Catalogue > 

0b1000000000000111101011000011010

The result is displayed according to the Base mode.

**rotate**(*List1* [, #ofRotations]) ⇒ *list*

Returns a copy of *List1* rotated right or left by #ofRotations elements. Does not alter *List1*.

If #ofRotations is positive, the rotation is to the left. If #ofRotations is negative, the rotation is to the right. The default is -1 (rotate right one element).

**rotate**(*String1* [, #ofRotations]) ⇒ *string*


Returns a copy of *String1* rotated right or left by #ofRotations characters. Does not alter *String1*.

If #ofRotations is positive, the rotation is to the left. If #ofRotations is negative, the rotation is to the right. The default is -1 (rotate right one character).

In Dec base mode:

rotate({1,2,3,4})	{4,1,2,3}
rotate({1,2,3,4},-2)	{3,4,1,2}
rotate({1,2,3,4},1)	{2,3,4,1}

rotate("abcd")	"dabc"
rotate("abcd",-2)	"cdab"
rotate("abcd",1)	"bcda"

**round()**Catalogue > **round**(*Value1* [, digits]) ⇒ *value*

Returns the argument rounded to the specified number of digits after the decimal point.

*digits* must be an integer in the range 0–12. If *digits* is not included, returns the argument rounded to 12 significant digits.

**Note:** Display digits mode may affect how this is displayed.

**round**(*List1* [, digits]) ⇒ *list*

Returns a list of the elements rounded to the specified number of digits.

**round**(*Matrix1* [, digits]) ⇒ *matrix*

Returns a matrix of the elements rounded to the specified number of digits.

round(1.234567,3)	1.235
-------------------	-------

round({π,√2,ln(2)},4)	{3.1416,1.4142,0.6931}
-----------------------	------------------------

round( $\begin{bmatrix} \ln(5) & \ln(3) \\ \pi & e^1 \end{bmatrix}$ ,1)	$\begin{bmatrix} 1.6 & 1.1 \\ 3.1 & 2.7 \end{bmatrix}$
---	--



**rowAdd()**Catalogue > **rowAdd**(*Matrix1*, *rIndex1*, *rIndex2*) ⇒ *matrix*

$$\text{rowAdd}\left(\begin{bmatrix} 3 & 4 \\ -3 & -2 \end{bmatrix}, 1, 2\right) \quad \begin{bmatrix} 3 & 4 \\ 0 & 2 \end{bmatrix}$$

Returns a copy of *Matrix1* with row *rIndex2* replaced by the sum of rows *rIndex1* and *rIndex2*.


**rowDim()**Catalogue > **rowDim**(*Matrix*) ⇒ *expression*

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix} \rightarrow m1 \quad \begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}$$

Returns the number of rows in *Matrix*.

**Note:** See also **colDim()**, page 23.

$$\text{rowDim}(m1) \quad 3$$

**rowNorm()**Catalogue > **rowNorm**(*Matrix*) ⇒ *expression*

$$\text{rowNorm}\left(\begin{bmatrix} -5 & 6 & -7 \\ 3 & 4 & 9 \\ 9 & -9 & -7 \end{bmatrix}\right) \quad 25$$

Returns the maximum of the sums of the absolute values of the elements in the rows in *Matrix*.


**Note:** All matrix elements must simplify to numbers. See also **colNorm()**, page 23.

**rowSwap()**Catalogue > **rowSwap**(*Matrix1*, *rIndex1*, *rIndex2*) ⇒ *matrix*

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix} \rightarrow mat \quad \begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}$$

Returns *Matrix1* with rows *rIndex1* and *rIndex2* exchanged.



$$\text{rowSwap}(mat, 1, 3) \quad \begin{bmatrix} 5 & 6 \\ 3 & 4 \\ 1 & 2 \end{bmatrix}$$

**rref()**Catalogue > **rref**(*Matrix1*[, *Tol*]) ⇒ *matrix*

$$\text{rref}\left(\begin{bmatrix} -2 & -2 & 0 & -6 \\ 1 & -1 & 9 & -9 \\ -5 & 2 & 4 & -4 \end{bmatrix}\right) \quad \begin{bmatrix} 1 & 0 & 0 & \frac{66}{71} \\ 0 & 1 & 0 & \frac{147}{71} \\ 0 & 0 & 1 & \frac{-62}{71} \end{bmatrix}$$

Returns the reduced row echelon form of *Matrix1*.

Optionally, any matrix element is treated as zero if its absolute value is less than  $Tol$ . This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise,  $Tol$  is ignored.

- If you use   or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If  $Tol$  is omitted or not used, the default tolerance is calculated as:  
 $5E-14 \cdot \max(\dim(MatrixI)) \cdot \text{rowNorm}(MatrixI)$

**Note:** See also `ref()`, page 124.

## S

### sec()



$\text{sec}(ValueI) \Rightarrow value$   
 $\text{sec}(ListI) \Rightarrow list$

Returns the secant of  $ValueI$  or returns a list containing the secants of all elements in  $ListI$ .

**Note:** The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use  $^\circ$ ,  $G$ , or  $r$  to override the angle mode temporarily.

In Degree angle mode:

$\text{sec}(45)$	1.41421
$\text{sec}\{1,2,3,4\}$	$\{1.00015, 1.00081, 1.00244\}$

### sec-1()



$\text{sec-1}(ValueI) \Rightarrow value$   
 $\text{sec-1}(ListI) \Rightarrow list$

Returns the angle whose secant is  $ValueI$  or returns a list containing the inverse secants of each element of  $ListI$ .

In Degree angle mode:

$\text{sec}^{-1}(1)$	0.
----------------------	----

In Gradian angle mode:

## sec-1()

 **key**

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.


$\text{sec}^{-1}(\sqrt{2})$  50.

**Note:** You can insert this function from the keyboard by typing **arcsec (...)**.

In Radian angle mode:

$\text{sec}^{-1}(\{1,2,5\})$  {0,1.0472,1.36944}

## sech()

**Catalogue** > 

**sech(Value1)** ⇒ *value*


**sech(List1)** ⇒ *list*

Returns the hyperbolic secant of *Value1* or returns a list containing the hyperbolic secants of the *List1* elements.

$\text{sech}(3)$  0.099328

$\text{sech}(\{1,2,3,4\})$   
{0.648054,0.198522,0.036619}

## sech-1()

**Catalogue** > 

**sech-1(Value1)** ⇒ *value*

**sech-1(List1)** ⇒ *list*

Returns the inverse hyperbolic secant of *Value1* or returns a list containing the inverse hyperbolic secants of each element of *List1*.

In Radian angle and Rectangular complex mode:

$\text{sech}^{-1}(1)$  0

$\text{sech}^{-1}(\{1,-2,2,1\})$   
{0,2.0944-i,8.E-15+1.07448·i}

**Note:** You can insert this function from the keyboard by typing **arcsech (...)**.

## Send

**Hub Menu**

**Send** *exprOrString1* [, *exprOrString2*] ...

Programming command: Sends one or more TI-Innovator™ Hub commands to a connected hub.

*exprOrString* must be a valid TI-Innovator™ Hub Command. Typically, *exprOrString* contains a "SET ..." command to control a device or a "READ ..." command to request data.

The arguments are sent to the hub in succession.

Example: Turn on the blue element of the built-in RGB LED for 0.5 seconds.

Send "SET COLOR.BLUE ON TIME .5"  
Done

Example: Request the current value of the hub's built-in light-level sensor. A **Get** command retrieves the value and assigns it to variable *lightval*.

**Note:** You can use the **Send** command within a user-defined programme but not within a function.


**Note:** See also **Get** (page 60), **GetStr** (page 66), and **eval()** (page 48).

Send "READ BRIGHTNESS"	Done
Get <i>lightval</i>	Done
<i>lightval</i>	0.347922

Example: Send a calculated frequency to the hub's built-in speaker. Use special variable *iostr.SendAns* to show the hub command with the expression evaluated.

<i>n</i> :=50	50
<i>m</i> :=4	4
Send "SET SOUND eval( <i>m</i> · <i>n</i> )"	Done
<i>iostr.SendAns</i>	"SET SOUND 200"

## seq()

Catalogue > 

**seq**(*Expr*, *Var*, *Low*, *High*[, *Step*]) ⇒ *list*

Increments *Var* from *Low* through *High* by an increment of *Step*, evaluates *Expr*, and returns the results as a list. The original contents of *Var* are still there after **seq()** is completed.

The default value for *Step* = 1.


$\text{seq}\left(n^2, n, 1, 6\right)$	$\{1, 4, 9, 16, 25, 36\}$
$\text{seq}\left(\frac{1}{n}, n, 1, 10, 2\right)$	$\left\{1, \frac{1}{3}, \frac{1}{5}, \frac{1}{7}, \frac{1}{9}\right\}$
$\text{sum}\left(\text{seq}\left(\frac{1}{n^2}, n, 1, 10, 1\right)\right)$	$\frac{1968329}{1270080}$

**Note:** To force an approximate result,

**Handheld:** Press  .


**Windows®:** Press **Ctrl+Enter**.

**Macintosh®:** Press **⌘+Enter**.

**iPad®:** Hold **enter**, and select .

$\text{sum}\left(\text{seq}\left(\frac{1}{n^2}, n, 1, 10, 1\right)\right)$	1.54977
--	---------

## seqGen()

Catalogue > 

**seqGen**(*Expr*, *Var*, *depVar*, {*Var0*, *VarMax*}[, *ListOfInitTerms* [, *VarStep*], *CeilingValue*]]) ⇒ *list*

Generate the first 5 terms of the sequence  $u(n) = u(n-1)^2/2$ , with  $u(1)=2$  and  $\text{VarStep}=1$ .

Generates a list of terms for sequence  $depVar(Var)=Expr$  as follows: Increments independent variable  $Var$  from  $Var0$  through  $VarMax$  by  $VarStep$ , evaluates  $depVar(Var)$  for corresponding values of  $Var$  using the  $Expr$  formula and  $ListOfInitTerms$ , and returns the results as a list.

**seqGen**(*ListOrSystemOfExpr*, *Var*, *ListOfDepVars*, {*Var0*, *VarMax*} [*MatrixOfInitTerms*], *VarStep*, *CeilingValue*]])  $\Rightarrow$  *matrix*

Generates a matrix of terms for a system (or list) of sequences  $ListOfDepVars(Var)=ListOrSystemOfExpr$  as follows: Increments independent variable  $Var$  from  $Var0$  through  $VarMax$  by  $VarStep$ , evaluates  $ListOfDepVars(Var)$  for corresponding values of  $Var$  using  $ListOrSystemOfExpr$  formula and  $MatrixOfInitTerms$ , and returns the results as a matrix.

The original contents of  $Var$  are unchanged after **seqGen()** is completed.

The default value for  $VarStep = 1$ .

$$\text{seqGen}\left(\frac{u(n-1)^2}{n}, n, u, \{1, 5\}, \{2\}\right) \\ \left\{2, 2, \frac{4}{3}, \frac{4}{9}, \frac{16}{405}\right\}$$

Example in which  $Var0=2$ :

$$\text{seqGen}\left(\frac{u(n-1)+1}{n}, n, u, \{2, 5\}, \{3\}\right) \\ \left\{3, \frac{4}{3}, \frac{7}{12}, \frac{19}{60}\right\}$$

System of two sequences:

$$\text{seqGen}\left(\left\{\frac{1}{n}, \frac{u_1 u_2 (n-1)}{2} + u_1 (n-1)\right\}, n, \{u_1, u_2\}, \{1, 5\}, \left[\frac{\_}{2}\right]\right) \\ \begin{bmatrix} 1 & \frac{1}{2} & \frac{1}{3} & \frac{1}{4} & \frac{1}{5} \\ 2 & 2 & \frac{3}{2} & \frac{13}{12} & \frac{19}{24} \end{bmatrix}$$

Note: The Void ( $\_$ ) in the initial term matrix above is used to indicate that the initial term for  $u_1(n)$  is calculated using the explicit sequence formula  $u_1(n)=1/n$ .

## seqn()

**seqn**(*Expr*{*u*, *n*}, *ListOfInitTerms*[], *nMax*[], *CeilingValue*]])  $\Rightarrow$  *list*

Generates a list of terms for a sequence  $u(n)=Expr(u, n)$  as follows: Increments  $n$  from 1 through  $nMax$  by 1, evaluates  $u(n)$  for corresponding values of  $n$  using the  $Expr(u, n)$  formula and  $ListOfInitTerms$ , and returns the results as a list.

**seqn**(*Expr*{*n*}, *nMax*[], *CeilingValue*]])  $\Rightarrow$  *list*

Generate the first 6 terms of the sequence  $u(n) = u(n-1)/2$ , with  $u(1)=2$ .

$$\text{seqn}\left(\frac{u(n-1)}{n}, \{2\}, 6\right) \\ \left\{2, 1, \frac{1}{3}, \frac{1}{12}, \frac{1}{60}, \frac{1}{360}\right\}$$

$$\text{seqn}\left(\frac{1}{n^2}, 6\right) \\ \left\{1, \frac{1}{4}, \frac{1}{9}, \frac{1}{16}, \frac{1}{25}, \frac{1}{36}\right\}$$

Generates a list of terms for a non-recursive sequence  $u(n)=Expr(n)$  as follows: Increments  $n$  from 1 through  $nMax$  by 1, evaluates  $u(n)$  for corresponding values of  $n$  using the  $Expr(n)$  formula, and returns the results as a list.

If  $nMax$  is missing,  $nMax$  is set to 2500

If  $nMax=0$ ,  $nMax$  is set to 2500

**Note:** `seqn()` calls `seqGen( )` with  $n0=1$  and  $nstep=1$

## setMode()

`setMode(modeNameInteger, settingInteger)`  $\Rightarrow$  integer

`setMode(list)`  $\Rightarrow$  integer list

Valid only within a function or program.

`setMode(modeNameInteger, settingInteger)` temporarily sets mode *modeNameInteger* to the new setting *settingInteger*, and returns an integer corresponding to the original setting of that mode. The change is limited to the duration of the program/function's execution.

*modeNameInteger* specifies which mode you want to set. It must be one of the mode integers from the table below.

*settingInteger* specifies the new setting for the mode. It must be one of the setting integers listed below for the specific mode you are setting.

`setMode(list)` lets you change multiple settings. *list* contains pairs of mode integers and setting integers. `setMode(list)` returns a similar list whose integer pairs represent the original modes and settings.

Display approximate value of  $\pi$  using the default setting for Display Digits, and then display  $\pi$  with a setting of Fix2. Check to see that the default is restored after the program executes.

Define <code>prog1()</code> =Prgm	Done
Disp $\pi$	
setMode(1,16)	
Disp $\pi$	
EndPrgm	
<hr/>	
<code>prog1()</code>	3.14159
	3.14
	Done

If you have saved all mode settings with **getMode(0)**→*var*, you can use **setMode** (*var*) to restore those settings until the function or program exits. See **getMode** (), page 65.

**Note:** The current mode settings are passed to called subroutines. If any subroutine changes a mode setting, the mode change will be lost when control returns to the calling routine.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Mode Name	Mode Integer	Setting Integers
Display Digits	1	1=Float, 2=Float1, 3=Float2, 4=Float3, 5=Float4, 6=Float5, 7=Float6, 8=Float7, 9=Float8, 10=Float9, 11=Float10, 12=Float11, 13=Float12, 14=Fix0, 15=Fix1, 16=Fix2, 17=Fix3, 18=Fix4, 19=Fix5, 20=Fix6, 21=Fix7, 22=Fix8, 23=Fix9, 24=Fix10, 25=Fix11, 26=Fix12
Angle	2	1=Radian, 2=Degree, 3=Gradian
Exponential Format	3	1=Normal, 2=Scientific, 3=Engineering
Real or Complex	4	1=Real, 2=Rectangular, 3=Polar
Auto or Approx.	5	1=Auto, 2=Approximate
Vector Format	6	1=Rectangular, 2=Cylindrical, 3=Spherical
Base	7	1=Decimal, 2=Hex, 3=Binary

## shift()

**shift**(Integer I[,#ofShifts]) ⇒ *integer*

In Bin base mode:

```

shift(0b1111010110000110101)
                                0b111101011000011010
shift(256,1)                      0b1000000000

```

In Hex base mode:

Shifts the bits in a binary integer. You can enter *Integer1* in any number base; it is converted automatically to a signed, 64-bit binary form. If the magnitude of *Integer1* is too large for this form, a symmetric modulo operation brings it within the range. For more information, see ► **Base2**, page 16.

If *#ofShifts* is positive, the shift is to the left. If *#ofShifts* is negative, the shift is to the right. The default is  $-1$  (shift right one bit).

In a right shift, the rightmost bit is dropped and 0 or 1 is inserted to match the leftmost bit. In a left shift, the leftmost bit is dropped and 0 is inserted as the rightmost bit.

For example, in a right shift:

Each bit shifts right.

```
0b0000000000000111101011000011010
```

Inserts 0 if leftmost bit is 0,  
or 1 if leftmost bit is 1.

produces:

```
0b000000000000000111101011000011010
```

The result is displayed according to the Base mode. Leading zeros are not shown.

**shift(List1[,#ofShifts])** ⇒ *list*

Returns a copy of *List1* shifted right or left by *#ofShifts* elements. Does not alter *List1*.

If *#ofShifts* is positive, the shift is to the left. If *#ofShifts* is negative, the shift is to the right. The default is  $-1$  (shift right one element).

Elements introduced at the beginning or end of *list* by the shift are set to the symbol "undef".

shift(0h78E)	0h3C7
shift(0h78E,-2)	0h1E3
shift(0h78E,2)	0h1E38


**Important:** To enter a binary or hexadecimal number, always use the 0b or 0h prefix (zero, not the letter O).

In Dec base mode:

shift({1,2,3,4})	{undef,1,2,3}
shift({1,2,3,4},-2)	{undef,undef,1,2}
shift({1,2,3,4},2)	{3,4,undef,undef}



## shift()

Catalogue > 

**shift**(*StringI* [, #ofShifts]) ⇒ *string*


Returns a copy of *StringI* shifted right or left by #ofShifts characters. Does not alter *StringI*.

If #ofShifts is positive, the shift is to the left. If #ofShifts is negative, the shift is to the right. The default is -1 (shift right one character).

Characters introduced at the beginning or end of *string* by the shift are set to a space.

shift("abcd")	" abc"
shift("abcd",-2)	" ab"
shift("abcd",1)	"bcd "

## sign()

Catalogue > 

**sign**(*ValueI*) ⇒ *value*

**sign**(*ListI*) ⇒ *list*

**sign**(*MatrixI*) ⇒ *matrix*

For real and complex *ValueI*, returns *ValueI* / **abs**(*ValueI*) when *ValueI* ≠ 0.

Returns 1 if *ValueI* is positive. Returns -1 if *ValueI* is negative. **sign**(0) returns ±1 if the complex format mode is Real; otherwise, it returns itself.

**sign**(0) represents the unit circle in the complex domain.


For a list or matrix, returns the signs of all the elements.

sign(-3.2)	-1
sign({2,3,4,-5})	{1,1,1,-1}

If complex format mode is Real:

sign([-3 0 3])	[-1 undef 1]
----------------	--------------

## simult()

Catalogue > 

**simult**(*coeffMatrix*, *constVector* [, *Tol*])  
⇒ *matrix*

Returns a column vector that contains the solutions to a system of linear equations.

Note: See also **linSolve()**, page 83.

*coeffMatrix* must be a square matrix that contains the coefficients of the equations.

Solve for x and y:  
 $x + 2y = 1$   
 $3x + 4y = -1$

simult( $\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$ , $\begin{pmatrix} 1 \\ -1 \end{pmatrix}$ )	$\begin{pmatrix} -3 \\ 2 \end{pmatrix}$
--	---

The solution is  $x=-3$  and  $y=2$ .

## simult()

*constVector* must have the same number of rows (same dimension) as *coeffMatrix* and contain the constants.

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If *Tol* is omitted or not used, the default tolerance is calculated as:  
 $5E-14 \cdot \max(\dim(\text{coeffMatrix})) \cdot \text{rowNorm}(\text{coeffMatrix})$

**simult(coeffMatrix, constMatrix[, Tol])**  
 $\Rightarrow$  *matrix*

Solves multiple systems of linear equations, where each system has the same equation coefficients but different constants.

Each column in *constMatrix* must contain the constants for a system of equations. Each column in the resulting matrix contains the solution for the corresponding system.

Solve:

$$ax + by = 1$$

$$cx + dy = 2$$

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \rightarrow \text{matX1}$	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$
$\text{simult}\left(\text{matX1}, \begin{bmatrix} 1 \\ 2 \end{bmatrix}\right)$	$\begin{bmatrix} 0 \\ \frac{1}{2} \\ 2 \end{bmatrix}$

Solve:

$$x + 2y = 1$$

$$3x + 4y = -1$$

$$x + 2y = 2$$

$$3x + 4y = -3$$

$\text{simult}\left(\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, \begin{bmatrix} 1 & 2 \\ -1 & -3 \end{bmatrix}\right)$	$\begin{bmatrix} -3 & -7 \\ 2 & \frac{9}{2} \end{bmatrix}$
--	--

For the first system,  $x=-3$  and  $y=2$ . For the second system,  $x=-7$  and  $y=9/2$ .

## sin()

**sin(Value1)**  $\Rightarrow$  *value*

**sin(List1)**  $\Rightarrow$  *list*

**sin(Value1)** returns the sine of the argument.

**sin(List1)** returns a list of the sines of all elements in *List1*.

In Degree angle mode:

$\sin\left(\frac{\pi}{4}\right)$	0.707107
$\sin(45)$	0.707107
$\sin(\{0,60,90\})$	$\{0,0.866025,1\}$

In Gradian angle mode:

$\sin(50)$	0.707107
------------	----------

## sin()

 key

**Note:** The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode. You can use  $^{\circ}$ ,  $^g$ , or  $^r$  to override the angle mode setting temporarily.

$\text{sin}(\text{squareMatrixI}) \Rightarrow \text{squareMatrix}$

Returns the matrix sine of *squareMatrixI*. This is not the same as calculating the sine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrixI* must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode:

$\sin\left(\frac{\pi}{4}\right)$	0.707107
$\sin(45^{\circ})$	0.707107

In Radian angle mode:

$\sin\left(\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}\right)$	$\begin{bmatrix} 0.9424 & -0.04542 & -0.031999 \\ -0.045492 & 0.949254 & -0.020274 \\ -0.048739 & -0.00523 & 0.961051 \end{bmatrix}$
---	--

## sin<sup>-1</sup>()

 key

$\text{sin}^{-1}(\text{ValueI}) \Rightarrow \text{value}$

$\text{sin}^{-1}(\text{ListI}) \Rightarrow \text{list}$

$\text{sin}^{-1}(\text{ValueI})$  returns the angle whose sine is *ValueI*.

$\text{sin}^{-1}(\text{ListI})$  returns a list of the inverse sines of each element of *ListI*.

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the keyboard by typing **arcsin(...)**.

$\text{sin}^{-1}(\text{squareMatrixI}) \Rightarrow \text{squareMatrix}$

Returns the matrix inverse sine of *squareMatrixI*. This is not the same as calculating the inverse sine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrixI* must be diagonalizable. The result always contains floating-point numbers.

In Degree angle mode:

$\text{sin}^{-1}(1)$	90.
----------------------	-----

In Gradian angle mode:

$\text{sin}^{-1}(1)$	100.
----------------------	------

In Radian angle mode:

$\text{sin}^{-1}(\{0,0.2,0.5\})$	$\{0.,0.201358,0.523599\}$
----------------------------------	----------------------------

In Radian angle mode and Rectangular complex format mode:

$\text{sin}^{-1}\left(\begin{bmatrix} 1 & 5 \\ 4 & 2 \end{bmatrix}\right)$	$\begin{bmatrix} -0.174533-0.12198 \cdot i & 1.74533-2.35591 \cdot i \\ 1.39626-1.88473 \cdot i & 0.174533-0.593162 \cdot i \end{bmatrix}$
--	--

**sinh**(*Number1*) ⇒ *value*  
**sinh**(*List1*) ⇒ *list*

**sinh** (*Value1*) returns the hyperbolic sine of the argument.

**sinh** (*List1*) returns a list of the hyperbolic sines of each element of *List1*.

**sinh**(*squareMatrix1*) ⇒ *squareMatrix*

Returns the matrix hyperbolic sine of *squareMatrix1*. This is not the same as calculating the hyperbolic sine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

$\sinh(1.2)$	1.50946
$\sinh(\{0,1,2,3\})$	$\{0,1.50946,10.0179\}$

In Radian angle mode:

$\sinh\left(\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}\right)$	$\begin{bmatrix} 360.954 & 305.708 & 239.604 \\ 352.912 & 233.495 & 193.564 \\ 298.632 & 154.599 & 140.251 \end{bmatrix}$
--	---

**sinh-1**(*Value1*) ⇒ *value*  
**sinh-1**(*List1*) ⇒ *list*

**sinh-1**(*Value1*) returns the inverse hyperbolic sine of the argument.

**sinh-1**(*List1*) returns a list of the inverse hyperbolic sines of each element of *List1*.

**Note:** You can insert this function from the keyboard by typing **arcsinh (...)**.

**sinh-1**(*squareMatrix1*) ⇒ *squareMatrix*

Returns the matrix inverse hyperbolic sine of *squareMatrix1*. This is not the same as calculating the inverse hyperbolic sine of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalizable. The result always contains floating-point numbers.

$\sinh^{-1}(0)$	0
$\sinh^{-1}(\{0,2,1,3\})$	$\{0,1.48748,1.81845\}$

In Radian angle mode:

$\sinh^{-1}\left(\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}\right)$	$\begin{bmatrix} 0.041751 & 2.15557 & 1.1582 \\ 1.46382 & 0.926568 & 0.112557 \\ 2.75079 & -1.5283 & 0.57268 \end{bmatrix}$
---	---

**SinReg**  $X$ ,  $Y$ , [*Iterations*],[*Period*],[*Category*,  
*Include*]

Computes the sinusoidal regression on lists  $X$  and  $Y$ . A summary of results is stored in the *stat.results* variable. (See page 148.)

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

*Iterations* is a value that specifies the maximum number of times (1 through 16) a solution will be attempted. If omitted, 8 is used. Typically, larger values result in better accuracy but longer execution times, and vice versa.

*Period* specifies an estimated period. If omitted, the difference between values in  $X$  should be equal and in sequential order. If you specify *Period*, the differences between  $x$  values can be unequal.

*Category* is a list of numeric or string category codes for the corresponding  $X$  and  $Y$  data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

The output of **SinReg** is always in radians, regardless of the angle mode setting.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 215.

Output variable	Description
stat.RegEqn	Regression Equation: $a \cdot \sin(bx+c)+d$
stat.a, stat.b, stat.c, stat.d	Regression coefficients
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified $X$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> , and <i>Include Categories</i>
stat.YReg	List of data points in the modified $Y$ List actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> , and <i>Include Categories</i>

Output variable	Description
stat.FreqReg	List of frequencies corresponding to <i>stat.XReg</i> and <i>stat.YReg</i>

## SortA Catalogue >

**SortA** *List1* [, *List2*] [, *List3*]...

**SortA** *Vector1* [, *Vector2*] [, *Vector3*]...

Sorts the elements of the first argument in ascending order.

If you include additional arguments, sorts the elements of each so that their new positions match the new positions of the elements in the first argument.

All arguments must be names of lists or vectors. All arguments must have equal dimensions.

Empty (void) elements within the first argument move to the bottom. For more information on empty elements, see page 215.

$\{2,1,4,3\} \rightarrow list1$	$\{2,1,4,3\}$
SortA <i>list1</i>	Done
<i>list1</i>	$\{1,2,3,4\}$
$\{4,3,2,1\} \rightarrow list2$	$\{4,3,2,1\}$
SortA <i>list2,list1</i>	Done
<i>list2</i>	$\{1,2,3,4\}$
<i>list1</i>	$\{4,3,2,1\}$

## SortD Catalogue >

**SortD** *List1* [, *List2*] [, *List3*]...

**SortD** *Vector1* [, *Vector2*] [, *Vector3*]...

Identical to **SortA**, except **SortD** sorts the elements in descending order.

Empty (void) elements within the first argument move to the bottom. For more information on empty elements, see page 215.

$\{2,1,4,3\} \rightarrow list1$	$\{2,1,4,3\}$
$\{1,2,3,4\} \rightarrow list2$	$\{1,2,3,4\}$
SortD <i>list1,list2</i>	Done
<i>list1</i>	$\{4,3,2,1\}$
<i>list2</i>	$\{3,4,1,2\}$

## ► Sphere Catalogue >

*Vector* ► Sphere

$[1 \ 2 \ 3] \blacktriangleright$ Sphere
$[3.74166 \ \angle 1.10715 \ \angle 0.640522]$

**Note:** You can insert this operator from the computer keyboard by typing @>Sphere.


Displays the row or column vector in spherical form  $[\rho \angle \theta \angle \phi]$ .

*Vector* must be of dimension 3 and can be either a row or a column vector.

**Note:** ► Sphere is a display-format instruction, not a conversion function. You can use it only at the end of an entry line.

$$\left( \begin{bmatrix} 2 & \angle \frac{\pi}{4} & 3 \end{bmatrix} \right) \text{►Sphere}$$

$$\left[ 3.60555 \quad \angle 0.785398 \quad \angle 0.588003 \right]$$



## sqrt()

**sqrt(Value1)** ⇒ value

**sqrt(List1)** ⇒ list

Returns the square root of the argument.

For a list, returns the square roots of all the elements in *List1*.

**Note:** See also **Square root template**, page 1.

$\sqrt{4}$	2
$\sqrt{\{9,2,4\}}$	$\{3,1.41421,2\}$

**stat.results**

Displays results from a statistics calculation.

The results are displayed as a set of name-value pairs. The specific names shown are dependent on the most recently evaluated statistics function or command.

You can copy a name or value and paste it into other locations.

**Note:** Avoid defining variables that use the same names as those used for statistical analysis. In some cases, an error condition could occur. Variable names used for statistical analysis are listed in the table below.

$xlist:=\{1,2,3,4,5\}$	$\{1,2,3,4,5\}$
$ylist:=\{4,8,11,14,17\}$	$\{4,8,11,14,17\}$

LinRegMx  $xlist,ylist,1$ : *stat.results*

"Title"	"Linear Regression (mx+b)"
"RegEqn"	"m*x+b"
"m"	3.2
"b"	1.2
"r <sup>2</sup> "	0.996109
"r"	0.998053
"Resid"	"{...}"

<i>stat.values</i>	"Linear Regression (mx+b)"
	"m*x+b"
	3.2
	1.2
	0.996109
	0.998053
	"{-0.4,0.4,0.2,0,-0.2}"

stat.a	stat.dfDenom	stat.MedianY	stat.Q3X	stat.SSBlock
stat.AdjR <sup>2</sup>	stat.dfBlock	stat.MEPred	stat.Q3Y	stat.SSCol
stat.b	stat.dfCol	stat.MinX	stat.r	stat.SSX
stat.b0	stat.dfError	stat.MinY	stat.r <sup>2</sup>	stat.SSY
stat.b1	stat.dfInteract	stat.MS	stat.RegEqn	stat.SSError
stat.b2	stat.dfReg	stat.MSBlock	stat.Resid	stat.SSInteract
stat.b3	stat.dfNumer	stat.MSCol	stat.ResidTrans	stat.SSReg
stat.b4	stat.dfRow	stat.MSError	stat.σx	stat.SSRow
stat.b5	stat.DW	stat.MSInteract	stat.σy	stat.tList
stat.b6	stat.e	stat.MSReg	stat.σx1	stat.UpperPred
stat.b7	stat.ExpMatrix	stat.MSRow	stat.σx2	stat.UpperVal
stat.b8	stat.F	stat.n	stat.Σx	stat.X̄
stat.b9	stat.FBlock	Stat. $\hat{p}$	stat.Σx <sup>2</sup>	stat.X̄1
stat.b10	stat.Fcol	stat. $\hat{p}_1$	stat.Σxy	stat.X̄2
stat.bList	stat.FInteract	stat. $\hat{p}_2$	stat.Σy	stat.X̄Diff
stat.χ <sup>2</sup>	stat.FreqReg	stat. $\hat{p}$ Diff	stat.Σy <sup>2</sup>	stat.X̄List
stat.c	stat.Frow	stat.PList	stat.s	stat.XReg
stat.CLower	stat.Leverage	stat.PVal	stat.SE	stat.XVal
stat.CLowerList	stat.LowerPred	stat.PValBlock	stat.SEList	stat.XValList
stat.CompList	stat.LowerVal	stat.PValCol	stat.SEPred	stat.ȳ
stat.CompMatrix	stat.m	stat.PValInteract	stat.sResid	stat.ŷ
stat.CookDist	stat.MaxX	stat.PValRow	stat.SESlope	stat.ŷList



stat.CUpper	stat.MaxY	stat.Q1X	stat.sp	stat.YReg
stat.CUpperList	stat.ME	stat.Q1Y	stat.SS	
stat.d	stat.MedianX			

**Note:** Each time the Lists & Spreadsheet application calculates statistical results, it copies the “stat.” group variables to a “stat#.” group, where # is a number that is incremented automatically. This lets you maintain previous results while performing multiple calculations.

## stat.values

Catalogue >

### stat.values

See the **stat.results** example.

Displays a matrix of the values calculated for the most recently evaluated statistics function or command.

Unlike **stat.results**, **stat.values** omits the names associated with the values.

You can copy a value and paste it into other locations.

## stDevPop()

Catalogue >

**stDevPop**(*List* [, *freqList*]) ⇒ *expression*

In Radian angle and auto modes:

Returns the population standard deviation of the elements in *List*.

$\text{stDevPop}\{\{1,2,5,6,3,-2\}\}$	3.59398
$\text{stDevPop}\{\{1.3,2.5,-6.4\},\{3,2,5\}\}$	4.11107

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**Note:** *List* must have at least two elements. Empty (void) elements are ignored. For more information on empty elements, see page 215.

**stDevPop**(*Matrix1* [, *freqMatrix*]) ⇒ *matrix*

Returns a row vector of the population standard deviations of the columns in *Matrix1*.

$\text{stDevPop}\begin{pmatrix} 1 & 2 & 5 \\ -3 & 0 & 1 \\ 5 & 7 & 3 \end{pmatrix}$	$[3.26599 \quad 2.94392 \quad 1.63299]$
---	---

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *Matrix1*.

$\text{stDevPop}\begin{pmatrix} -1.2 & 5.3 \\ 2.5 & 7.3 \\ 6 & -4 \end{pmatrix}\begin{bmatrix} 4 & 2 \\ 3 & 3 \\ 1 & 7 \end{bmatrix}$	$[2.52608 \quad 5.21506]$
---	---------------------------

**Note:** *MatrixI* must have at least two rows. Empty (void) elements are ignored. For more information on empty elements, see page 215.

## stDevSamp()

**stDevSamp**(*List*[,*freqList*]) ⇒  
*expression*

Returns the sample standard deviation of the elements in *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**Note:** *List* must have at least two elements. Empty (void) elements are ignored. For more information on empty elements, see page 215.

**stDevSamp**(*MatrixI*[,*freqMatrix*]) ⇒  
*matrix*

Returns a row vector of the sample standard deviations of the columns in *MatrixI*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *MatrixI*.

**Note:** *MatrixI* must have at least two rows. Empty (void) elements are ignored. For more information on empty elements, see page 215.

$\text{stDevSamp}\{\{1,2,5,-6,3,-2\}\}$	3.937
$\text{stDevSamp}\{\{1.3,2.5,-6.4\},\{3,2,5\}\}$	4.33345

$\text{stDevSamp}\left(\begin{bmatrix} 1 & 2 & 5 \\ -3 & 0 & 1 \\ 5 & 7 & 3 \end{bmatrix}\right)$	$[4. \quad 3.60555 \quad 2.]$
$\text{stDevSamp}\left(\begin{bmatrix} -1.2 & 5.3 \\ 2.5 & 7.3 \\ 6 & -4 \end{bmatrix}, \begin{bmatrix} 4 & 2 \\ 3 & 3 \\ 1 & 7 \end{bmatrix}\right)$	$[2.7005 \quad 5.44695]$

**Stop**Catalogue > **Stop**

Programming command: Terminates the program.


**Stop** is not allowed in functions.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

$i:=0$	0
Define $prog1()$ =Prgm	Done
For $i,1,10,1$	
If $i=5$	
Stop	
EndFor	
EndPrgm	
$prog1()$	Done
$i$	5

**Store**

See →(store), page 197.

**string()**Catalogue > 

**string(Expr) ⇒ string**

Simplifies *Expr* and returns the result as a character string.

$string(1.2345)$	"1.2345"
$string(1+2)$	"3"

**subMat()**Catalogue > 

**subMat(Matrix1[, startRow][, startCol] [, endRow][, endCol]) ⇒ matrix**

Returns the specified submatrix of *Matrix1*.

Defaults:  $startRow=1$ ,  $startCol=1$ ,  $endRow$ =last row,  $endCol$ =last column.

$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$
$subMat(m1,2,1,3,2)$	$\begin{bmatrix} 4 & 5 \\ 7 & 8 \end{bmatrix}$
$subMat(m1,2,2)$	$\begin{bmatrix} 5 & 6 \\ 8 & 9 \end{bmatrix}$

**Sum (Sigma)**See  $\Sigma()$ , page 189.

## sum()

Catalogue > 

**sum(List[, Start[, End]])** ⇒ *expression*

Returns the sum of all elements in *List*.

*Start* and *End* are optional. They specify a range of elements.

Any void argument produces a void result. Empty (void) elements in *List* are ignored. For more information on empty elements, see page 215.

**sum(Matrix1[, Start[, End]])** ⇒ *matrix*

Returns a row vector containing the sums of all elements in the columns in *Matrix1*.

*Start* and *End* are optional. They specify a range of rows.

Any void argument produces a void result. Empty (void) elements in *Matrix1* are ignored. For more information on empty elements, see page 215.

$\text{sum}\{1,2,3,4,5\}$	15
$\text{sum}\{a,2\cdot a,3\cdot a\}$	"Error: Variable is not defined"
$\text{sum}\{\text{seq}(n,n,1,10)\}$	55
$\text{sum}\{1,3,5,7,9\},3\}$	21

$\text{sum}\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{pmatrix}$	$[5 \ 7 \ 9]$
$\text{sum}\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$	$[12 \ 15 \ 18]$
$\text{sum}\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix},2,3$	$[11 \ 13 \ 15]$

## sumIf()

Catalogue > 

**sumIf(List,Criteria[, SumList])** ⇒ *value*


Returns the accumulated sum of all elements in *List* that meet the specified *Criteria*. Optionally, you can specify an alternate list, *sumList*, to supply the elements to accumulate.

*List* can be an expression, list, or matrix. *SumList*, if specified, must have the same dimension(s) as *List*.

*Criteria* can be:

- A value, expression, or string. For example, **34** accumulates only those elements in *List* that simplify to the value 34.
- A Boolean expression containing the symbol ? as a place holder for each element. For example, **?<10** accumulates only those elements in *List* that are less than 10.

$\text{sumIf}\{1,2,e,3,\pi,4,5,6\},2.5<?<4.5\}$	12.859874482
$\text{sumIf}\{1,2,3,4\},2<?<5,\{10,20,30,40\}$	70


**sumIf()**Catalogue > 

When a *List* element meets the *Criteria*, the element is added to the accumulating sum. If you include *sumList*, the corresponding element from *sumList* is added to the sum instead.

Within the Lists & Spreadsheet application, you can use a range of cells in place of *List* and *sumList*.

Empty (void) elements are ignored. For more information on empty elements, see page 215.

**Note:** See also **countIf()**, page 30.

**sumSeq()**See  $\Sigma()$ , page 189.**system()**Catalogue > 

**system**(*Value1* [, *Value2* [, *Value3* [, ...]]])

Returns a system of equations, formatted as a list. You can also create a system by using a template.

**T****T (transpose)**Catalogue > 

*Matrix1*T  $\Rightarrow$  *matrix*

Returns the complex conjugate transpose of *Matrix1*.

$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}^T$	$\begin{bmatrix} 1 & 4 & 7 \\ 2 & 5 & 8 \\ 3 & 6 & 9 \end{bmatrix}$
---	---

**Note:** You can insert this operator from the computer keyboard by typing @t.

**tan()** key

**tan**(*Value1*)  $\Rightarrow$  *value*

In Degree angle mode:

**tan**(*List1*)  $\Rightarrow$  *list*

**tan()** **key**

**tan(Value1)** returns the tangent of the argument.

$\tan\left(\frac{\pi}{4}\right)$	1.
----------------------------------	----

**tan(List1)** returns a list of the tangents of all elements in *List1*.

$\tan(45)$	1.
$\tan(\{0,60,90\})$	{0.,1.73205,undef}

**Note:** The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode. You can use °, G or R to override the angle mode setting temporarily.

In Gradian angle mode:

$\tan\left(\frac{\pi}{4}\right)$	1.
$\tan(50)$	1.
$\tan(\{0,50,100\})$	{0.,1.,undef}

In Radian angle mode:

$\tan\left(\frac{\pi}{4}\right)$	1.
$\tan(45^\circ)$	1.
$\tan\left(\left\{\pi,\frac{\pi}{3},\pi,\frac{\pi}{4}\right\}\right)$	{0.,1.73205,0.,1.}

**tan(squareMatrix1)** ⇒ squareMatrix

Returns the matrix tangent of *squareMatrix1*. This is not the same as calculating the tangent of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

In Radian angle mode:

$\tan\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix}$	$\begin{bmatrix} -28.2912 & 26.0887 & 11.1142 \\ 12.1171 & -7.83536 & -5.48138 \\ 36.8181 & -32.8063 & -10.4594 \end{bmatrix}$
--	--

**tan<sup>-1</sup>()** **key**

**tan<sup>-1</sup>(Value1)** ⇒ value

In Degree angle mode:

**tan<sup>-1</sup>(List1)** ⇒ list

$\tan^{-1}(1)$	45
----------------	----

**tan<sup>-1</sup>(Value1)** returns the angle whose tangent is *Value1*.

In Gradian angle mode:

**tan<sup>-1</sup>(List1)** returns a list of the inverse tangents of each element of *List1*.

$\tan^{-1}(1)$	50
----------------	----

## $\tan^{-1}()$

 key

**Note:** The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

**Note:** You can insert this function from the keyboard by typing **arctan (...)**.

$\tan^{-1}(\text{squareMatrix1}) \Rightarrow \text{squareMatrix}$

Returns the matrix inverse tangent of *squareMatrix1*. This is not the same as calculating the inverse tangent of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

In Radian angle mode:

$$\tan^{-1}\{0,0,2,0,5\} \quad \{0,0.197396,0.463648\}$$

In Radian angle mode:

$$\tan^{-1}\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix} \quad \begin{bmatrix} -0.083658 & 1.26629 & 0.62263 \\ 0.748539 & 0.630015 & -0.070012 \\ 1.68608 & -1.18244 & 0.455126 \end{bmatrix}$$

## $\tanh()$

Catalogue > 

$\tanh(\text{Value1}) \Rightarrow \text{value}$

$\tanh(\text{List1}) \Rightarrow \text{list}$

$\tanh(\text{Value1})$  returns the hyperbolic tangent of the argument.

$\tanh(\text{List1})$  returns a list of the hyperbolic tangents of each element of *List1*.

$\tanh(\text{squareMatrix1}) \Rightarrow \text{squareMatrix}$

Returns the matrix hyperbolic tangent of *squareMatrix1*. This is not the same as calculating the hyperbolic tangent of each element. For information about the calculation method, refer to **cos()**.

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

$$\begin{array}{l} \tanh(1.2) \quad 0.833655 \\ \tanh(\{0,1\}) \quad \{0,0.761594\} \end{array}$$

In Radian angle mode:

$$\tanh\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix} \quad \begin{bmatrix} -0.097966 & 0.933436 & 0.425972 \\ 0.488147 & 0.538881 & -0.129382 \\ 1.28295 & -1.03425 & 0.428817 \end{bmatrix}$$

## $\tanh^{-1}()$

Catalog > 

$\tanh^{-1}(\text{Value1}) \Rightarrow \text{value}$

$\tanh^{-1}(\text{List1}) \Rightarrow \text{list}$

In Rectangular complex format:

## $\tanh^{-1}()$

Catalog &gt;

$\tanh^{-1}(\text{Value1})$  returns the inverse hyperbolic tangent of the argument.

$\tanh^{-1}(\text{List1})$  returns a list of the inverse hyperbolic tangents of each element of *List1*.

**Note:** You can insert this function from the keyboard by typing `arctanh (...)`.

$\tanh^{-1}(\text{squareMatrix1}) \Rightarrow \text{squareMatrix}$

Returns the matrix inverse hyperbolic tangent of *squareMatrix1*. This is not the same as calculating the inverse hyperbolic tangent of each element. For information about the calculation method, refer to `cos()`.

*squareMatrix1* must be diagonalisable. The result always contains floating-point numbers.

$\tanh^{-1}(0)$	0.
$\tanh^{-1}(\{1,2,1,3\})$	
$\{ \text{undef}, 0.518046-1.5708 \cdot i, 0.346574-1.5708 \cdot i, \text{undef} \}$	

To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

In Radian angle mode and Rectangular complex format:

$\tanh^{-1}\begin{pmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{pmatrix}$	
$\begin{bmatrix} -0.099353+0.164058 \cdot i & 0.267834-1.4908 \\ -0.087596-0.725533 \cdot i & 0.479679-0.94730 \\ 0.511463-2.08316 \cdot i & -0.878563+1.7901 \end{bmatrix}$	

To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

## tCdf()

Catalogue &gt;

$\text{tCdf}(\text{lowBound}, \text{upBound}, \text{df}) \Rightarrow \text{number}$  if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

Computes the Student-*t* distribution probability between *lowBound* and *upBound* for the specified degrees of freedom *df*.

For  $P(X \leq \text{upBound})$ , set *lowBound* = -9E999.

## Text

Catalogue &gt;

$\text{Text} \text{promptString}[, \text{DispFlag}]$

Programming command: Pauses the programme and displays the character string *promptString* in a dialogue box.

When the user selects **OK**, programme execution continues.

The optional *flag* argument can be any expression.

- If *DispFlag* is omitted or evaluates to **1**, the text message is added to the Calculator history.

Define a programme that pauses to display each of five random numbers in a dialogue box.

Within the Prgm...EndPrgm template, complete each line by pressing  $\boxed{\leftarrow}$  instead of  $\boxed{\text{enter}}$ . On the computer keyboard, hold down **Alt** and press **Enter**.



- If *DispFlag* evaluates to 0, the text message is not added to the history.

If the programme needs a typed response from the user, refer to **Request**, page 126, or **RequestStr**, page 128.


**Note:** You can use this command within a user-defined programme but not within a function.

```
Define text_demo()=Prgm
  For i,1,5
    strinfo:="Random number
" & string(rand(i))
    Text strinfo
  EndFor
EndPrgm
```

Run the programme:

```
text_demo()
```

Sample of one dialogue box:



**tInterval** *List[,Freq[,CLevel]]*

(Data list input)

**tInterval**  $\bar{x},sx,n[,CLevel]$

(Summary stats input)

Computes a *t* confidence interval. A summary of results is stored in the *stat.results* variable (page 148).

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval for an unknown population mean

Output variable	Description
stat. $\bar{x}$	Sample mean of the data sequence from the normal random distribution
stat.ME	Margin of error
stat.df	Degrees of freedom
stat. $\sigma_x$	Sample standard deviation
stat.n	Length of the data sequence with sample mean

## Interval\_2Samp

Catalogue > 

**Interval\_2Samp** *List1, List2[, Freq1[, Freq2[, CLevel [, Pooled]]]]*

(Data list input)

**Interval\_2Samp**  $\bar{x}1, sx1, n1, \bar{x}2, sx2, n2[, CLevel [, Pooled]]$

(Summary stats input)

Computes a two-sample *t* confidence interval. A summary of results is stored in the *stat.results* variable (page 148).

*Pooled=1* pools variances; *Pooled=0* does not pool variances.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. $\bar{x}1$ - $\bar{x}2$	Sample means of the data sequences from the normal random distribution
stat.ME	Margin of error
stat.df	Degrees of freedom
stat. $\bar{x}1$ , stat. $\bar{x}2$	Sample means of the data sequences from the normal random distribution
stat. $\sigma x1$ , stat. $\sigma x2$	Sample standard deviations for <i>List 1</i> and <i>List 2</i>
stat.n1, stat.n2	Number of samples in data sequences
stat.sp	The pooled standard deviation. Calculated when <i>Pooled</i> = YES

**tPdf**(*XVal*,*df*) $\Rightarrow$ *number* if *XVal* is a number, *list* if *XVal* is a list

Computes the probability density function (pdf) for the Student-*t* distribution at a specified *x* value with specified degrees of freedom *df*.

**trace()**

**trace**(*squareMatrix*) $\Rightarrow$ *value*

Returns the trace (sum of all the elements on the main diagonal) of *squareMatrix*.

$\text{trace} \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$	15
$a:=12$	12
$\text{trace} \begin{pmatrix} a & 0 \\ 1 & a \end{pmatrix}$	24

**Try****Try**

*block1*

**Else**

*block2*

**EndTry**

Executes *block1* unless an error occurs. programme execution transfers to *block2* if an error occurs in *block1*. System variable *errCode* contains the error code to allow the programme to perform error recovery. For a list of error codes, see "Error codes and messages," page 225.

*block1* and *block2* can be either a single statement or a series of statements separated with the ":" character.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Example 2

Define *prog1*()=Prgm

Try

$z:=z+1$

Disp "z incremented."

Else

Disp "Sorry, z undefined."

EndTry

EndPrgm

Done

$z:=1:\text{prog1}()$

z incremented.

Done

DelVar  $z:\text{prog1}()$

Sorry, z undefined.

Done

Define *eigenvals*(*a*,*b*)=Prgm

To see the commands **Try**, **ClrErr** and **PassErr** in operation, enter the `eigenvals()` programme shown at the right. Run the programme by executing each of the following expressions.

---


$$\text{eigenvals}\left(\begin{bmatrix} -3 & \\ & -41 \\ & & 5 \end{bmatrix}, [-1 \quad 2 \quad -3.1]\right)$$


---

**Note:** See also **ClrErr**, page 23, and **PassErr**, page 111.

© programme `eigenvals(A,B)` displays eigenvalues of A·B

Try

Disp "A= ",a

Disp "B= ",b

Disp " "

Disp "Eigenvalues of A·B are:",eigVl(a\*b)

Else

If errCode=230 Then

Disp "Error: Product of A·B must be a square matrix"

ClrErr

Else

PassErr

EndIf

EndTry

EndPrgm

**tTest**  $\mu_0, \text{List}, \text{Freq}, \text{Hypoth}$ ]

(Data list input)

**tTest**  $\mu_0, \bar{x}, s_x, n, [\text{Hypoth}]$

(Summary stats input)

Performs a hypothesis test for a single unknown population mean  $\mu$  when the population standard deviation  $\sigma$  is unknown. A summary of results is stored in the `stat.results` variable (page 148).

Test  $H_0: \mu = \mu_0$ , against one of the following:

For  $H_a: \mu < \mu_0$ , set `Hypoth<0`

For  $H_a: \mu \neq \mu_0$  (default), set `Hypoth=0`

For  $H_a: \mu > \mu_0$ , set *Hypo* $>0$

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.t	$(\bar{x} - \mu_0) / (\text{stdev} / \sqrt{n})$
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom
stat. $\bar{x}$	Sample mean of the data sequence in <i>List</i>
stat.sx	Sample standard deviation of the data sequence
stat.n	Size of the sample

## tTest\_2Samp

**tTest\_2Samp** *List1, List2[, Freq1[, Freq2[, Hypoth [, Pooled]]]]*

(Data list input)

**tTest\_2Samp**  $\bar{x}1, sx1, n1, \bar{x}2, sx2, n2[, Hypoth[, Pooled]]$

(Summary stats input)

Computes a two-sample *t* test. A summary of results is stored in the *stat.results* variable (page 148).

Test  $H_0: \mu_1 = \mu_2$ , against one of the following:

For  $H_a: \mu_1 < \mu_2$ , set *Hypo* $<0$

For  $H_a: \mu_1 \neq \mu_2$  (default), set *Hypo* $=0$

For  $H_a: \mu_1 > \mu_2$ , set *Hypo* $>0$

*Pooled=1* pools variances


*Pooled=0* does not pool variances

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.t	Standard normal value computed for the difference of means

Output variable	Description
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the t-statistic
stat. $\bar{x}1$ , stat. $\bar{x}2$	Sample means of the data sequences in <i>List 1</i> and <i>List 2</i>
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in <i>List 1</i> and <i>List 2</i>
stat.n1, stat.n2	Size of the samples
stat.sp	The pooled standard deviation. Calculated when <i>Pooled</i> =1.

### tvmFV()

Catalogue > 

**tvmFV**( $N, I, PV, Pmt, [PpY], [CpY], [PmtAt]$ ) $\Rightarrow$ value

tvmFV(120,5,0,-500,12,12)      77641.1

Financial function that calculates the future value of money.

**Note:** Arguments used in the TVM functions are described in the table of TVM arguments, page 163. See also **amortTbl()**, page 7.

### tvmI()

Catalogue > 


**tvmI**( $N, PV, Pmt, FV, [PpY], [CpY], [PmtAt]$ ) $\Rightarrow$ value

tvmI(240,100000,-1000,0,12,12)      10.5241

Financial function that calculates the interest rate per year.

**Note:** Arguments used in the TVM functions are described in the table of TVM arguments, page 163. See also **amortTbl()**, page 7.

### tvmN()

Catalogue > 

**tvmN**( $I, PV, Pmt, FV, [PpY], [CpY], [PmtAt]$ ) $\Rightarrow$ value

tvmN(5,0,-500,77641,12,12)      120.

Financial function that calculates the number of payment periods.

**Note:** Arguments used in the TVM functions are described in the table of TVM arguments, page 163. See also **amortTbl()**, page 7.

## tvmPmt()

**tvmPmt**( $N, I, PV, FV, [PpY], [CpY], [PmtAt]$ ) $\Rightarrow$ value

tvmPmt(60,4,30000,0,12,12)      -552.496

Financial function that calculates the amount of each payment.

**Note:** Arguments used in the TVM functions are described in the table of TVM arguments, page 163. See also **amortTbl()**, page 7.

## tvmPV()

**tvmPV**( $N, I, Pmt, FV, [PpY], [CpY], [PmtAt]$ ) $\Rightarrow$ value

tvmPV(48,4,-500,30000,12,12)      -3426.7

Financial function that calculates the present value.

**Note:** Arguments used in the TVM functions are described in the table of TVM arguments, page 163. See also **amortTbl()**, page 7.

TVM argument*	Description	Data type
$N$	Number of payment periods	real number
$I$	Annual interest rate	real number
$PV$	Present value	real number
$Pmt$	Payment amount	real number
$FV$	Future value	real number
$PpY$	Payments per year, default=1	integer > 0
$CpY$	Compounding periods per year, default=1	integer > 0
$PmtAt$	Payment due at the end or beginning of each period, default=end	integer (0=end, 1=beginning)

\* These time-value-of-money argument names are similar to the TVM variable names (such as **tvm.pv** and **tvm.pmt**) that are used by the *Calculator* application's finance solver. Financial functions, however, do not store their argument values or results to the TVM variables.

## TwoVar

Catalogue > 

**TwoVar**  $X, Y[, [Freq] [, Category, Include]]$

Calculates the TwoVar statistics. A summary of results is stored in the *stat.results* variable (page 148).

All the lists must have equal dimension except for *Include*.

$X$  and  $Y$  are lists of independent and dependent variables.

*Freq* is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding  $X$  and  $Y$  data point. The default value is 1. All elements must be integers  $\geq 0$ .

*Category* is a list of numeric category codes for the corresponding  $X$  and  $Y$  data.

*Include* is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

An empty (void) element in any of the lists  $X$ , *Freq*, or *Category* results in a void for the corresponding element of all those lists. An empty element in any of the lists  $X1$  through  $X20$  results in a void for the corresponding element of all those lists. For more information on empty elements, see page 215.


Output variable	Description
stat. $\bar{x}$	Mean of x values
stat. x	Sum of x values
stat. x2	Sum of x2 values
stat.sx	Sample standard deviation of x
stat. x	Population standard deviation of x
stat.n	Number of data points
stat. $\bar{y}$	Mean of y values
stat. y	Sum of y values



Output variable	Description
stat. y <sup>2</sup>	Sum of y <sup>2</sup> values
stat.sy	Sample standard deviation of y
stat. y	Population standard deviation of y
stat. xy	Sum of x · y values
stat.r	Correlation coefficient
stat.MinX	Minimum of x values
stat.Q <sub>1</sub> X	1st Quartile of x
stat.MedianX	Median of x
stat.Q <sub>3</sub> X	3rd Quartile of x
stat.MaxX	Maximum of x values
stat.MinY	Minimum of y values
stat.Q <sub>1</sub> Y	1st Quartile of y
stat.MedY	Median of y
stat.Q <sub>3</sub> Y	3rd Quartile of y
stat.MaxY	Maximum of y values
stat. (x- ) <sup>2</sup>	Sum of squares of deviations from the mean of x
stat. (y- ) <sup>2</sup>	Sum of squares of deviations from the mean of y

## U

### unitV()

Catalogue > 

**unitV(*Vector1*)** ⇒ *vector*

Returns either a row- or column-unit vector, depending on the form of *Vector1*.

*Vector1* must be either a single-row matrix or a single-column matrix.

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

unitV( $\begin{bmatrix} 1 & 2 & 1 \end{bmatrix}$ )	$\begin{bmatrix} 0.408248 & 0.816497 & 0.408248 \end{bmatrix}$
unitV( $\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$ )	$\begin{bmatrix} 0.267261 \\ 0.534522 \\ 0.801784 \end{bmatrix}$

**unLock**Catalogue > **unLock** *Var1* [, *Var2*] [, *Var3*] ...

<i>a</i> :=65	65
Lock <i>a</i>	Done
getLockInfo( <i>a</i> )	1
<i>a</i> :=75	"Error: Variable is locked."
DelVar <i>a</i>	"Error: Variable is locked."
Unlock <i>a</i>	Done
<i>a</i> :=75	75
DelVar <i>a</i>	Done

**unLock** *Var*.

Unlocks the specified variables or variable group. Locked variables cannot be modified or deleted.

See **Lock**, page 86, and **getLockInfo()**, page 65.

**V****varPop()**Catalogue > **varPop**(*List* [, *freqList*]) ⇒ *expression*


varPop({5,10,15,20,25,30})	72.9167
----------------------------	---------

Returns the population variance of *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**Note:** *List* must contain at least two elements.

If an element in either list is empty (void), that element is ignored, and the corresponding element in the other list is also ignored. For more information on empty elements, see page 215.

**varSamp()**Catalogue > **varSamp**(*List* [, *freqList*]) ⇒ *expression*

varSamp({1,2,5,6,3,-2})	31
	2
varSamp({1,3,5},{4,6,2})	68
	33

Returns the sample variance of *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

**Note:** *List* must contain at least two elements.

If an element in either list is empty (void), that element is ignored, and the corresponding element in the other list is also ignored. For more information on empty elements, see page 215.

**varSamp**(*MatrixI* [, *freqMatrix*]) ⇒ *matrix*

Returns a row vector containing the sample variance of each column in *MatrixI*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *MatrixI*.

If an element in either matrix is empty (void), that element is ignored, and the corresponding element in the other matrix is also ignored. For more information on empty elements, see page 215.

**Note:** *MatrixI* must contain at least two rows.

varSamp	$\begin{pmatrix} 1 & 2 & 5 \\ -3 & 0 & 1 \\ .5 & .7 & 3 \end{pmatrix}$	$[4.75 \ 1.03 \ 4]$
varSamp	$\begin{pmatrix} -1.1 & 2.2 \\ 3.4 & 5.1 \\ -2.3 & 4.3 \end{pmatrix}, \begin{pmatrix} 6 & 3 \\ 2 & 4 \\ 5 & 1 \end{pmatrix}$	$[3.91731 \ 2.08411]$

## W

### Wait



#### Wait *timeInSeconds*

Suspends execution for a period of *timeInSeconds* seconds.

**Wait** is particularly useful in a programme that needs a brief delay to allow requested data to become available.

The argument *timeInSeconds* must be an expression that simplifies to a decimal value in the range 0 through 100. The command rounds this value up to the nearest 0.1 seconds.

To cancel a **Wait** that is in progress,

- **Handheld:** Hold down the  key and press  repeatedly.

To wait 4 seconds:

**Wait 4**

To wait 1/2 second:

**Wait 0.5**

To wait 1.3 seconds using the variable *seccount*:

**seccount:=1.3**  
**Wait seccount**

This example switches a green LED on for 0.5 seconds and then switches it off.

**Send "SET GREEN 1 ON"**  
**Wait 0.5**  
**Send "SET GREEN 1 OFF"**

- **Windows®**: Hold down the **F12** key and press **Enter** repeatedly.
- **Macintosh®**: Hold down the **F5** key and press **Enter** repeatedly.
- **iPad®**: The app displays a prompt. You can continue waiting or cancel.

**Note:** You can use the **Wait** command within a user-defined programme but not within a function.

## warnCodes ()


**warnCodes**(*Expr1*,  
*StatusVar*) $\Rightarrow$ *expression*

Evaluates expression *Expr1*, returns the result and stores the codes of any generated warnings in the *StatusVar* list variable. If no warnings are generated, this function assigns *StatusVar* an empty list.

*Expr1* can be any valid TI-Nspire™ or TI-Nspire™ CAS maths expression. You cannot use a command or assignment as *Expr1*.

*StatusVar* must be a valid variable name.

For a list of warning codes and associated messages, see page 233.


 warnCodes(det([1.23456E-999]),warn)	1.23456E-999
warn	{10029}

## when()

**when**(*Condition*, *trueResult* [,  
*falseResult*][, *unknownResult*])  
 $\Rightarrow$ *expression*

Returns *trueResult*, *falseResult*, or *unknownResult*, depending on whether *Condition* is true, false, or unknown. Returns the input if there are too few arguments to specify the appropriate result.

## when()

Catalogue > 

Omit both *falseResult* and *unknownResult* to make an expression defined only in the region where *Condition* is true.

$\text{when}(x < 0, x + 3), x = 5$	undef
------------------------------------	-------

Use an **undef** *falseResult* to define an expression that graphs only on an interval.

**when()** is helpful for defining recursive functions.

$\text{when}(n > 0, n \cdot \text{factorial}(n - 1), 1) \rightarrow \text{factorial}(n)$	Done
$\text{factorial}(3)$	6
3!	6

## While

Catalogue > 

### While *Condition*

*Block*

### EndWhile

Executes the statements in *Block* as long as *Condition* is true.


*Block* can be either a single statement or a sequence of statements separated with the “:” character.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define $\text{sum\_of\_recip}(n) = \text{Func}$	
Local $i, \text{tempsum}$	
$1 \rightarrow i$	
$0 \rightarrow \text{tempsum}$	
While $i \leq n$	
$\text{tempsum} + \frac{1}{i} \rightarrow \text{tempsum}$	
$i + 1 \rightarrow i$	
EndWhile	
Return $\text{tempsum}$	
EndFunc	
	Done
$\text{sum\_of\_recip}(3)$	$\frac{11}{6}$
	6

## X

## xor

Catalogue > 

*BooleanExpr1* **xor** *BooleanExpr2* returns *Boolean expression*

$\text{true xor true}$	false
$5 > 3 \text{ xor } 3 > 5$	true

*BooleanList1* **xor** *BooleanList2* returns *Boolean list*

*BooleanMatrix1* **xor** *BooleanMatrix2* returns *Boolean matrix*

Returns true if *BooleanExpr1* is true and *BooleanExpr2* is false, or vice versa.

Returns false if both arguments are true or if both are false. Returns a simplified Boolean expression if either of the arguments cannot be resolved to true or false.

**Note:** See or, page 109.

*Integer1* xor *Integer2* ⇒ *integer*

Compares two real integers bit-by-bit using an xor operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if either bit (but not both) is 1; the result is 0 if both bits are 0 or both bits are 1. The returned value represents the bit results and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ▶**Base2**, page 16.

**Note:** See or, page 109.

In Hex base mode:

**Important:** Zero, not the letter O.

0h7AC36 xor 0h3D5F	0h79169
--------------------	---------

In Bin base mode:

0b100101 xor 0b100	0b100001
--------------------	----------

**Note:** A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

## Z

### zInterval

**zInterval**  $\sigma, List[, Freq[, CLevel]]$

(Data list input)

**zInterval**  $\sigma, \bar{x}, n [, CLevel]$

(Summary stats input)

Computes a  $z$  confidence interval. A summary of results is stored in the *stat.results* variable (page 148).

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval for an unknown population mean
stat. $\bar{x}$	Sample mean of the data sequence from the normal random distribution
stat.ME	Margin of error
stat.sx	Sample standard deviation
stat.n	Length of the data sequence with sample mean
stat. $\sigma$	Known population standard deviation for data sequence <i>List</i>

## zInterval\_1Prop

**zInterval\_1Prop**  $x, n [, CLevel]$

Computes a one-proportion  $z$  confidence interval. A summary of results is stored in the *stat.results* variable (page 148).

$x$  is a non-negative integer.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. $\hat{p}$	The calculated proportion of successes
stat.ME	Margin of error
stat.n	Number of samples in data sequence

## zInterval\_2Prop

**zInterval\_2Prop**  $x1, n1, x2, n2 [, CLevel]$

Computes a two-proportion  $z$  confidence interval. A summary of results is stored in the *stat.results* variable (page 148).

$x1$  and  $x2$  are non-negative integers.

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. $\hat{p}$ Diff	The calculated difference between proportions
stat.ME	Margin of error
stat. $\hat{p}1$	First sample proportion estimate
stat. $\hat{p}2$	Second sample proportion estimate
stat.n1	Sample size in data sequence one
stat.n2	Sample size in data sequence two

## zInterval\_2Samp

**zInterval\_2Samp**  $\sigma_1, \sigma_2, List1, List2[, Freq1[, Freq2,$   
[*CLevel*]]]

(Data list input)

**zInterval\_2Samp**  $\sigma_1, \sigma_2, \bar{x}1, n1, \bar{x}2, n2[, CLevel]$

(Summary stats input)

Computes a two-sample  $z$  confidence interval. A summary of results is stored in the *stat.results* variable (page 148).


For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. $\bar{x}1 - \bar{x}2$	Sample means of the data sequences from the normal random distribution



Output variable	Description
stat.ME	Margin of error
stat. $\bar{x}1$ , stat. $\bar{x}2$	Sample means of the data sequences from the normal random distribution
stat. $\sigma x1$ , stat. $\sigma x2$	Sample standard deviations for <i>List 1</i> and <i>List 2</i>
stat.n1, stat.n2	Number of samples in data sequences
stat.r1, stat.r2	Known population standard deviations for data sequence <i>List 1</i> and <i>List 2</i>

## zTest

Catalogue > 

**zTest**  $\mu 0, \sigma, List, [Freq[, Hypoth]]$

(Data list input)

**zTest**  $\mu 0, \sigma, \bar{x}, n, [Hypoth]$

(Summary stats input)

Performs a  $z$  test with frequency *freqlist*. A summary of results is stored in the *stat.results* variable (page 148).

Test  $H_0: \mu = \mu 0$ , against one of the following:

For  $H_a: \mu < \mu 0$ , set *Hypoth*<0

For  $H_a: \mu \neq \mu 0$  (default), set *Hypoth*=0

For  $H_a: \mu > \mu 0$ , set *Hypoth*>0

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.z	$(\bar{x} - \mu 0) / (\sigma / \text{sqrt}(n))$
stat.P Value	Least probability at which the null hypothesis can be rejected
stat. $\bar{x}$	Sample mean of the data sequence in <i>List</i>
stat.sx	Sample standard deviation of the data sequence. Only returned for <i>Data</i> input.
stat.n	Size of the sample

**zTest\_1Prop**  $p0, x, n[, Hypoth]$ 

Computes a one-proportion  $z$  test. A summary of results is stored in the *stat.results* variable (page 148).

$x$  is a non-negative integer.

Test  $H_0: p = p0$  against one of the following:

For  $H_a: p > p0$ , set *Hypoth*>0

For  $H_a: p \neq p0$  (default), set *Hypoth*=0

For  $H_a: p < p0$ , set *Hypoth*<0

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.p0	Hypothesized population proportion
stat.z	Standard normal value computed for the proportion
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat. $\hat{p}$	Estimated sample proportion
stat.n	Size of the sample

**zTest\_2Prop**  $x1, n1, x2, n2[, Hypoth]$ 

Computes a two-proportion  $z$  test. A summary of results is stored in the *stat.results* variable (page 148).

$x1$  and  $x2$  are non-negative integers.

Test  $H_0: p1 = p2$ , against one of the following:

For  $H_a: p1 > p2$ , set *Hypoth*>0

For  $H_a: p1 \neq p2$  (default), set *Hypoth*=0

For  $H_a: p < p0$ , set *Hypoth*<0

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.z	Standard normal value computed for the difference of proportions
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat. $\hat{p}1$	First sample proportion estimate
stat. $\hat{p}2$	Second sample proportion estimate
stat. $\hat{p}$	Pooled sample proportion estimate
stat.n1, stat.n2	Number of samples taken in trials 1 and 2

## zTest\_2Samp

Catalogue > 

**zTest\_2Samp**  $\sigma_1, \sigma_2, List1, List2[, Freq1[, Freq2[, Hypoth]]]$

(Data list input)

**zTest\_2Samp**  $\sigma_1, \sigma_2, \bar{x}1, n1, \bar{x}2, n2[, Hypoth]$

(Summary stats input)

Computes a two-sample  $z$  test. A summary of results is stored in the *stat.results* variable (page 148).

Test  $H_0: \mu_1 = \mu_2$ , against one of the following:

For  $H_a: \mu_1 < \mu_2$ , set *Hypoth*<0

For  $H_a: \mu_1 \neq \mu_2$  (default), set *Hypoth*=0

For  $H_a: \mu_1 > \mu_2$ , *Hypoth*>0

For information on the effect of empty elements in a list, see “Empty (Void) Elements”, page 215.

Output variable	Description
stat.z	Standard normal value computed for the difference of means
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat. $\bar{x}1$ , stat. $\bar{x}2$	Sample means of the data sequences in <i>List1</i> and <i>List2</i>
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in <i>List1</i> and <i>List2</i>
stat.n1, stat.n2	Size of the samples

# Symbols

## + (add)

**+** key

$$Value1 + Value2 \Rightarrow value$$

Returns the sum of the two arguments.

56	56
56+4	60
60+4	64
64+4	68
68+4	72

$$List1 + List2 \Rightarrow list$$

$$Matrix1 + Matrix2 \Rightarrow matrix$$

Returns a list (or matrix) containing the sums of corresponding elements in *List1* and *List2* (or *Matrix1* and *Matrix2*).

$\left\{22,\pi,\frac{\pi}{2}\right\} \rightarrow l1$	$\{22,3.14159,1.5708\}$
$\left\{10,5,\frac{\pi}{2}\right\} \rightarrow l2$	$\{10,5,1.5708\}$
$l1+l2$	$\{32,8.14159,3.14159\}$

Dimensions of the arguments must be equal.

$$Value + List1 \Rightarrow list$$

$$List1 + Value \Rightarrow list$$

Returns a list containing the sums of *Value* and each element in *List1*.

$$Value + Matrix1 \Rightarrow matrix$$

$$Matrix1 + Value \Rightarrow matrix$$

Returns a matrix with *Value* added to each element on the diagonal of *Matrix1*. *Matrix1* must be square.

$15+\{10,15,20\}$	$\{25,30,35\}$
$\{10,15,20\}+15$	$\{25,30,35\}$

$20+\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$	$\begin{bmatrix} 21 & 2 \\ 3 & 24 \end{bmatrix}$
---	--

**Note:** Use .+ (dot plus) to add an expression to each element.

## - (subtract)

**-** key

$$Value1 - Value2 \Rightarrow value$$

Returns *Value1* minus *Value2*.

6-2	4
$\pi - \frac{\pi}{6}$	2.61799

$$List1 - List2 \Rightarrow list$$

$$Matrix1 - Matrix2 \Rightarrow matrix$$

$\left\{22,\pi,\frac{\pi}{2}\right\} - \left\{10,5,\frac{\pi}{2}\right\}$	$\{12,-1.85841,0\}$
$\begin{bmatrix} 3 & 4 \end{bmatrix} - \begin{bmatrix} 1 & 2 \end{bmatrix}$	$\begin{bmatrix} 2 & 2 \end{bmatrix}$

**- (subtract)**

Subtracts each element in *List2* (or *Matrix2*) from the corresponding element in *List1* (or *Matrix1*), and returns the results.

Dimensions of the arguments must be equal.

*Value* - *List1*  $\Rightarrow$  *list*

$$15 - \{10, 15, 20\} \Rightarrow \{5, 0, -5\}$$

*List1* - *Value*  $\Rightarrow$  *list*

$$\{10, 15, 20\} - 15 \Rightarrow \{-5, 0, 5\}$$

Subtracts each *List1* element from *Value* or subtracts *Value* from each *List1* element, and returns a list of the results.

*Value* - *Matrix1*  $\Rightarrow$  *matrix*

$$20 - \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \Rightarrow \begin{bmatrix} 19 & -2 \\ -3 & 16 \end{bmatrix}$$

*Matrix1* - *Value*  $\Rightarrow$  *matrix*

*Value* - *Matrix1* returns a matrix of *Value* times the identity matrix minus *Matrix1*. *Matrix1* must be square.

*Matrix1* - *Value* returns a matrix of *Value* times the identity matrix subtracted from *Matrix1*. *Matrix1* must be square.

**Note:** Use .- (dot minus) to subtract an expression from each element.

**•(multiply)**

*Value1* • *Value2*  $\Rightarrow$  *value*

$$2 \cdot 3.45 \Rightarrow 6.9$$

Returns the product of the two arguments.

*List1* • *List2*  $\Rightarrow$  *list*

$$\{1, 2, 3\} \cdot \{4, 5, 6\} \Rightarrow \{4, 10, 18\}$$

Returns a list containing the products of the corresponding elements in *List1* and *List2*.

Dimensions of the lists must be equal.

*Matrix1* • *Matrix2*  $\Rightarrow$  *matrix*

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \cdot \begin{bmatrix} 7 & 8 \\ 7 & 8 \\ 7 & 8 \end{bmatrix} \Rightarrow \begin{bmatrix} 42 & 48 \\ 105 & 120 \end{bmatrix}$$

Returns the matrix product of *Matrix1* and *Matrix2*.

**•(multiply)****⊗ key**

The number of columns in *Matrix1* must equal the number of rows in *Matrix2*.

$$\pi \cdot \{4,5,6\} \quad \{12.5664, 15.708, 18.8496\}$$

*Value* • *List1* ⇒ *list*

*List1* • *Value* ⇒ *list*

Returns a list containing the products of *Value* and each element in *List1*.

*Value* • *Matrix1* ⇒ *matrix*

*Matrix1* • *Value* ⇒ *matrix*

Returns a matrix containing the products of *Value* and each element in *Matrix1*.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \cdot 0.01 \quad \begin{bmatrix} 0.01 & 0.02 \\ 0.03 & 0.04 \end{bmatrix}$$

$$6 \cdot \text{identity}(3) \quad \begin{bmatrix} 6 & 0 & 0 \\ 0 & 6 & 0 \\ 0 & 0 & 6 \end{bmatrix}$$

**Note:** Use **•**(dot multiply) to multiply an expression by each element.

**/ (divide)****÷ key**

*Value1* / *Value2* ⇒ *value*

Returns the quotient of *Value1* divided by *Value2*.

**Note:** See also **Fraction template**, page 1.

*List1* / *List2* ⇒ *list*

Returns a list containing the quotients of *List1* divided by *List2*.

Dimensions of the lists must be equal.

*Value* / *List1* ⇒ *list*

*List1* / *Value* ⇒ *list*

Returns a list containing the quotients of *Value* divided by *List1* or *List1* divided by *Value*.

*Value* / *Matrix1* ⇒ *matrix*

*Matrix1* / *Value* ⇒ *matrix*

$$\frac{2}{3.45} \quad 0.57971$$

$$\frac{\{1,2,3\}}{\{4,5,6\}} \quad \left\{0.25, \frac{2}{5}, \frac{1}{2}\right\}$$

$$\frac{6}{\{3,6,\sqrt{6}\}} \quad \{2, 1, 2.44949\}$$

$$\frac{\{7,9,2\}}{7 \cdot 9 \cdot 2} \quad \left\{\frac{1}{18}, \frac{1}{14}, \frac{1}{63}\right\}$$

$$\frac{\begin{bmatrix} 7 & 9 & 2 \end{bmatrix}}{7 \cdot 9 \cdot 2} \quad \begin{bmatrix} \frac{1}{18} & \frac{1}{14} & \frac{1}{63} \end{bmatrix}$$

**/ (divide)**

 **key**

Returns a matrix containing the quotients of *Matrix1*/*Value*.

**Note:** Use ./ (dot divide) to divide an expression by each element.

**^ (power)**

 **key**

*Value1* ^ *Value2* ⇒ *value*

$$4^2 \qquad 16$$

*List1* ^ *List2* ⇒ *list*

$$\{2,4,6\}^{\{1,2,3\}} \qquad \{2,16,216\}$$

Returns the first argument raised to the power of the second argument.

**Note:** See also **Exponent template**, page 1.

For a list, returns the elements in *List1* raised to the power of the corresponding elements in *List2*.

In the real domain, fractional powers that have reduced exponents with odd denominators use the real branch versus the principal branch for complex mode.

*Value* ^ *List1* ⇒ *list*

$$\pi^{\{1,2,-3\}} \qquad \{3.14159, 9.8696, 0.032252\}$$

Returns *Value* raised to the power of the elements in *List1*.

*List1* ^ *Value* ⇒ *list*

$$\{1,2,3,4\}^{-2} \qquad \left\{1, \frac{1}{4}, \frac{1}{9}, \frac{1}{16}\right\}$$

Returns the elements in *List1* raised to the power of *Value*.

*squareMatrix1* ^ *integer* ⇒ *matrix*

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^2 \qquad \begin{bmatrix} 7 & 10 \\ 15 & 22 \end{bmatrix}$$

Returns *squareMatrix1* raised to the *integer* power.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-1} \qquad \begin{bmatrix} -2 & 1 \\ 3 & -1 \\ 2 & 2 \end{bmatrix}$$

*squareMatrix1* must be a square matrix.

If *integer* = -1, computes the inverse matrix.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-2} \qquad \begin{bmatrix} 11 & -5 \\ 2 & 2 \\ -15 & 7 \\ 4 & 4 \end{bmatrix}$$

If *integer* < -1, computes the inverse matrix to an appropriate positive power.

**x<sup>2</sup> (square)****x<sup>2</sup> keys***Value*<sup>12</sup> ⇒ *value*

Returns the square of the argument.

$$4^2 \qquad 16$$

$$\{2,4,6\}^2 \qquad \{4,16,36\}$$

*List*<sup>12</sup> ⇒ *list*Returns a list containing the squares of the elements in *List1*.

$$\begin{bmatrix} 2 & 4 & 6 \\ 3 & 5 & 7 \\ 4 & 6 & 8 \end{bmatrix}^2 \qquad \begin{bmatrix} 40 & 64 & 88 \\ 49 & 79 & 109 \\ 58 & 94 & 130 \end{bmatrix}$$

*squareMatrix*<sup>12</sup> ⇒ *matrix*Returns the matrix square of *squareMatrix1*. This is not the same as calculating the square of each element. Use  $\wedge 2$  to calculate the square of each element.

$$\begin{bmatrix} 2 & 4 & 6 \\ 3 & 5 & 7 \\ 4 & 6 & 8 \end{bmatrix} \wedge 2 \qquad \begin{bmatrix} 4 & 16 & 36 \\ 9 & 25 & 49 \\ 16 & 36 & 64 \end{bmatrix}$$

**.+ (dot add)****. + keys***Matrix1* .+ *Matrix2* ⇒ *matrix**Value* .+ *Matrix1* ⇒ *matrix**Matrix1* .+ *Matrix2* returns a matrix that is the sum of each pair of corresponding elements in *Matrix1* and *Matrix2*.*Value* .+ *Matrix1* returns a matrix that is the sum of *Value* and each element in *Matrix1*.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} .+ \begin{bmatrix} 10 & 30 \\ 20 & 40 \end{bmatrix} \qquad \begin{bmatrix} 11 & 32 \\ 23 & 44 \end{bmatrix}$$

$$5 .+ \begin{bmatrix} 10 & 30 \\ 20 & 40 \end{bmatrix} \qquad \begin{bmatrix} 15 & 35 \\ 25 & 45 \end{bmatrix}$$

**.- (dot sub.)****. - keys***Matrix1* .- *Matrix2* ⇒ *matrix**Value* .- *Matrix1* ⇒ *matrix**Matrix1* .- *Matrix2* returns a matrix that is the difference between each pair of corresponding elements in *Matrix1* and *Matrix2*.*Value* .- *Matrix1* returns a matrix that is the difference of *Value* and each element in *Matrix1*.

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} .- \begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix} \qquad \begin{bmatrix} -9 & -18 \\ -27 & -36 \end{bmatrix}$$

$$5 .- \begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix} \qquad \begin{bmatrix} -5 & -15 \\ -25 & -35 \end{bmatrix}$$



**.•(dot mult.)**

.	x	keys
---	---	------

*Matrix1* .• *Matrix2* ⇒ *matrix*

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$	.	$\begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix}$	$\begin{bmatrix} 10 & 40 \\ 90 & 160 \end{bmatrix}$
--	---	--	---

*Value* .• *Matrix1* ⇒ *matrix*

5.	$\begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix}$	$\begin{bmatrix} 50 & 100 \\ 150 & 200 \end{bmatrix}$
----	--	---

*Matrix1* .• *Matrix2* returns a matrix that is the product of each pair of corresponding elements in *Matrix1* and *Matrix2*.

*Value* .• *Matrix1* returns a matrix containing the products of *Value* and each element in *Matrix1*.

**./ (dot divide)**

.	÷	keys
---	---	------

*Matrix1* ./ *Matrix2* ⇒ *matrix*

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$	./	$\begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix}$	$\begin{bmatrix} \frac{1}{10} & \frac{1}{10} \\ \frac{1}{10} & \frac{1}{10} \end{bmatrix}$
--	----	--	--

*Value* ./ *Matrix1* ⇒ *matrix*

5./	$\begin{bmatrix} 10 & 20 \\ 30 & 40 \end{bmatrix}$	$\begin{bmatrix} \frac{1}{10} & \frac{1}{10} \\ \frac{1}{2} & \frac{1}{4} \\ \frac{1}{6} & \frac{1}{8} \end{bmatrix}$
-----	--	---

*Matrix1* ./ *Matrix2* returns a matrix that is the quotient of each pair of corresponding elements in *Matrix1* and *Matrix2*.

*Value* ./ *Matrix1* returns a matrix that is the quotient of *Value* and each element in *Matrix1*.

**.^ (dot power)**

.	^	keys
---	---	------

*Matrix1* .^ *Matrix2* ⇒ *matrix*

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$	^	$\begin{bmatrix} 0 & 2 \\ 3 & -1 \end{bmatrix}$	$\begin{bmatrix} 1 & 4 \\ 27 & \frac{1}{4} \end{bmatrix}$
--	---	---	---

*Value* .^ *Matrix1* ⇒ *matrix*

5.^	$\begin{bmatrix} 0 & 2 \\ 3 & -1 \end{bmatrix}$	$\begin{bmatrix} 1 & 25 \\ 125 & \frac{1}{5} \end{bmatrix}$
-----	---	---

*Matrix1* .^ *Matrix2* returns a matrix where each element in *Matrix2* is the exponent for the corresponding element in *Matrix1*.

*Value* .^ *Matrix1* returns a matrix where each element in *Matrix1* is the exponent for *Value*.

## - (negate)

 key

$-Value1 \Rightarrow value$

$-List1 \Rightarrow list$

$-Matrix1 \Rightarrow matrix$

Returns the negation of the argument.

For a list or matrix, returns all the elements negated.

If the argument is a binary or hexadecimal integer, the negation gives the two's complement.

```
-2.43                                -2.43
-{-1,0.4,1.2E19}                    {1.,-0.4,-1.2E19}
```

In Bin base mode:

**Important:** Zero, not the letter O.

```
-0b100101
0b11111111111111111111111111111111▶
```

To see the entire result, press  $\blacktriangle$  and then use  $\blacktriangleleft$  and  $\blacktriangleright$  to move the cursor.

## % (percent)

  keys

$Value1\% \Rightarrow value$

$List1\% \Rightarrow list$

$Matrix1\% \Rightarrow matrix$

argument

Returns **100**

For a list or matrix, returns a list or matrix with each element divided by 100.

**Note:** To force an approximate result,

**Handheld:** Press  .

**Windows®:** Press **Ctrl+Enter**.

**Macintosh®:** Press **⌘+Enter**.

**iPad®:** Hold **enter**, and select .

```
13%                                0.13
-----
{{1,10,100}}%                    {0.01,0.1,1.}
```

## = (equal)

 key

$Expr1=Expr2 \Rightarrow Boolean\ expression$

$List1=List2 \Rightarrow Boolean\ list$

$Matrix1=Matrix2 \Rightarrow Boolean\ matrix$

Returns true if  $Expr1$  is determined to be equal to  $Expr2$ .

Returns false if  $Expr1$  is determined to not be equal to  $Expr2$ .

Anything else returns a simplified form of the equation.

Example function that uses maths test symbols: =, ≠, <, ≤, >, ≥

## = (equal)



For lists and matrices, returns comparisons element by element.


**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define  $g(x)=$ Func

```
If  $x \leq -5$  Then  
Return 5  
ElseIf  $x > -5$  and  $x < 0$  Then  
Return  $-x$   
ElseIf  $x \geq 0$  and  $x \neq 10$  Then  
Return  $x$   
ElseIf  $x = 10$  Then  
Return 3  
EndIf  
EndFunc
```

Done

Result of graphing  $g(x)$



## ≠ (not equal)



$Expr1 \neq Expr2 \Rightarrow$  Boolean expression

See “=” (equal) example.

$List1 \neq List2 \Rightarrow$  Boolean list

$Matrix1 \neq Matrix2 \Rightarrow$  Boolean matrix

Returns true if  $Expr1$  is determined to be not equal to  $Expr2$ .

Returns false if  $Expr1$  is determined to be equal to  $Expr2$ .

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

## $\neq$ (not equal)

  keys

**Note:** You can insert this operator from the keyboard by typing  $\neq$

## $<$ (less than)

  keys

$Expr1 < Expr2 \Rightarrow$  Boolean expression

See “=” (equal) example.

$List1 < List2 \Rightarrow$  Boolean list

$Matrix1 < Matrix2 \Rightarrow$  Boolean matrix

Returns true if  $Expr1$  is determined to be less than  $Expr2$ .

Returns false if  $Expr1$  is determined to be greater than or equal to  $Expr2$ .

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

## $\leq$ (less or equal)

  keys

$Expr1 \leq Expr2 \Rightarrow$  Boolean expression

See “=” (equal) example.

$List1 \leq List2 \Rightarrow$  Boolean list

$Matrix1 \leq Matrix2 \Rightarrow$  Boolean matrix

Returns true if  $Expr1$  is determined to be less than or equal to  $Expr2$ .

Returns false if  $Expr1$  is determined to be greater than  $Expr2$ .

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

**Note:** You can insert this operator from the keyboard by typing  $\leq$

## > (greater than)

  keys

$Expr1 > Expr2 \Rightarrow$  Boolean expression

See “=” (equal) example.

$List1 > List2 \Rightarrow$  Boolean list

$Matrix1 > Matrix2 \Rightarrow$  Boolean matrix

Returns true if  $Expr1$  is determined to be greater than  $Expr2$ .

Returns false if  $Expr1$  is determined to be less than or equal to  $Expr2$ .

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

## $\geq$ (greater or equal)

  keys

$Expr1 \geq Expr2 \Rightarrow$  Boolean expression

See “=” (equal) example.

$List1 \geq List2 \Rightarrow$  Boolean list

$Matrix1 \geq Matrix2 \Rightarrow$  Boolean matrix

Returns true if  $Expr1$  is determined to be greater than or equal to  $Expr2$ .

Returns false if  $Expr1$  is determined to be less than  $Expr2$ .

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

**Note:** You can insert this operator from the keyboard by typing  $\geq$

**⇒ (logical implication)**

ctrl [=] keys

*BooleanExpr1* ⇒ *BooleanExpr2*  
returns *Boolean expression*

$5 > 3$ or $3 > 5$	true
--------------------	------

*BooleanList1* ⇒ *BooleanList2* returns  
*Boolean list*

$5 > 3$ ⇒ $3 > 5$	false
-------------------	-------

3 or 4	7
--------	---

$3 \Rightarrow 4$	-4
-------------------	----

*BooleanMatrix1* ⇒ *BooleanMatrix2*  
returns *Boolean matrix*

$\{1,2,3\}$ or $\{3,2,1\}$	$\{3,2,3\}$
----------------------------	-------------

$\{1,2,3\} \Rightarrow \{3,2,1\}$	$\{-1,-1,-3\}$
-----------------------------------	----------------

*Integer1* ⇒ *Integer2* returns *Integer*

Evaluates the expression **not** <argument1> **or** <argument2> and returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

**Note:** You can insert this operator from the keyboard by typing =>

**⇔ (logical double implication, XNOR)**

ctrl [=] keys

*BooleanExpr1* ⇔ *BooleanExpr2*  
returns *Boolean expression*

$5 > 3$ xor $3 > 5$	true
---------------------	------

*BooleanList1* ⇔ *BooleanList2* returns  
*Boolean list*

$5 > 3$ ⇔ $3 > 5$	false
-------------------	-------

3 xor 4	7
---------	---

$3 \Leftrightarrow 4$	-8
-----------------------	----

*BooleanMatrix1* ⇔ *BooleanMatrix2*  
returns *Boolean matrix*

$\{1,2,3\}$ xor $\{3,2,1\}$	$\{2,0,2\}$
-----------------------------	-------------

$\{1,2,3\} \Leftrightarrow \{3,2,1\}$	$\{-3,-1,-3\}$
---------------------------------------	----------------

*Integer1* ⇔ *Integer2* returns *Integer*

Returns the negation of an **XOR** Boolean operation on the two arguments. Returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

**Note:** You can insert this operator from the keyboard by typing <=>

## ! (factorial)

  key

*Value!* ⇒ *value*

5! 120

*List!* ⇒ *list*

$\{\{5,4,3\}\}!$   $\{120,24,6\}$

*Matrix!* ⇒ *matrix*

$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}!$   $\begin{bmatrix} 1 & 2 \\ 6 & 24 \end{bmatrix}$

Returns the factorial of the argument.

For a list or matrix, returns a list or matrix of factorials of the elements.

## & (append)

  keys


*String1* & *String2* ⇒ *string*

"Hello "&"Nick"

"Hello Nick"

Returns a text string that is *String2* appended to *String1*.

## d() (derivative)

Catalogue > 

*d(Expr1, Var[, Order])* | *Var=Value* ⇒ *value*

$\frac{d}{dx}(|x|)_{x=0}$  undef

*d(Expr1, Var[, Order])* ⇒ *value*

$x:=0: \frac{d}{dx}(|x|)$  undef

*d(List1, Var[, Order])* ⇒ *list*

$x:=3: \frac{d}{dx}(\{x^2, x^3, x^4\})$   $\{6, 27, 108\}$

*d(Matrix1, Var[, Order])* ⇒ *matrix*

Except when using the first syntax, you must store a numeric value in variable *Var* before evaluating *d()*. Refer to the examples.

*d()* can be used for calculating first and second order derivative at a point numerically, using auto differentiation methods.

*Order*, if included, must be **1** or **2**. The default is **1**.

**Note:** You can insert this function from the keyboard by typing **derivative** (...).

**Note:** See also **First derivative**, page 5 or **Second derivative**, page 5.

## $d()$ (derivative)

Catalogue &gt;

Note: The  $d()$  algorithm has a limitation: it works recursively through the unsimplified expression, computing the numeric value of the first derivative (and second, if applicable) and the evaluation of each subexpression, which may lead to an unexpected result.

Consider the example on the right. The first derivative of  $x \cdot (x^2+x)^{1/3}$  at  $x=0$  is equal to 0. However, because the first derivative of the subexpression  $(x^2+x)^{1/3}$  is undefined at  $x=0$ , and this value is used to calculate the derivative of the total expression,  $d()$  reports the result as undefined and displays a warning message.

If you encounter this limitation, verify the solution graphically. You can also try using `centralDiff()`.

$\frac{d}{dx} \left( x \cdot (x^2+x)^{\frac{1}{3}} \right) \Big _{x=0}$	undef
$\text{centralDiff} \left( x \cdot (x^2+x)^{\frac{1}{3}}, x \right) \Big _{x=0}$	0.000033

## $\int()$ (integral)

Catalogue &gt;

$\int(\text{Expr1}, \text{Var}, \text{Lower}, \text{Upper}) \Rightarrow \text{value}$

Returns the integral of  $\text{Expr1}$  with respect to the variable  $\text{Var}$  from  $\text{Lower}$  to  $\text{Upper}$ . Can be used to calculate the definite integral numerically, using the same method as `nInt()`.

**Note:** You can insert this function from the keyboard by typing `integral (...)`.

**Note:** See also `nInt()`, page 103, and [Definiteintegral template](#), page 6.

$\int_0^1 x^2 dx$	0.333333
-------------------	----------

## $\sqrt{}$ (square root)

keys

$\sqrt{\text{Value1}} \Rightarrow \text{value}$

$\sqrt{4}$	2
------------	---

$\sqrt{\text{List1}} \Rightarrow \text{list}$

$\sqrt{\{9,2,4\}}$	$\{3,1.41421,2\}$
--------------------	-------------------

Returns the square root of the argument.



## $\sqrt{()}$ (square root)

ctrl x<sup>2</sup> keys

For a list, returns the square roots of all the elements in *List1*.

**Note:** You can insert this function from the keyboard by typing `sqrt (...)`

**Note:** See also **Square root template**, page 1.

## $\prod{()}$ (prodSeq)

Catalogue >

$\prod(\text{Expr1}, \text{Var}, \text{Low}, \text{High}) \Rightarrow$   
*expression*

**Note:** You can insert this function from the keyboard by typing `prodSeq (...)`.

Evaluates *Expr1* for each value of *Var* from *Low* to *High*, and returns the product of the results.

**Note:** See also **Product template ( $\prod$ )**, page 5.

$\prod(\text{Expr1}, \text{Var}, \text{Low}, \text{Low}-1) \Rightarrow 1$

$\prod(\text{Expr1}, \text{Var}, \text{Low}, \text{High}) \Rightarrow 1/\prod$   
 $(\text{Expr1}, \text{Var}, \text{High}+1, \text{Low}-1)$  if  $\text{High} <$   
 $\text{Low}-1$

The product formulas used are derived from the following reference:

Ronald L. Graham, Donald E. Knuth, and Oren Patashnik. *Concrete Mathematics: A Foundation for Computer Science*. Reading, Massachusetts: Addison-Wesley, 1994.

$$\prod_{n=1}^5 \left( \frac{1}{n} \right) \qquad \frac{1}{120}$$

$$\prod_{n=1}^5 \left( \left\{ \frac{1}{n}, n, 2 \right\} \right) \qquad \left\{ \frac{1}{120}, 120, 32 \right\}$$

$$\prod_{k=4}^3 (k) \qquad 1$$

$$\prod_{k=4}^1 \left( \frac{1}{k} \right) \qquad 6$$

$$\prod_{k=4}^1 \left( \frac{1}{k} \right) \cdot \prod_{k=2}^4 \left( \frac{1}{k} \right) \qquad \frac{1}{4}$$

## $\Sigma{()}$ (sumSeq)


Catalogue >

$\Sigma(\text{Expr1}, \text{Var}, \text{Low}, \text{High}) \Rightarrow$   
*expression*

**Note:** You can insert this function from the keyboard by typing `sumSeq (...)`.

$$\sum_{n=1}^5 \left( \frac{1}{n} \right) \qquad \frac{137}{60}$$

## $\Sigma()$ (sumSeq)

Catalogue > 

Evaluates *Expr1* for each value of *Var* from *Low* to *High*, and returns the sum of the results.

**Note:** See also **Sum template**, page 5.

$$\Sigma(\text{Expr1}, \text{Var}, \text{Low}, \text{Low}-1) \Rightarrow 0$$

$$\Sigma(\text{Expr1}, \text{Var}, \text{Low}, \text{High}) \Rightarrow \mu$$

$$\Sigma(\text{Expr1}, \text{Var}, \text{High}+1, \text{Low}-1) \text{ if } \text{High} < \text{Low}-1$$

The summation formulas used are derived from the following reference:


Ronald L. Graham, Donald E. Knuth, and Oren Patashnik. *Concrete Mathematics: A Foundation for Computer Science*. Reading, Massachusetts: Addison-Wesley, 1994.

$$\sum_{k=4}^3 (k) = 0$$

$$\sum_{k=4}^1 (k) = -5$$

$$\sum_{k=4}^1 (k) + \sum_{k=2}^4 (k) = 4$$

## $\Sigma\text{Int}()$

Catalogue > 

$\Sigma\text{Int}(\text{NPmt1}, \text{NPmt2}, \text{N}, \text{I}, \text{PV}, [\text{Pmt}], [\text{FV}], [\text{PpY}], [\text{CpY}], [\text{PmtAt}], [\text{roundValue}]) \Rightarrow \text{value}$

$\Sigma\text{Int}(\text{NPmt1}, \text{NPmt2}, \text{amortTable}) \Rightarrow \text{value}$

Amortization function that calculates the sum of the interest during a specified range of payments.

*NPmt1* and *NPmt2* define the start and end boundaries of the payment range.

*N*, *I*, *PV*, *Pmt*, *FV*, *PpY*, *CpY*, and *PmtAt* are described in the table of TVM arguments, page 163.

- If you omit *Pmt*, it defaults to **Pmt=tvmPmt(N,I,PV,FV,PpY,CpY,PmtAt)**.
- If you omit *FV*, it defaults to *FV*=0.
- The defaults for *PpY*, *CpY*, and *PmtAt* are the same as for the TVM functions.

$$\Sigma\text{Int}(1,3,12,4.75,20000,,12,12) = -213.48$$

<i>tbl:=amortTbl(12,12,4.75,20000,,12,12)</i>				
0	0.	0.	20000.	
1	-77.49	-1632.43	18367.6	
2	-71.17	-1638.75	16728.8	
3	-64.82	-1645.1	15083.7	
4	-58.44	-1651.48	13432.2	
5	-52.05	-1657.87	11774.4	
6	-45.62	-1664.3	10110.1	
7	-39.17	-1670.75	8439.32	
8	-32.7	-1677.22	6762.1	
9	-26.2	-1683.72	5078.38	
10	-19.68	-1690.24	3388.14	
11	-13.13	-1696.79	1691.35	
12	-6.55	-1703.37	-12.02	

$$\Sigma\text{Int}(1,3,\text{tbl}) = -213.48$$

*roundValue* specifies the number of decimal places for rounding. Default=2.

$\Sigma\text{Int}(NPmt1, NPmt2, amortTable)$  calculates the sum of the interest based on amortization table *amortTable*. The *amortTable* argument must be a matrix in the form described under **amortTbl()**, page 7.

**Note:** See also  $\Sigma\text{Prn}()$ , below, and **Bal()**, page 15.

$\Sigma\text{Prn}(NPmt1, NPmt2, N, I, PV, [Pmt], [FV], [PpY], [CpY], [PmtAt], [roundValue]) \Rightarrow value$

$\Sigma\text{Prn}(1,3,12,4.75,20000,,12,12)$       -4916.28

$\Sigma\text{Prn}(NPmt1, NPmt2, amortTable) \Rightarrow value$

*tbl:=amortTbl(12,12,4.75,20000,,12,12)*

Amortization function that calculates the sum of the principal during a specified range of payments.

*NPmt1* and *NPmt2* define the start and end boundaries of the payment range.

*N, I, PV, Pmt, FV, PpY, CpY, and PmtAt* are described in the table of TVM arguments, page 163.

- If you omit *Pmt*, it defaults to **Pmt=tvmpmt** (*N,I,PV,FV,PpY,CpY,PmtAt*).
- If you omit *FV*, it defaults to *FV=0*.
- The defaults for *PpY, CpY, and PmtAt* are the same as for the TVM functions.

0	0.	0.	20000.
1	-77.49	-1632.43	18367.57
2	-71.17	-1638.75	16728.82
3	-64.82	-1645.1	15083.72
4	-58.44	-1651.48	13432.24
5	-52.05	-1657.87	11774.37
6	-45.62	-1664.3	10110.07
7	-39.17	-1670.75	8439.32
8	-32.7	-1677.22	6762.1
9	-26.2	-1683.72	5078.38
10	-19.68	-1690.24	3388.14
11	-13.13	-1696.79	1691.35
12	-6.55	-1703.37	-12.02

$\Sigma\text{Prn}(1,3,tbl)$       -4916.28

*roundValue* specifies the number of decimal places for rounding. Default=2.

$\Sigma\text{Prn}(NPmt1, NPmt2, amortTable)$  calculates the sum of the principal paid based on amortization table *amortTable*. The *amortTable* argument must be a matrix in the form described under **amortTbl()**, page 7.

**Note:** See also  $\Sigma$ Int(), above, and Bal(), page 15.

**# (indirection)**  **keys**# *varNameString*

Refers to the variable whose name is *varNameString*. This lets you use strings to create variable names from within a function.

$xyz:=12$	12
$\#("x"&"y"&"z")$	12

Creates or refers to the variable xyz .

$10 \rightarrow r$	10
$"r" \rightarrow s1$	"r"
$\#s1$	10

Returns the value of the variable (r) whose name is stored in variable s1.

**E (scientific notation)** **key***mantissaEexponent*

Enters a number in scientific notation. The number is interpreted as *mantissa*  $\times$   $10^{\text{exponent}}$ .

23000.	23000.
2300000000.+4.1E15	4.1E15
$3 \cdot 10^4$	30000

Hint: If you want to enter a power of 10 without causing a decimal value result, use  $10^{\text{integer}}$ .

**Note:** You can insert this operator from the computer keyboard by typing  $\text{EE}$ . For example, type 2.3 $\text{EE}$ 4 to enter 2.3E4.

**g (gradian)** **key***ExprI*g  $\Rightarrow$  *expression**ListI*g  $\Rightarrow$  *list**MatrixI*g  $\Rightarrow$  *matrix*

In Degree, Gradian or Radian mode:

$\cos(50^g)$	0.707107
$\cos(\{0,100^g,200^g\})$	{1,0.,-1.}

## g (gradian)

1 key

This function gives you a way to specify a gradian angle while in the Degree or Radian mode.

In Radian angle mode, multiplies  $Expr1$  by  $\pi/200$ .

In Degree angle mode, multiplies  $Expr1$  by  $g/100$ .

In Gradian mode, returns  $Expr1$  unchanged.

**Note:** You can insert this symbol from the computer keyboard by typing @g.

## r(radian)

1 key

$Value1r \Rightarrow value$

$List1r \Rightarrow list$

$Matrix1r \Rightarrow matrix$

This function gives you a way to specify a radian angle while in Degree or Gradian mode.

In Degree angle mode, multiplies the argument by  $180/\pi$ .

In Radian angle mode, returns the argument unchanged.

In Gradian mode, multiplies the argument by  $200/\pi$ .

Hint: Use  $r$  if you want to force radians in a function definition regardless of the mode that prevails when the function is used.

**Note:** You can insert this symbol from the computer keyboard by typing @x.

In Degree, Gradian or Radian angle mode:

$\cos\left(\frac{\pi}{4r}\right)$	0.707107
$\cos\left(\left\{0r, \left(\frac{\pi}{12}\right)r, -(\pi)r\right\}\right)$	{1,0.965926,-1.}

## ° (degree)

1 key

$Value1^\circ \Rightarrow value$

In Degree, Gradian or Radian angle mode:

## ° (degree)

 **1** key

$List1^\circ \Rightarrow list$

$Matrix1^\circ \Rightarrow matrix$

This function gives you a way to specify a degree angle while in Gradian or Radian mode.

In Radian angle mode, multiplies the argument by  $\pi/180$ .

In Degree angle mode, returns the argument unchanged.

In Gradian angle mode, multiplies the argument by  $10/9$ .

**Note:** You can insert this symbol from the computer keyboard by typing @d.

---

$$\cos(45^\circ) \qquad 0.707107$$

---


In Radian angle mode:

**Note:** To force an approximate result,

**Handheld:** Press  .

**Windows®:** Press **Ctrl+Enter**.

**Macintosh®:** Press **⌘+Enter**.

**iPad®:** Hold **enter**, and select .

## ° , ' , " (degree/minute/second)

  keys

$dd^\circ mm'ss.ss'' \Rightarrow expression$

*dd* A positive or negative number

*mm* A non-negative number

*ss.ss* A non-negative number

Returns  $dd+(mm/60)+(ss.ss/3600)$ .

This base-60 entry format lets you:

- Enter an angle in degrees/minutes/seconds without regard to the current angle mode.
- Enter time as hours/minutes/seconds.

**Note:** Follow *ss.* with two apostrophes (""), not a quote symbol (").

In Degree angle mode:

---

$$25^\circ 13' 17.5'' \qquad 25.2215$$

---

$$25^\circ 30' \qquad \frac{51}{2}$$

---

## ∠ (angle)

  keys

$[Radius, \angle \theta \_Angle] \Rightarrow vector$   
(polar input)

$[Radius, \angle \theta \_Angle, Z\_Coordinate] \Rightarrow vector$   
(cylindrical input)

In Radian mode and vector format set to: rectangular

---

$$[5 \ \angle 60^\circ \ \angle 45^\circ]$$

---

$$[1.76777 \ 3.06186 \ 3.53553]$$

---

## ∠ (angle)

ctrl  keys

[*Radius*, ∠ *θ* *Angle*, ∠ *θ* *Angle*] ⇒  
vector  
(spherical input)

Returns coordinates as a vector depending on the Vector Format mode setting: rectangular, cylindrical, or spherical.

**Note:** You can insert this symbol from the computer keyboard by typing @<.

(*Magnitude*∠ *Angle*) ⇒ *complexValue*  
(polar input)

Enters a complex value in (*r*∠ *θ*) polar form. The *Angle* is interpreted according to the current Angle mode setting.

cylindrical

$$\begin{array}{l} [5 \ \angle 60^\circ \ \angle 45^\circ] \\ \hline [3.53553 \ \angle 1.0472 \ 3.53553] \end{array}$$

spherical

$$\begin{array}{l} [5 \ \angle 60^\circ \ \angle 45^\circ] \\ \hline [5. \ \angle 1.0472 \ \angle 0.785398] \end{array}$$


In Radian angle mode and Rectangular complex format:

$$\begin{array}{l} 5+3 \cdot i - \left( 10 \ \angle \frac{\pi}{4} \right) \\ \hline -2.07107 - 4.07107 \cdot i \end{array}$$

## \_ (underscore as an empty element)

See “Empty (Void) Elements,” page 215.

## 10^( )

Catalogue > 

10^ (*Value*) ⇒ *value*

$$\begin{array}{l} 10^{1.5} \\ \hline 31.6228 \end{array}$$

10^ (*List*) ⇒ *list*

Returns 10 raised to the power of the argument.

For a list, returns 10 raised to the power of the elements in *List*.

10^ (*squareMatrix*) ⇒ *squareMatrix*

Returns 10 raised to the power of *squareMatrix*. This is not the same as calculating 10 raised to the power of each element. For information about the calculation method, refer to **cos()**.

$$\begin{array}{l} 10^{\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}} \\ \hline \begin{bmatrix} 1.14336\text{E}7 & 8.17155\text{E}6 & 6.67589\text{E}6 \\ 9.95651\text{E}6 & 7.11587\text{E}6 & 5.81342\text{E}6 \\ 7.65298\text{E}6 & 5.46952\text{E}6 & 4.46845\text{E}6 \end{bmatrix} \end{array}$$

*squareMatrix* must be diagonalizable. The result always contains floating-point numbers.

## ^-1 (reciprocal)

Catalogue > 

*Value1* ^-1 ⇒ *value*

$$(3.1)^{-1}$$

0.322581

*List1* ^-1 ⇒ *list*

Returns the reciprocal of the argument.

For a list, returns the reciprocals of the elements in *List1*.

*squareMatrix1* ^-1 ⇒ *squareMatrix*

Returns the inverse of *squareMatrix1*.

*squareMatrix1* must be a non-singular square matrix.

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-1}$	$\begin{bmatrix} -2 & 1 \\ 3 & -1 \\ 2 & 2 \end{bmatrix}$
---	---

## | (constraint operator)

  **keys**

*Expr* | *BooleanExpr1* [**and** *BooleanExpr2*]...

$$x+1|x=3$$

4

$$x+55|x=\sin(55)$$

54.0002

*Expr* | *BooleanExpr1* [**or** *BooleanExpr2*]...

The constraint (“|”) symbol serves as a binary operator. The operand to the left of | is an expression. The operand to the right of | specifies one or more relations that are intended to affect the simplification of the expression. Multiple relations after | must be joined by logical “and” or “or” operators.

The constraint operator provides three basic types of functionality:

- Substitutions
- Interval constraints
- Exclusions

Substitutions are in the form of an equality, such as  $x=3$  or  $y=\sin(x)$ . To be most effective, the left side should be a simple variable. *Expr* | *Variable* = *value* will substitute *value* for every occurrence of *Variable* in *Expr*.

$$x^3-2\cdot x+7 \rightarrow f(x)$$

Done

$$f(x)|x=\sqrt{3}$$

8.73205




## | (constraint operator)

ctrl  keys

Interval constraints take the form of one or more inequalities joined by logical “and” or “or” operators. Interval constraints also permit simplification that otherwise might be invalid or not computable.

$\text{nSolve}(x^3+2\cdot x^2-15\cdot x=0,x)$	0.
$\text{nSolve}(x^3+2\cdot x^2-15\cdot x=0,x),x>0 \text{ and } x<5$	3.



Exclusions use the “not equals” ( $\neq$  or  $\neq$ ) relational operator to exclude a specific value from consideration.

## → (store)

ctrl var key

*Value* → *Var*

$\frac{\pi}{4} \rightarrow \text{myvar}$	0.785398
--	----------

*List* → *Var*

*Matrix* → *Var*

$2 \cdot \cos(x) \rightarrow y1(x)$	Done
$\{1,2,3,4\} \rightarrow \text{lst5}$	$\{1,2,3,4\}$

*Expr* → *Function(Param1,...)*

$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \rightarrow \text{matg}$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$
--	--

*List* → *Function(Param1,...)*

"Hello" → <i>str1</i>	"Hello"
-----------------------	---------

*Matrix* → *Function(Param1,...)*

If the variable *Var* does not exist, creates it and initializes it to *Value*, *List*, or *Matrix*.

If the variable *Var* already exists and is not locked or protected, replaces its contents with *Value*, *List*, or *Matrix*.

**Note:** You can insert this operator from the keyboard by typing =: as a shortcut. For example, type  $\text{pi}/4 =: \text{myvar}$ .

**:= (assign)**ctrl  keys*Var := Value**Var := List**Var := Matrix**Function(Param1,...) := Expr**Function(Param1,...) := List**Function(Param1,...) := Matrix*

If variable *Var* does not exist, creates *Var* and initializes it to *Value*, *List*, or *Matrix*.

If *Var* already exists and is not locked or protected, replaces its contents with *Value*, *List*, or *Matrix*.

$myvar := \frac{\pi}{4}$	.785398
$y1(x) := 2 \cdot \cos(x)$	Done
$lst5 := \{1, 2, 3, 4\}$	$\{1, 2, 3, 4\}$
$matg := \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$
$str1 := "Hello"$	"Hello"

**© (comment)**ctrl  keys© [*text*]

© processes *text* as a comment line, allowing you to annotate functions and programs that you create.

© can be at the beginning or anywhere in the line. Everything to the right of ©, to the end of the line, is the comment.

**Note for entering the example:** For instructions on entering multi-line programme and function definitions, refer to the Calculator section of your product guidebook.

Define  $g(n) = \text{Func}$ 

© Declare variables

Local *i, result**result* := 0For *i*, 1, *n*, 1 © Loop *n* times*result* := *result* +  $i^2$ 

EndFor

Return *result*

EndFunc

$g(3)$	Done 14
--------	------------

**Ob, Oh** keys,  keys**Ob** *binaryNumber***Oh** *hexadecimalNumber*

Denotes a binary or hexadecimal number, respectively. To enter a binary or hex number, you must enter the Ob or Oh prefix regardless of the Base mode. Without a prefix, a number is treated as decimal (base 10).

In Dec base mode:

$0b10 + 0hF + 10$	27
-------------------	----

In Bin base mode:

$0b10 + 0hF + 10$	0b11011
-------------------	---------

Results are displayed according to the Base mode.

In Hex base mode:

---

0b10+0hF+10

---

0h1B

---

## TI-Nspire™ CX II - Draw Commands

This is a supplemental document for the TI-Nspire™ Reference Guide and the TI-Nspire™ CAS Reference Guide. All TI-Nspire™ CX II commands will be incorporated and published in version 5.1 of the TI-Nspire™ Reference Guide and the TI-Nspire™ CAS Reference Guide.

### Graphics Programming

New commands have been added on TI-Nspire™ CX II Handhelds and TI-Nspire™ desktop applications for graphics programming.

The TI-Nspire™ CX II Handhelds will switch into this graphics mode while executing graphics commands and switch back to the context in which the program was executed after completion of the program.

The screen will display “Running...” in the top bar while the program is being executed. It will show “Finished” when the program completes. Any key-press will transition the system out of the graphics mode.

- The transition to graphics mode is triggered automatically when one of the Draw (graphics) commands is encountered during execution of the TI-Basic program.
- This transition will only happen when executing a program from calculator; in a document or calculator in scratchpad.
- The transition out of graphics mode happens upon termination of the program.
- The graphics mode is only available on the TI-Nspire™ CX II Handhelds and the desktop TI-Nspire™ CX II Handhelds view. This means it is not available in the computer document view on the desktop nor on iOS.
  - If a graphics command is encountered while executing a TI-Basic program from the incorrect context, an error message is displayed and the TI-Basic program is terminated.

### Graphics Screen

The graphics screen will contain a header at the top of the screen that cannot be written to by graphics commands.

The graphics screen drawing area will be cleared (colour = 255,255,255) when the graphics screen is initialized.





Graphics Screen	Default
Height	212
Width	318
Colour	white: 255,255,255

## ***Default View and Settings***

- The status icons in the top bar (battery status, press-to-test status, network indicator etc.) will not be visible while a graphics program is running.
- Default drawing colour: Black (0,0,0)
- Default pen style - normal, smooth
  - Thickness: 1 (thin), 2 (normal), 3 (thickest)
  - Style: 1 (smooth), 2 (dotted), 3 (dashed)
- All drawing commands will use the current colour and pen settings; either default values or those which were set via TI-Basic commands.
- Text font is fixed and cannot be changed.
- Any output to the graphics screen will be drawn within a clipping window which is the size of the graphics screen drawing area. Any drawn output that extends outside of this clipped graphics screen drawing area will not be drawn. No error message will be displayed.
- All x,y coordinates specified for drawing commands are defined such that 0,0 is at the top left corner of the graphics screen drawing area.
  - **Exceptions:**
    - **DrawText** uses the coordinates as the bottom left corner of the bounding box for the text.
    - **SetWindow** uses the bottom left corner of the screen
- All parameters for the commands can be provided as expressions that evaluate to a number which is then rounded to the nearest integer.

## Graphics Screen Errors Messages

If the validation fails, an error message will display.

Error Message	Description	View
Error Syntax	If the syntax checker finds any syntax errors, it displays an error message and tries to position the cursor near the first error so you can correct it.	
Error Too few arguments	The function or command is missing one or more arguments	
Error Too many arguments	The function or command contains and excessive number of arguments and cannot be evaluated.	
Error Invalid data type	An argument is of the wrong data type.	

## Invalid Commands While in Graphics Mode

Some commands are not allowed once the program switches to graphics mode. If these commands are encountered while in graphics mode an error will be displayed and the program will be terminated.

Disallowed Command	Error Message
<b>Request</b>	Request cannot be executed in graphics mode
<b>RequestStr</b>	RequestStr cannot be executed in graphics mode
<b>Text</b>	Text cannot be executed in graphics mode

The commands that print text to the calculator - **disp** and **dispAt** - will be supported commands in the graphics context. The text from these commands will be sent to the Calculator screen (not on Graphics) and will be visible after the program exits and the system switches back to the Calculator app

## C

### Clear

Catalogue >   
CXII

**Clear** *x, y, width, height*

Clear

Clears entire screen if no parameters are specified.

Clears entire screen

If *x, y, width* and *height* are specified, the rectangle defined by the parameters will be cleared.

Clear 10,10,100,50

Clears a rectangle area with top left corner on (10, 10) and with width 100, height 50

## D

### DrawArc

Catalogue >   
CXII

**DrawArc**  $x, y, width, height, startAngle, arcAngle$

Draw an arc within the defined bounding rectangle with the provided start and arc angles.

$x, y$ : upper left coordinate of bounding rectangle

$width, height$ : dimensions of bounding rectangle


The "arc angle" defines the sweep of the arc.

These parameters can be provided as expressions that evaluate to a number which is then rounded to the nearest integer.

DrawArc 20,20,100,100,0,90



DrawArc 50,50,100,100,0,180



See Also: [FillArc](#)

### DrawCircle


Catalogue >   
CXII

**DrawCircle**  $x, y, radius$

$x, y$ : coordinate of centre

$radius$ : radius of the circle

DrawCircle 150,150,40



See Also: [FillCircle](#)



## DrawLine

Catalogue >   
CXII


**DrawLine**  $x1, y1, x2, y2$

Draw a line from  $x1, y1, x2, y2$ .

Expressions that evaluate to a number which is then rounded to the nearest integer.

**Screen bounds:** If the specified coordinates causes any part of the line to be drawn outside of the graphics screen, that part of the line will be clipped and no error message will be displayed.

DrawLine 10,10,150,200



## DrawPoly

Catalogue >   
CXII

The commands have two variants:

**DrawPoly**  $xlist, ylist$

or

**DrawPoly**  $x1, y1, x2, y2, x3, y3...xn, yn$

**Note:** DrawPoly  $xlist, ylist$

Shape will connect  $x1, y1$  to  $x2, y2, x2, y2$  to  $x3, y3$  and so on.

**Note:** DrawPoly  $x1, y1, x2, y2, x3, y3...xn, yn$  will **NOT** be automatically connected to  $x1, y1$ .

Expressions that evaluate to a list of real floats  
 $xlist, ylist$


Expressions that evaluate to a single real float  
 $x1, y1...xn, yn =$  coordinates for vertices of polygon

**Note:** DrawPoly: Input size dimensions (width/height) relative to drawn lines.


The lines are drawn in a bounding box around the specified coordinate and dimensions such that the actual size of the drawn polygon will be larger than the width and height.

See Also: [FillPoly](#)

$xlist:={0,200,150,0}$   
 $ylist:={10,20,150,10}$   
DrawPoly  $xlist,ylist$



DrawPoly  
 $0,10,200,20,150,150,0,10$



**DrawRect** *x, y, width, height*


*x, y*: upper left coordinate of rectangle

*width, height*: width and height of rectangle (rectangle drawn down and right from starting coordinate).

**Note:** The lines are drawn in a bounding box around the specified coordinate and dimensions such that the actual size of the drawn rectangle will be larger than the width and height indicated.

See Also: [FillRect](#)


DrawRect 25,25,100,50

**DrawText****DrawText** *x, y, exprOrString1 [,exprOrString2]...*

*x, y*: coordinate of text output

Draws the text in *exprOrString* at the specified *x, y* coordinate location.

The rules for *exprOrString* are the same as for **Disp** – **DrawText** can take multiple arguments.

DrawText 50,50,"Hello  
World"


**FillArc**Catalogue >   
CXII**FillArc** *x, y, width, height startAngle, arcAngle**x, y*: upper left coordinate of bounding rectangle

Draw and fill an arc within the defined bounding rectangle with the provided start and arc angles.

Default fill colour is black. The fill colour can be set by the [SetColor](#) command

The "arc angle" defines the sweep of the arc


FillArc 50,50,100,100,0,180

**FillCircle**Catalogue >   
CXII**FillCircle** *x, y, radius**x, y*: coordinate of centre

Draw and fill a circle at the specified centre with the specified radius.

Default fill colour is black. The fill colour can be set by the [SetColor](#) command.

FillCircle 150,150,40



Here!

**FillPoly**Catalogue >   
CXII**FillPoly** *xlist, ylist*


or


**FillPoly** *x1, y1, x2, y2, x3, y3...xn, yn***Note:** The line and colour are specified by [SetColor](#) and [SetPen](#)

xlist:={0,200,150,0}

ylist:={10,20,150,10}

FillPoly xlist,ylist

FillPoly  
0,10,200,20,150,150,0,10

**FillRect****FillRect** *x, y, width, height**x, y*: upper left coordinate of rectangle*width, height*: width and height of rectangleDraw and fill a rectangle with the top left corner at the coordinate specified by (*x,y*)Default fill colour is black. The fill colour can be set by the [SetColor](#) command**Note:** The line and colour are specified by [SetColor](#) and [SetPen](#)

FillRect 25,25,100,50



## G

### getPlatform()

Catalogue >   
CXII

#### getPlatform()

getPlatform()

"dt"

Returns:

"dt" on desktop software applications

"hh" on TI-Nspire™ CX handhelds

"ios" on TI-Nspire™ CX iPad® app

---

**PaintBuffer**

Paint graphics buffer to screen

This command is used in conjunction with UseBuffer to increase the speed of display on the screen when the program generates multiple graphical objects.

UseBuffer

```
For n,1,10
```

```
x:=randInt(0,300)
```

```
y:=randInt(0,200)
```

```
radius:=randInt(10,50)
```

```
Wait 0.5
```

```
DrawCircle x,y,radius
```

```
EndFor
```

PaintBuffer

This program will display all the 10 circles at once.


If the "UseBuffer" command is removed, each circle will be displayed as it is drawn.

See Also: [UseBuffer](#)

**PlotXY**  $x, y, shape$  $x, y$ : coordinate to plot shape $shape$ : a number between 1 and 13 specifying the shape

- 1 - Filled circle
- 2 - Empty circle
- 3 - Filled square
- 4 - Empty square
- 5 - Cross
- 6 - Plus
- 7 - Thin
- 8 - medium point, solid
- 9 - medium point, empty
- 10 - larger point, solid
- 11 - larger point, empty
- 12 - largest point, solid
- 13 - largest point, empty

PlotXY 100,100,1




For n,1,13

DrawText 1+22\*n,40,n

PlotXY 5+22\*n,50,n

EndFor




**SetColor**
 Catalogue >   
**CXII**
**SetColor**

Red-value, Green-value, Blue-value

Valid values for red, green and blue are between 0 and 255

Sets the colour for subsequent Draw commands

```
SetColor 255,0,0
DrawCircle 150,150,100
```

**SetPen**
 Catalogue >   
**CXII**
**SetPen**


thickness, style

thickness: 1 &lt;= thickness &lt;= 3 | 1 is thinnest, 3 is thickest

style: 1 = Smooth, 2 = Dotted, 3 = Dashed

Sets the pen style for subsequent Draw commands

```
SetPen 3,3
DrawCircle 150,150,50
```

**SetWindow**
 Catalogue >   
**CXII**
**SetWindow**

xMin, xMax, yMin, yMax

Establishes a logical window that maps to the graphics drawing area. All parameters are required.

If the part of drawn object is outside the window, the output will be clipped (not shown) and no error message is displayed.

```
SetWindow 0,160,0,120
will set the output window
to have 0,0 in the bottom
left corner with a width of
160 and a height of 120
DrawLine 0,0,100,100
SetWindow 0,160,0,120
SetPen 3,3
DrawLine 0,0,100,100
```




If  $x_{min}$  is greater than or equal to  $x_{max}$  or  $y_{min}$  is greater than or equal to  $y_{max}$ , an error message is shown.

Any objects drawn before a SetWindow command will not be re-drawn in the new configuration.

To reset the window parameters to the default, use:

SetWindow 0,0,0,0



**UseBuffer**

Draw to an off screen graphics buffer instead of screen (to increase performance)

This command is used in conjunction with PaintBuffer to increase the speed of display on the screen when the program generates multiple graphical objects.

With UseBuffer, all the graphics are displayed only after the next PaintBuffer command is executed.

UseBuffer only needs to be called once in the program i.e. every use of PaintBuffer does not need a corresponding UseBuffer

See Also: [PaintBuffer](#)

UseBuffer

```
For n,1,10
```

```
x:=randInt(0,300)
```

```
y:=randInt(0,200)
```

```
radius:=randInt(10,50)
```

```
Wait 0.5
```

```
DrawCircle x,y,radius
```

```
EndFor
```

```
PaintBuffer
```

This program will display all the 10 circles at once.



If the "UseBuffer" command is removed, each circle will be displayed as it is drawn.

## Empty (Void) Elements

When analyzing real-world data, you might not always have a complete data set. TI-Nspire™ Software allows empty, or void, data elements so you can proceed with the nearly complete data rather than having to start over or discard the incomplete cases.

You can find an example of data involving empty elements in the Lists & Spreadsheet chapter, under “Graphing spreadsheet data.”

The **delVoid()** function lets you remove empty elements from a list. The **isVoid()** function lets you test for an empty element. For details, see **delVoid()**, page 39, and **isVoid()**, page 76.

**Note:** To enter an empty element manually in a maths expression, type “\_” or the keyword **void**. The keyword **void** is automatically converted to a “\_” symbol when the expression is evaluated. To type “\_” on the handheld, press  .

### Calculations involving void elements

The majority of calculations involving a void input will produce a void result. See special cases below.

$\_$	$\_$
$\text{gcd}(100,\_)$	$\_$
$3+\_$	$\_$
$\{5,\_,10\}-\{3,6,9\}$	$\{2,\_,1\}$

### List arguments containing void elements

The following functions and commands ignore (skip) void elements found in list arguments.

**count**, **countIf**, **cumulativeSum**, **freqTable**→**list**, **frequency**, **max**, **mean**, **median**, **product**, **stDevPop**, **stDevSamp**, **sum**, **sumIf**, **varPop** and **varSamp**, as well as regression calculations, **OneVar**, **TwoVar** and **FiveNumSummary** statistics, confidence intervals and stat tests

$\text{sum}(\{2,\_,3,5,6,6\})$	16.6
$\text{median}(\{1,2,\_,\_,3\})$	2
$\text{cumulativeSum}(\{1,2,\_,4,5\})$	$\{1,3,\_,7,12\}$
$\text{cumulativeSum}\left(\begin{bmatrix} 1 & 2 \\ 3 & \_ \\ 5 & 6 \end{bmatrix}\right)$	$\begin{bmatrix} 1 & 2 \\ 4 & \_ \\ 9 & 8 \end{bmatrix}$

**SortA** and **SortD** move all void elements within the first argument to the bottom.

$\{5,4,3,\_,1\} \rightarrow \text{list1}$	$\{5,4,3,\_,1\}$
$\{5,4,3,2,1\} \rightarrow \text{list2}$	$\{5,4,3,2,1\}$
$\text{SortA list1,list2}$	Done
$\text{list1}$	$\{1,3,4,5,\_ \}$
$\text{list2}$	$\{1,3,4,5,2\}$

## List arguments containing void elements

In regressions, a void in an X or Y list introduces a void for the corresponding element of the residual.

$\{1,2,3,_,5\} \rightarrow list1$	$\{1,2,3,_,5\}$
$\{1,2,3,4,5\} \rightarrow list2$	$\{1,2,3,4,5\}$
SortD <i>list1,list2</i>	Done
<i>list1</i>	$\{5,3,2,1,_\}$
<i>list2</i>	$\{5,3,2,1,4\}$
<hr/>	
$l1:=\{1,2,3,4,5\}; l2:=\{2,_,3,5,6,6\}$	$\{2,_,3,5,6,6\}$
LinRegMx <i>l1,l2</i>	Done
<i>stat.Resid</i>	$\{0.434286,_, -0.862857, -0.011429, 0.44\}$
<i>stat.XReg</i>	$\{1,_,3,4,5\}$
<i>stat.YReg</i>	$\{2,_,3,5,6,6\}$
<i>stat.FreqReg</i>	$\{1,_,1,1,1,1\}$

An omitted category in regressions introduces a void for the corresponding element of the residual.

$l1:=\{1,3,4,5\}; l2:=\{2,3,5,6,6\}$	$\{2,3,5,6,6\}$
$cat:=\{"M","M","F","F"\}; incl:=\{"F"\}$	$\{"F"\}$
LinRegMx <i>l1,l2,1,cat,incl</i>	Done
<i>stat.Resid</i>	$\{_,_,0,0,0\}$
<i>stat.XReg</i>	$\{_,_,4,5\}$
<i>stat.YReg</i>	$\{_,_,5,6,6\}$
<i>stat.FreqReg</i>	$\{_,_,1,1,1\}$

A frequency of 0 in regressions introduces a void for the corresponding element of the residual.

$l1:=\{1,3,4,5\}; l2:=\{2,3,5,6,6\}$	$\{2,3,5,6,6\}$
LinRegMx <i>l1,l2,\{1,0,1,1\}</i>	Done
<i>stat.Resid</i>	$\{0.069231,_, -0.276923, 0.207692\}$
<i>stat.XReg</i>	$\{1,_,4,5\}$
<i>stat.YReg</i>	$\{2,_,5,6,6\}$
<i>stat.FreqReg</i>	$\{1,_,1,1,1\}$

## Shortcuts for Entering Maths Expressions

Shortcuts let you enter elements of maths expressions by typing instead of using the Catalogue or Symbol Palette. For example, to enter the expression  $\sqrt{6}$ , you can type **sqrt (6)** on the entry line. When you press **[enter]**, the expression **sqrt (6)** is changed to  $\sqrt{6}$ . Some shortcuts are useful from both the handheld and the computer keyboard. Others are useful primarily from the computer keyboard.

### From the Handheld or Computer Keyboard

To enter this:	Type this shortcut:
$\pi$	<b>pi</b>
$\theta$	<b>theta</b>
$\infty$	<b>infinity</b>
$\leq$	<b>&lt;=</b>
$\geq$	<b>&gt;=</b>
$\neq$	<b>/=</b>
$\Rightarrow$ (logical implication)	<b>=&gt;</b>
$\Leftrightarrow$ (logical double implication, XNOR)	<b>&lt;=&gt;</b>
$\rightarrow$ (store operator)	<b>=:</b>
$   $ (absolute value)	<b>abs (...)</b>
$\sqrt{\quad}$	<b>sqrt (...)</b>
$\Sigma()$ (Sum template)	<b>sumSeq (...)</b>
$\Pi()$ (Product template)	<b>prodSeq (...)</b>
$\sin^{-1}()$ , $\cos^{-1}()$ , ...	<b>arcsin (...)</b> , <b>arccos (...)</b> , ...
$\Delta\text{List}()$	<b>deltaList (...)</b>

### From the Computer Keyboard

To enter this:	Type this shortcut:
$i$ (imaginary constant)	<b>@i</b>
$e$ (natural log base e)	<b>@e</b>
$E$ (scientific notation)	<b>@E</b>
$T$ (transpose)	<b>@t</b>
$^{\circ}$ (radians)	<b>@r</b>
$^{\circ}$ (degrees)	<b>@d</b>
$g$ (gradians)	<b>@g</b>

---

To enter this:	Type this shortcut:
$\sphericalangle$ (angle)	@<
► (conversion)	@>
►Decimal, ►approxFraction() and so on.	@>Decimal, @>approxFraction () and so on.

---

# EOS™ (Equation Operating System) Hierarchy

This section describes the Equation Operating System (EOS™) that is used by the TI-Nspire™ maths and science learning technology. Numbers, variables and functions are entered in a simple, straightforward sequence. EOS™ software evaluates expressions and equations using parenthetical grouping and according to the priorities described below.

## Order of Evaluation

Level	Operator
1	Parentheses ( ), brackets [ ], braces { }
2	Indirection (#)
3	Function calls
4	Post operators: degrees-minutes-seconds ( <sup>°</sup> , ', " ), factorial (!), percentage (%), radian (ʳ), subscript ([ ]), transpose (ᵀ)
5	Exponentiation, power operator (^)
6	Negation (-)
7	String concatenation (&)
8	Multiplication (*), division (/)
9	Addition (+), subtraction (-)
10	Equality relations: equal (=), not equal (≠ or /≠), less than (<), less than or equal (≤ or <=), greater than (>), greater than or equal (≥ or >=)
11	Logical <b>not</b>
12	Logical <b>and</b>
13	Logical <b>or</b>
14	<b>xor, nor, nand</b>
15	Logical implication (⇒)
16	Logical double implication, XNOR (⇔)
17	Constraint operator (" ")
18	Store (→)

## Parentheses, Brackets and Braces

All calculations inside a pair of parentheses, brackets, or braces are evaluated first. For example, in the expression  $4(1+2)$ , EOS™ software first evaluates the portion of the expression inside the parentheses,  $1+2$ , and then multiplies the result, 3, by 4.

The number of opening and closing parentheses, brackets and braces must be the same within an expression or equation. If not, an error message is displayed that indicates

the missing element. For example,  $(1+2)/(3+4)$  will display the error message "Missing )."

**Note:** Because the TI-Nspire™ software allows you to define your own functions, a variable name followed by an expression in parentheses is considered a "function call" instead of implied multiplication. For example  $a(b+c)$  is the function  $a$  evaluated by  $b+c$ . To multiply the expression  $b+c$  by the variable  $a$ , use explicit multiplication:  $a*(b+c)$ .

### Indirection

The indirection operator (#) converts a string to a variable or function name. For example,  $\#("x"&"y"&"z")$  creates the variable name  $xyz$ . Indirection also allows the creation and modification of variables from inside a programme. For example, if  $10 \rightarrow r$  and  $"r" \rightarrow s1$ , then  $\#s1=10$ .

### Post Operators

Post operators are operators that come directly after an argument, such as  $5!$ ,  $25\%$ , or  $60^\circ 15' 45''$ . Arguments followed by a post operator are evaluated at the fourth priority level. For example, in the expression  $4^3!$ ,  $3!$  is evaluated first. The result,  $6$ , then becomes the exponent of  $4$  to yield  $4096$ .

### Exponentiation

Exponentiation (^) and element-by-element exponentiation (.^ ) are evaluated from right to left. For example, the expression  $2^3^2$  is evaluated the same as  $2^(3^2)$  to produce  $512$ . This is different from  $(2^3)^2$ , which is  $64$ .

### Negation

To enter a negative number, press  $\boxed{-}$  followed by the number. Post operations and exponentiation are performed before negation. For example, the result of  $-x^2$  is a negative number, and  $-9^2 = -81$ . Use parentheses to square a negative number such as  $(-9)^2$  to produce  $81$ .

### Constraint ("|")

The argument following the constraint ("|") operator provides a set of constraints that affect the evaluation of the argument preceding the operator.



# TI-Nspire CX II - TI-Basic Programming Features


## Auto-indentation in Programming Editor

The TI-Nspire™ program editor now auto-indents statements inside a block command.

Block commands are If/EndIf, For/EndFor, While/EndWhile, Loop/EndLoop, Try/EndTry

The editor will automatically prepend spaces to program commands inside a block command. The closing command of the block will be aligned with the opening command.

The example below shows auto-indentation in nested block commands.



```
autoindent
Define autoindent()=
Prgm
For n,1,10
  DrawLine n,n,n-10,n-10
  While n<5
    FillCircle n-25,n-5,n-10
    n:=n+1
  EndWhile
EndFor
EndPrgm
```

Code fragments that are copied and pasted will retain the original indentation.

Opening a program created in an earlier version of the software will retain the original indentation.

---

## Improved Error Messages for TI-Basic







### Errors

Error Condition	New message
Error in condition statement (If/While)	A conditional statement did not resolve to <b>TRUE</b> or <b>FALSE</b> <b>NOTE:</b> With the change to place the cursor on the line with the error, we no longer need to specify if the error is in an "If" statement or a "While" statement.
Missing EndIf	Expected <b>EndIf</b> but found a different end statement
Missing EndFor	Expected <b>EndFor</b> but found a different end statement
Missing EndWhile	Expected <b>EndWhile</b> but found a different end statement
Missing EndLoop	Expected <b>EndLoop</b> but found a different end statement


Error Condition	New message
Missing <b>EndTry</b>	Expected <b>EndTry</b> but found a different end statement
<b>"Then"</b> omitted after <b>If &lt;condition&gt;</b>	Missing <b>If..Then</b>
<b>"Then"</b> omitted after <b>Elseif &lt;condition&gt;</b>	<b>Then</b> missing in block: <b>Elseif</b> .
When <b>"Then"</b> , <b>"Else"</b> and <b>"Elseif"</b> were encountered outside of control blocks	<b>Else</b> invalid outside of blocks: <b>If..Then..EndIf</b> or <b>Try..EndTry</b>
<b>"Elseif"</b> appears outside of <b>"If..Then..EndIf"</b> block	<b>Elseif</b> invalid outside of block: <b>If..Then..EndIf</b>
<b>"Then"</b> appears outside of <b>"If....EndIf"</b> block	<b>Then</b> invalid outside of block: <b>If..EndIf</b>

## Syntax Errors


In case commands that expect one or more arguments are called with an incomplete list of arguments, a **"Too few argument error"** will be issued instead of **"syntax"** error

Current behaviour	New CX II behaviour
	
	
	


## Current behaviour



## New CX II behaviour




**Note:** When an incomplete list of arguments is not followed by a comma, the error message is: “too few arguments”. This is the same as previous releases.



## Constants and Values

The following table lists the constants and their values that are available when performing unit conversions. They can be typed in manually or selected from the

**Constants** list in **Utilities > Unit Conversions** (Handheld: Press  **3**).



Constant	Name	Value
_c	Speed of light	299792458 _m/_s
_Cc	Coulomb constant	8987551787.3682 _m/_F
_Fc	Faraday constant	96485.33289 _coul/_mol
_g	Acceleration of gravity	9.80665 _m/_s <sup>2</sup>
_Gc	Gravitational constant	6.67408E-11 _m <sup>3</sup> /_kg/_s <sup>2</sup>
_h	Planck's constant	6.626070040E-34 _J _s
_k	Boltzmann's constant	1.38064852E-23 _J/_°K
_μ0	Permeability of a vacuum	1.2566370614359E-6 _N/_A <sup>2</sup>
_μb	Bohr magneton	9.274009994E-24 _J _m <sup>2</sup> /_Wb
_Me	Electron rest mass	9.10938356E-31 _kg
_Mμ	Muon mass	1.883531594E-28 _kg
_Mn	Neutron rest mass	1.674927471E-27 _kg
_Mp	Proton rest mass	1.672621898E-27 _kg
_Na	Avogadro's number	6.022140857E23 /_mol
_q	Electron charge	1.6021766208E-19 _coul
_Rb	Bohr radius	5.2917721067E-11 _m
_Rc	Molar gas constant	8.3144598 _J/_mol/_°K
_Rdb	Rydberg constant	10973731.568508/_m
_Re	Electron radius	2.8179403227E-15 _m
_u	Atomic mass	1.660539040E-27 _kg
_Vm	Molar volume	2.2413962E-2 _m <sup>3</sup> /_mol
_ε0	Permittivity of a vacuum	8.8541878176204E-12 _F/_m
_σ	Stefan-Boltzmann constant	5.670367E-8 _W/_m <sup>2</sup> /_°K <sup>4</sup>
_φ0	Magnetic flux quantum	2.067833831E-15 _Wb

## Error Codes and Messages

When an error occurs, its code is assigned to variable *errCode*. User-defined programs and functions can examine *errCode* to determine the cause of an error. For an example of using *errCode*, See Example 2 under the **Try** command, page 159.

**Note:** Some error conditions apply only to TI-Nspire™ CAS products, and some apply only to TI-Nspire™ products.

Error code	Description
10	A function did not return a value
20	A test did not resolve to TRUE or FALSE.  Generally, undefined variables cannot be compared. For example, the test <code>If a&lt;b</code> will cause this error if either a or b is undefined when the If statement is executed.
30	Argument cannot be a folder name.
40	Argument error
50	Argument mismatch  Two or more arguments must be of the same type.
60	Argument must be a Boolean expression or integer
70	Argument must be a decimal number
90	Argument must be a list
100	Argument must be a matrix
130	Argument must be a string
140	Argument must be a variable name.  Make sure that the name: <ul style="list-style-type: none"><li>• does not begin with a digit</li><li>• does not contain spaces or special characters</li><li>• does not use underscore or period in invalid manner</li><li>• does not exceed the length limitations</li></ul> See the Calculator section in the documentation for more details.
160	Argument must be an expression
165	Batteries too low for sending or receiving  Install new batteries before sending or receiving.
170	Bound

Error code	Description
	The lower bound must be less than the upper bound to define the search interval.
180	Break The  or  key was pressed during a long calculation or during programme execution.
190	Circular definition This message is displayed to avoid running out of memory during infinite replacement of variable values during simplification. For example, $a+1 \rightarrow a$ , where $a$ is an undefined variable, will cause this error.
200	Constraint expression invalid For example, $\text{solve}(3x^2-4=0,x) \mid x < 0 \text{ or } x > 5$ would produce this error message because the constraint is separated by “or” instead of “and.”
210	Invalid Data type An argument is of the wrong data type.
220	Dependent limit
230	Dimension A list or matrix index is not valid. For example, if the list $\{1,2,3,4\}$ is stored in $L1$ , then $L1[5]$ is a dimension error because $L1$ only contains four elements.
235	Dimension Error. Not enough elements in the lists.
240	Dimension mismatch Two or more arguments must be of the same dimension. For example, $[1,2]+[1,2,3]$ is a dimension mismatch because the matrices contain a different number of elements.
250	Divide by zero
260	Domain error An argument must be in a specified domain. For example, $\text{rand}(0)$ is not valid.
270	Duplicate variable name
280	Else and Elseif invalid outside of If...EndIf block
290	EndTry is missing the matching Else statement
295	Excessive iteration
300	Expected 2 or 3-element list or matrix

Error code	Description
310	The first argument of nSolve must be an equation in a single variable. It cannot contain a non-valued variable other than the variable of interest.
320	First argument of solve or cSolve must be an equation or inequality For example, solve( $3x^2-4$ ,x) is invalid because the first argument is not an equation.
345	Inconsistent units
350	Index out of range
360	Indirection string is not a valid variable name
380	Undefined Ans Either the previous calculation did not create Ans, or no previous calculation was entered.
390	Invalid assignment
400	Invalid assignment value
410	Invalid command
430	Invalid for the current mode settings
435	Invalid guess
440	Invalid implied multiply For example, $x(x+1)$ is invalid; whereas, $x*(x+1)$ is the correct syntax. This is to avoid confusion between implied multiplication and function calls.
450	Invalid in a function or current expression Only certain commands are valid in a user-defined function.
490	Invalid in Try..EndTry block
510	Invalid list or matrix
550	Invalid outside function or programme A number of commands are not valid outside a function or programme. For example, Local cannot be used unless it is in a function or programme.
560	Invalid outside Loop..EndLoop, For..EndFor, or While..EndWhile blocks For example, the Exit command is valid only inside these loop blocks.
565	Invalid outside programme
570	Invalid pathname For example, \var is invalid.

<b>Error code</b>	<b>Description</b>
575	Invalid polar complex
580	Invalid programme reference Programs cannot be referenced within functions or expressions such as 1+p(x) where p is a programme.
600	Invalid table
605	Invalid use of units
610	Invalid variable name in a Local statement
620	Invalid variable or function name
630	Invalid variable reference
640	Invalid vector syntax
650	Link transmission A transmission between two units was not completed. Verify that the connecting cable is connected firmly to both ends.
665	Matrix not diagonalisable
670	Low Memory 1. Delete some data in this document 2. Save and close this document If 1 and 2 fail, pull out and re-insert batteries
672	Resource exhaustion
673	Resource exhaustion
680	Missing {
690	Missing }
700	Missing “
710	Missing ]
720	Missing }
730	Missing start or end of block syntax
740	Missing Then in the If..EndIf block
750	Name is not a function or programme
765	No functions selected



Error code	Description
780	No solution found
800	Non-real result For example, if the software is in the Real setting, $\sqrt{-1}$ is invalid. To allow complex results, change the "Real or Complex" Mode Setting to RECTANGULAR or POLAR.
830	Overflow
850	programme not found A programme reference inside another programme could not be found in the provided path during execution.
855	Rand type functions not allowed in graphing
860	Recursion too deep
870	Reserved name or system variable
900	Argument error Median-median model could not be applied to data set.
910	Syntax error
920	Text not found
930	Too few arguments The function or command is missing one or more arguments.
940	Too many arguments The expression or equation contains an excessive number of arguments and cannot be evaluated.
950	Too many subscripts
955	Too many undefined variables
960	Variable is not defined No value is assigned to variable. Use one of the following commands: <ul style="list-style-type: none"> <li>• <b>sto</b> →</li> <li>• <b>:=</b></li> <li>• <b>Define</b></li> </ul> to assign values to variables.
965	Unlicensed OS
970	Variable in use so references or changes are not allowed

Error code	Description
980	Variable is protected
990	Invalid variable name Make sure that the name does not exceed the length limitations
1000	Window variables domain
1010	Zoom
1020	Internal error
1030	Protected memory violation
1040	Unsupported function. This function requires Computer Algebra System. Try TI-Nspire™ CAS.
1045	Unsupported operator. This operator requires Computer Algebra System. Try TI-Nspire™ CAS.
1050	Unsupported feature. This operator requires Computer Algebra System. Try TI-Nspire™ CAS.
1060	Input argument must be numeric. Only inputs containing numeric values are allowed.
1070	Trig function argument too big for accurate reduction
1080	Unsupported use of Ans. This application does not support Ans.
1090	Function is not defined. Use one of the following commands: <ul style="list-style-type: none"> <li>• <b>Define</b></li> <li>• <b>:=</b></li> <li>• <b>sto →</b></li> </ul> to define a function.
1100	Non-real calculation For example, if the software is in the Real setting, $\sqrt{-1}$ is invalid. To allow complex results, change the “Real or Complex” Mode Setting to RECTANGULAR or POLAR.
1110	Invalid bounds
1120	No sign change
1130	Argument cannot be a list or matrix
1140	Argument error The first argument must be a polynomial expression in the second argument. If the second argument is omitted, the software attempts to select a default.

Error code	Description
1150	<p>Argument error</p> <p>The first two arguments must be polynomial expressions in the third argument. If the third argument is omitted, the software attempts to select a default.</p>
1160	<p>Invalid library pathname</p> <p>A pathname must be in the form <code>xxx\yyy</code>, where:</p> <ul style="list-style-type: none"> <li>• The <code>xxx</code> part can have 1 to 16 characters.</li> <li>• The <code>yyy</code> part can have 1 to 15 characters.</li> </ul> <p>See the Library section in the documentation for more details.</p>
1170	<p>Invalid use of library pathname</p> <ul style="list-style-type: none"> <li>• A value cannot be assigned to a pathname using <code>Define</code>, <code>:=</code>, or <code>sto</code> →.</li> <li>• A pathname cannot be declared as a Local variable or be used as a parameter in a function or programme definition.</li> </ul>
1180	<p>Invalid library variable name.</p> <p>Make sure that the name:</p> <ul style="list-style-type: none"> <li>• Does not contain a period</li> <li>• Does not begin with an underscore</li> <li>• Does not exceed 15 characters</li> </ul> <p>See the Library section in the documentation for more details.</p>
1190	<p>Library document not found:</p> <ul style="list-style-type: none"> <li>• Verify library is in the MyLib folder.</li> <li>• Refresh Libraries.</li> </ul> <p>See the Library section in the documentation for more details.</p>
1200	<p>Library variable not found:</p> <ul style="list-style-type: none"> <li>• Verify library variable exists in the first problem in the library.</li> <li>• Make sure library variable has been defined as LibPub or LibPriv.</li> <li>• Refresh Libraries.</li> </ul> <p>See the Library section in the documentation for more details.</p>
1210	<p>Invalid library shortcut name.</p> <p>Make sure that the name:</p> <ul style="list-style-type: none"> <li>• Does not contain a period</li> <li>• Does not begin with an underscore</li> <li>• Does not exceed 16 characters</li> <li>• Is not a reserved name</li> </ul> <p>See the Library section in the documentation for more details.</p>

<b>Error code</b>	<b>Description</b>
1220	Domain error: The tangentLine and normalLine functions support real-valued functions only.
1230	Domain error. Trigonometric conversion operators are not supported in Degree or Gradian angle modes.
1250	Argument Error Use a system of linear equations. Example of a system of two linear equations with variables x and y: $3x+7y=5$ $2y-5x=-1$
1260	Argument Error: The first argument of nfMin or nfMax must be an expression in a single variable. It cannot contain a non-valued variable other than the variable of interest.
1270	Argument Error Order of the derivative must be equal to 1 or 2.
1280	Argument Error Use a polynomial in expanded form in one variable.
1290	Argument Error Use a polynomial in one variable.
1300	Argument Error The coefficients of the polynomial must evaluate to numeric values.
1310	Argument error: A function could not be evaluated for one or more of its arguments.
1380	Argument error: Nested calls to domain() function are not allowed.

## Warning Codes and Messages

You can use the `warnCodes()` function to store the codes of warnings generated by evaluating an expression. This table lists each numeric warning code and its associated message. For an example of storing warning codes, see `warnCodes()`, page 168.

Warning code	Message
10000	Operation might introduce false solutions. When applicable, try using graphical methods to verify the results.
10001	Differentiating an equation may produce a false equation.
10002	Questionable solution When applicable, try using graphical methods to verify the results.
10003	Questionable accuracy When applicable, try using graphical methods to verify the results.
10004	Operation might lose solutions. When applicable, try using graphical methods to verify the results.
10005	cSolve might specify more zeroes.
10006	Solve may specify more zeroes. When applicable, try using graphical methods to verify the results.
10007	More solutions may exist. Try specifying appropriate lower and upper bounds and/or a guess. Examples using solve(): <ul style="list-style-type: none"><li>• <code>solve(Equation, Var=Guess) lowBound&lt;Var&lt;upBound</code></li><li>• <code>solve(Equation, Var) lowBound&lt;Var&lt;upBound</code></li><li>• <code>solve(Equation, Var=Guess)</code></li></ul> When applicable, try using graphical methods to verify the results.
10008	Domain of the result might be smaller than the domain of the input.
10009	Domain of the result might be larger than the domain of the input.
10012	Non-real calculation
10013	$\infty^0$ or <code>undef^0</code> replaced by 1
10014	<code>undef^0</code> replaced by 1
10015	$1^\infty$ or $1^{\text{undef}}$ replaced by 1
10016	$1^{\text{undef}}$ replaced by 1

<b>Warning code</b>	<b>Message</b>
10017	Overflow replaced by $\infty$ or $-\infty$
10018	Operation requires and returns 64 bit value.
10019	Resource exhaustion, simplification might be incomplete.
10020	Trig function argument too big for accurate reduction.
10021	Input contains an undefined parameter. Result might not be valid for all possible parameter values.
10022	Specifying appropriate lower and upper bounds might produce a solution.
10023	Scalar has been multiplied by the identity matrix.
10024	Result obtained using approximate arithmetic.
10025	Equivalence cannot be verified in EXACT mode.
10026	Constraint might be ignored. Specify constraint in the form "\ Variable MathTestSymbol Constant' or a conjunct of these forms, for example 'x<3 and x>- 12'

## General Information

### ***Online Help***

[education.ti.com/eguide](http://education.ti.com/eguide)

Select your country for more product information.

### ***Contact TI Support***

[education.ti.com/ti-cares](http://education.ti.com/ti-cares)

Select your country for technical and other support resources.

### ***Service and Warranty Information***

[education.ti.com/warranty](http://education.ti.com/warranty)

Select your country for information about the length and terms of the warranty or about product service.

Limited Warranty. This warranty does not affect your statutory rights.

Texas Instruments Incorporated

12500 TI Blvd.

Dallas, TX 75243

# Index

-			
-, subtract .....	176	, constraint operator .....	196
!		,	
!, factorial .....	187	' minute notation .....	194
"		+	
", second notation .....	194	+, add .....	176
#		=	
#, indirection .....	192	=, equal .....	182
#, indirection operator .....	220	≠, not equal .....	183
%		>	
%, percent .....	182	>, greater than .....	185
&		∏	
&, append .....	187	∏, product .....	189
*		∑	
*, multiply .....	177	∑(), sum .....	189
.		∑Int() .....	190
.-, dot subtraction .....	180	∑Prn() .....	191
.*, dot multiplication .....	181	√	
./, dot division .....	181	√, square root .....	188
.^, dot power .....	181	∠	
+. , dot addition .....	180	∠ (angle) .....	194
/		∫	
/, divide .....	178	∫, integral .....	188
:		≤	
:=, assign .....	198	≤, less than or equal .....	184
^		≥	
$\wedge^{-1}$ , reciprocal .....	196	≥, greater than or equal .....	185
$\wedge$ , power .....	179		



►	
►approxFraction( )	13
►Base10, display as decimal integer	17
►Base16, display as hexadecimal	18
►Base2, display as binary	16
►Cylind, display as cylindrical vector	35
►DD, display as decimal angle	35
►Decimal, display result as decimal	36
►DMS, display as degree/minute/second	43
►Grad, convert to gradian angle	68
►Polar, display as polar vector	112
►Rad, convert to radian angle	120
►Rect, display as rectangular vector	123
►Sphere, display as spherical vector	146
⇒	
⇒, logical implication	186, 217
→	
→, store variable	197
↔	
↔, logical double implication	186, 217
©	
©, comment	198
°	
°, degree notation	193
°, degrees/minutes/seconds	194
0	
0b, binary indicator	198
0h, hexadecimal indicator	198
1	
10^( ), power of ten	195
2	
2-sample F Test	57

## A

abs( ), absolute value	7
absolute value template for	3-4
add, +	176
amortisation table, amortTbl( )	7, 15
amortTbl( ), amortisation table	7, 15
and, Boolean operator	8
angle( ), angle	9
angle, angle( )	9
ANOVA, one-way variance analysis	9
ANOVA2way, two-way variance analysis	10
Ans, last answer	12
answer (last), Ans	12
append, &	187
approx( ), approximate	12
approximate, approx( )	12
approxRational( )	13
arccos(), cos <sup>-1</sup> ( )	13
arccosh(), cosh <sup>-1</sup> ( )	13
arccot(), cot <sup>-1</sup> ( )	13
arcoth(), coth <sup>-1</sup> ( )	13
arccsc(), csc <sup>-1</sup> ( )	13
arcsch(), csch <sup>-1</sup> ( )	14
arcsec(), sec <sup>-1</sup> ( )	14
arcsech(), sech <sup>-1</sup> ( )	14
arcsin(), sin <sup>-1</sup> ( )	14
arcsinh(), sinh <sup>-1</sup> ( )	14
arctan(), tan <sup>-1</sup> ( )	14
arctanh(), tanh <sup>-1</sup> ( )	14
arguments in TVM functions	163
augment( ), augment/concatenate	14
augment/concatenate, augment( )	14
average rate of change, avgRC( )	15
avgRC( ), average rate of change	15

## B

binary	
display, ►Base2	16
indicator, 0b	198
binomCdf( )	19, 74
binomPdf( )	19
Boolean operators	
⇒	186, 217
↔	186
and	8
nand	99



deltaList()	38	dotP(), dot product	43
DelVar, delete variable	39	draw	204-206
delVoid(), remove void elements	39		
derivatives		<b>E</b>	
first derivative, d()	187	e exponent	
numeric derivative, nDeriv()	102	template for	2
numeric derivative, nDerivative()	101	e to a power, e^()	44, 50
det(), matrix determinant	39	E, exponent	192
diag(), matrix diagonal	40	e^(), e to a power	44
dim(), dimension	40	eff(), convert nominal to effective	
dimension, dim()	40	rate	44
Disp, display data	41, 135	effective rate, eff()	44
DispAt	41	eigenvalue, eigVl()	45
display as		eigenvector, eigVc()	45
binary, ►Base2	16	eigVc(), eigenvector	45
cylindrical vector, ►Cylind	35	eigVl(), eigenvalue	45
decimal angle, ►DD	35	else if, Elseif	46
decimal integer, ►Base10	17	else, Else	69
degree/minute/second, ►DMS	43	Elseif, else if	46
hexadecimal, ►Base16	18	empty (void) elements	215
polar vector, ►Polar	112	end	
rectangular vector, ►Rect	123	for, EndFor	54
spherical vector, ►Sphere	146	function, EndFunc	58
display data, Disp	41, 135	if, EndIf	69
distribution functions		loop, EndLoop	89
binomCdf()	19, 74	try, EndTry	159
binomPdf()	19	while, EndWhile	169
invNorm()	74	end function, EndFunc	58
invt()	75	end if, EndIf	69
Inv $\chi^2$ ()	73	end loop, EndLoop	89
normCdf()	105	end while, EndWhile	169
normPdf()	105	EndTry, end try	159
poissCdf()	112	EndWhile, end while	169
poissPdf()	112	EOS (Equation Operating System)	219
tCdf()	156	equal, =	182
tPdf()	159	Equation Operating System (EOS)	219
$\chi^2$ 2way()	21	error codes and messages	225, 233
$\chi^2$ Cdf()	21	errors and troubleshooting	
$\chi^2$ GOF()	21	clear error, ClrErr	23
$\chi^2$ Pdf()	22	pass error, PassErr	111
divide, /	178	euler(), Euler function	47
dot		evaluate polynomial, polyEval()	113
addition, +	180	evaluation, order of	219
division, ./	181	exclusion with " " operator	196
multiplication, *	181	exit, Exit	49
power, ^	181	Exit, exit	49
product, dotP()	43	exp(), e to a power	50
subtraction, -	180	exponent, E	192

exponential regression, ExpReg .....	50	geomCdf( ) .....	59
exponents		geomPdf( ) .....	59
template for .....	1	Get .....	60, 209
expr( ), string to expression .....	50	get/return	
ExpReg, exponential regression .....	50	denominator, getDenom( ) .....	61
expressions		number, getNum( ) .....	66
string to expression, expr( ) .....	50	variables information,	
		getVarInfo( ) .....	64, 67
		getDenom( ), get/return	
		denominator .....	61
		getKey( ) .....	61
		getLangInfo( ), get/return language	
		information .....	64
		getLockInfo( ), tests lock status of	
		variable or variable group .....	65
		getModel( ), get mode settings .....	65
		getNum( ), get/return number .....	66
		GetStr .....	66
		getType( ), get type of variable .....	67
		getVarInfo( ), get/return variables	
		information .....	67
		go to, Goto .....	68
		Goto, go to .....	68
		gradian notation, g .....	192
		greater than or equal, $\geq$ .....	185
		greater than, $>$ .....	185
		greatest common divisor, gcd( ) .....	58
		groups, locking and unlocking .....	86, 166
		groups, testing lock status .....	65
		<b>H</b>	
		hexadecimal	
		display, ►Base16 .....	18
		indicator, 0h .....	198
		hyperbolic	
		arccosine, cosh <sup>-1</sup> ( ) .....	28
		arcsine, sinh <sup>-1</sup> ( ) .....	144
		arctangent, tanh <sup>-1</sup> ( ) .....	155
		cosine, cosh( ) .....	27
		sine, sinh( ) .....	144
		tangent, tanh( ) .....	155
		<b>I</b>	
		identity matrix, identity( ) .....	69
		identity( ), identity matrix .....	69
		if, If .....	69
		If, if .....	69
		<b>F</b>	
factor( ), factor .....	52		
factor, factor( ) .....	52		
factorial, ! .....	187		
fill .....	207-208		
Fill, matrix fill .....	53		
financial functions, tvmFV( ) .....	162		
financial functions, tvml( ) .....	162		
financial functions, tvmN( ) .....	162		
financial functions, tvmPmt( ) .....	163		
financial functions, tvmPV( ) .....	163		
first derivative			
template for .....	5		
FiveNumSummary .....	53		
floor( ), floor .....	54		
floor, floor( ) .....	54		
For .....	54		
for, For .....	54		
For, for .....	54		
format string, format( ) .....	55		
format( ), format string .....	55		
fpart( ), function part .....	55		
fractions			
propFrac .....	116		
template for .....	1		
freqTable( ) .....	56		
frequency( ) .....	56		
Frobenius norm, norm( ) .....	105		
Func, function .....	58		
Func, programme function .....	58		
functions			
part, fpart( ) .....	55		
programme function, Func .....	58		
user-defined .....	36		
functions and variables			
copying .....	24		
		<b>G</b>	
g, gradians .....	192		
gcd( ), greatest common divisor .....	58		

ifFn( )	70	LinRegtIntervals, linear regression	80
imag( ), imaginary part	71	LinRegtTest	81
imaginary part, imag( )	71	linSolve( )	83
indirection operator (#)	220	list to matrix, list►mat( )	84
indirection, #	192	list, conditionally count items in	30
inString( ), within string	71	list, count items in	29
int( ), integer	72	list►mat( ), list to matrix	84
intDiv( ), integer divide	72	lists	
integer divide, intDiv( )	72	augment/concatenate, augment	
integer part, iPart( )	75	( )	14
integer, int( )	72	cross product, crossP( )	31
integral, ∫	188	cumulative sum, cumulativeSum	
interpolate( ), interpolate	72	( )	34
inverse cumulative normal		differences in a list, Δlist( )	83
distribution (invNorm( )	74	dot product, dotP( )	43
inverse, $\wedge^{-1}$	196	empty elements in	215
invF( )	73	list to matrix, list►mat( )	84
invNorm( ), inverse cumulative		matrix to list, mat►list( )	91
normal distribution)	74	maximum, max( )	91
invt( )	75	mid-string, mid( )	93
Inv $\chi^2$ ( )	73	minimum, min( )	94
iPart( ), integer part	75	new, newList( )	102
irr( ), internal rate of return		product, product( )	116
internal rate of return, irr( )	75	sort ascending, SortA	146
isPrime( ), prime test	75	sort descending, SortD	146
isVoid( ), test for void	76	summation, sum( )	152
		ln( ), natural logarithm	84
		LnReg, logarithmic regression	85
		local variable, Local	86
		local, Local	86
		Local, local variable	86
		Lock, lock variable or variable group	86
		locking variables and variable groups	86
		Log	
		template for	2
		logarithmic regression, LnReg	85
		logarithms	84
		logical double implication, $\Leftrightarrow$	186
		logical implication, $\Rightarrow$	186, 217
		logistic regression, Logistic	87
		logistic regression, LogisticD	88
		Logistic, logistic regression	87
		LogisticD, logistic regression	88
		loop, Loop	89
		Loop, loop	89
		LU, matrix lower-upper	
		decomposition	90
<b>L</b>			
label, Lbl	76		
language			
get language information	64		
Lbl, label	76		
lcm, least common multiple	77		
least common multiple, lcm	77		
left( ), left	77		
left, left( )	77		
length of string	40		
less than or equal, $\leq$	184		
LibPriv	37		
LibPub	38		
library			
create shortcuts to objects	78		
libShortcut( ), create shortcuts to			
library objects	78		
linear regression, LinRegAx	79		
linear regression, LinRegBx	78, 80		
LinRegBx, linear regression	78		
LinRegMx, linear regression	79		





<b>Q</b>			
QR factorization, QR	117	quadratic, QuadReg	
QR, QR factorization	117	quartic, QuartReg	
quadratic regression, QuadReg	118	sinusoidal, SinReg	
QuadReg, quadratic regression	118	remain( ), remainder	
quartic regression, QuartReg	118	remainder, remain( )	
QuartReg, quartic regression	118	remove	
		void elements from list	
<b>R</b>		Request	
R, radian	193	RequestStr	
R►Pr( ), polar coordinate	120	result values, statistics	
R►Pθ( ), polar coordinate	119	results, statistics	
radian, R	193	return, Return	
rand( ), random number	120	Return, return	
randBin, random number	121	right( ), right	
randInt( ), random integer	121	right, right( )	
randMat( ), random matrix	122	rk23( ), Runge Kutta function	
randNorm( ), random norm	122	rotate( ), rotate	
random		rotate, rotate( )	
matrix, randMat( )	122	round( ), round	
norm, randNorm( )	122	round, round( )	
number seed, RandSeed	123	row echelon form, ref( )	
polynomial, randPoly( )	122	rowAdd( ), matrix row addition	
random sample	122	rowDim( ), matrix row dimension	
randPoly( ), random polynomial	122	rowNorm( ), matrix row norm	
randSamp( )	122	rowSwap( ), matrix row swap	
RandSeed, random number seed	123	rref( ), reduced row echelon form	
real( ), real	123		
real, real( )	123	<b>S</b>	
reciprocal, $\wedge^{-1}$	196	sec <sup>-1</sup> ( ), inverse secant	134
rectangular-vector display, ►Rect	123	sec( ), secant	134
rectangular x coordinate, P►Rx( )	110	sech <sup>-1</sup> ( ), inverse hyperbolic secant	135
rectangular y coordinate, P►Ry( )	111	sech( ), hyperbolic secant	135
reduced row echelon form, rref( )	133	second derivative	
ref( ), row echelon form	124	template for	5
RefreshProbeVars	125	second notation, "	194
regressions		seq( ), sequence	136
cubic, CubicReg	33	seqGen( )	136
exponential, ExpReg	50	seqn( )	137
linear regression, LinRegAx	79	sequence, seq( )	136-137
linear regression, LinRegBx	78, 80	set	
logarithmic, LnReg	85	mode, setMode( )	138
Logistic	87	setMode( ), set mode	138
logistic, Logistic	88	settings, get current	65
medium-medium line, MedMed	93	shift( ), shift	139
MultReg	96	shift, shift( )	139
power regression,		sign( ), sign	141
PowerReg	114, 126, 128, 156	sign, sign( )	141
		simult( ), simultaneous equations	141
		simultaneous equations, simult( )	141







xor, Boolean exclusive or ..... 169

## Z

zInterval, z confidence interval ..... 170

zInterval\_1Prop, one-proportion z  
confidence interval ..... 171

zInterval\_2Prop, two-proportion z  
confidence interval ..... 171

zInterval\_2Samp, two-sample z  
confidence interval ..... 172

zTest ..... 173

zTest\_1Prop, one-proportion z test . 174

zTest\_2Prop, two-proportion z test . 174

zTest\_2Samp, two-sample z test .... 175

## Δ

Δlist( ), list difference ..... 83

## X

$\chi^2$ 2way ..... 21

$\chi^2$ Cdf( ) ..... 21

$\chi^2$ GOF ..... 21

$\chi^2$ Pdf( ) ..... 22